



weber.anc 405 BFX Formerly "Conrep. 405 BFX"

EDITION: Mar.2016

1. IDENTIFICATION

PRODUCT NAME: weber.anc 405 BFX

DESCRIPTION: Pure epoxy anchoring resin in cartridge

SUPPLIER / MANUFACTURER:

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi – UAE

Al Quoz industrial area, P.O. Box 31320 Dubai - UAE SODAMCO KSA: Bin Abdul Aziz Str., P.O. Box 222 - Jeddah 21411- KSA

Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA

SODAMCO Jordan: Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN

SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON

SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON

SODAMCO Kuwait: P.O. Box 496 Salmiya 20005 State of Kuwait

SODAMCO Syria: Kafarsouseh - Damascus Syria

SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat - OMAN

INFORMATION:

SODAMCO Qatar: 00 974 4 4423816 -SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994 SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 - SODAMCO Jordan: 00962 6 4200417 - SODAMCO Lebanon: 00961 70 258 393 - SODAMCO S.AL: 00961 9 790 920 -SODAMCO Syria: 00963 11 214 5548 - SODAMCO Kuwait: 00965 2 571 6404 - SODAMCO

Muscat: 00968 24 21 83 61 / 00968 24 21 83 62

COMPOSITION / INGREDIENTS

Chemical identity Resin: epoxide preparation

Hardener: amine based preparation

Ingredients Resin:

Bisphenol-A-epichlorhydrine product Mw< 700 (CAS n° 25068-38-6)>15%

Xi, N, R36/38, R43

Hardener:

Different amine derivatives (<5%) Different phenolic derivatives (<5%)

2. HAZARDS IDENTIFICATION

Classification Irritant

Specific hazards Irritating to eyes and skin.

May cause sensitisation by skin contact.

Toxic to aquatic organisms, may cause long-term adverse effects in the Environmental hazards

aquatic environment

3. FIRST-AID MEASURES

Inhalation Move to fresh air and seek medical attention.

Skin contact Remove contaminated clothing immediately. Wash contaminated areas with

plenty of water and soap and rinse with water. Do not use any solvent. May

lead to sensitization.





weber.anc 405 BFX Formerly "Conrep. 405 BFX"

EDITION: Mar.2016

Eye contact Flush with plenty of water for minimum 15 minutes. Seek medical attention

immediately if irritation persists.

Ingestion Rinse mouse and drink plenty of water. Seek medical attention immediately.

Do not induce vomiting.

4. FIRE - FIGHTING MEASURES

Suitable Foam, waterspray, carbon dioxide, dry powder.

extinguishing media

Not suitable Direct water jet.

Exposure hazards Avoid breathing vapours and fumes. Toxic fumes formed during

decomposition (carbon oxides) may cause severe health hazard.

Keep containers cool if exposed to fire.

Special protective

equipment

Self contained breathing apparatus may be required for serious fires.

5. ACCIDENTAL RELEASE MEASURES

Personal Suitable protective clothing (overalls), rubber or plastic coated gloves, precautions

eye/face protection are advised. Evacuate non-essential staff and those not

equipped with above mentioned protections.

Environmental

protection

Prevent from entering sewer system, surface water or soil.

Treat spilled product with liquid absorbing material. Remove contaminated Cleaning up

procedures substances in a suitable container.

HANDLING AND STORAGE

Handling Provide good ventilation of the workroom. Do not sand.

Keep in the original package and store in normal conditions between 5 and Storage

7. EXPOSURE CONTROLS / PERSONAL PROTECTION

Protective Provide good ventilation of the workroom provisions

Personal protection

equipment Respiratory protection: none required when good ventilation

> Hand protection: wear rubber or plastic coated gloves, however due to its concept of packaging, the materials unmixed should not be in contact with

safety glasses /goggles or face shield advised, particularly when working overhead. Eve protection Skin protection

wear suitable protective clothing. Wash hands after each work period and before

eating.

8. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Putty Color

Resin white

Hardener: black Mixture: grey

Very slight amine odor Odor





weber.anc 405 BFX Formerly "Conrep. 405 BFX"

EDITION: Mar.2016

Viscosity (23°C) >500 Pa.s, thixotrope paste

Density

рΗ Not applicable Water Insoluble >200°C Flash point

Decomposition Cured material>200°C

STABILITY AND REACTIVITY

Conditions to avoid Not applicable

Materials to avoid Strong acids

Hazardous decomposition

Products By thermal decomposition (corrosive gases)

10. TOXICOLOGICAL INFORMATION

No specific oral and inhalation toxicology data is known.

May cause sensitization by skin contact.

11. ECOLOGICAL INFORMATION

Ecotoxicity Not applicable due to low volumes involved. The packaging is waterproof and

> will avoid leakages. In case of an unlikely accident in large volume, do not allow the material to enter water courses. If water is contaminated inform the

relevant authorities immediately.

12. DISPOSAL CONSIDERATIONS

Product Can be incinerated in compliance with local regulations.

Packaging Contaminated packaging material should be disposed of identically to the

product itself. Non contaminated packaging material should be treated as household waste or as recycling material. Cured material may be considered

inert and disposed of as builders waste.

13. TRANSPORT INFORMATION

Regulations do not apply to this material because of its packaging concept.

14. REGULATORY INFORMATION

Classification according to EEC Council Directives

Contains epoxydic components

Contains amine and phenolic derivatives

Symbol: Xi

Classification: irritant Dangerous components:

Bisphenol-A-epichlorhydrine product Amine and phenolic derivatives

R-Phrases R36/38: irritating to eyes and skin.





weber.anc 405 BFX Formerly "Conrep.405 BFX"

EDITION: Mar.2016

R43: may cause sensitization with skin contact.

S-phrases S26: in case of contact with eyes, rinse immediately with plenty of water and

seek medical attention.

S28: After contact with skin, wash immediately with plenty of water

S36/37/39: Wear suitable protective clothing, gloves and eye/face protection

15. OTHER INFORMATION

Uses: No other information

This safety data sheet should be used in conjunction with the product's technical data sheet. It does not replace it. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.