

MATERIAL SAFETY DATA SHEET

weberdry RBE –K

EDITION: May 2016

MATERIAL IDENTIFICATION

Trade Name : **weberdry RBE –K**

Description : Water based bitumen and rubber emulsion with emulsion stabilizers
Common Name: Rubberised Bitumen Emulsion.

Supplier / Manufacturer

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR
SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi – UAE
Al Quoz industrial area, P.O. Box 31320 Dubai - UAE
SODAMCO KSA: Bin Abdul Aziz Str., P.O. Box 222 –Jeddah 21411- KSA
Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA
SODAMCO Jordan: Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN
SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON
SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON
SODAMCO Kuwait: P.O. Box 496 Salmiya 20005 State of Kuwait
SODAMCO Syria: Kafarsouseh – Damascus Syria
SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat – OMAN

INFORMATION:

SODAMCO Qatar: 00 974 4 4423816 –SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994
SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 – SODAMCO Jordan: 00962 6 4200417 –
SODAMCO Lebanon: 00961 70 258 393 – SODAMCO S.AL: 00961 9 790 920 – SODAMCO Syria:
00963 11 214 5548 – SODAMCO Kuwait: 00965 2 571 6404 – SODAMCO Muscat : 00968 24 21 83 61

2: COMPOSITION INFORMATION

Name	Percentage
Ingredients:	
Bitumen	56.00%
Water	35.50%
Stabilisers	2.50%
SBS Rubber	6.0%

Colour and State: Thixotropic brown liquid – Dries to a black Film
Nature of Hazards: No hazardous materials

MATERIAL SAFETY DATA SHEET

weberdry RBE –K

EDITION: May 2016

3: HAZARD IDENTIFICATION

Flash Point: Not Applicable

Non-hazardous fluid that will not burn. Dried film, once ignited will burn with evolution of dense black smoke.

4: FIRE AND EXPLOSION

Extinguishing Media: Special Protective Equipment i.e. Wear NIOSH (National Institute for Occupational Safety and Health) approved self-protective clothing, including breathing apparatus (SCBA) as the dense black smoke will limit visibility in enclosed areas.

5: REACTIVITY

Stability: This material is stable in closed containers at room temperature.

Polymerisation: It does not polymerise.

Combustion Products: Burning can produce carbon monoxide and carbon dioxide.

Stability: This material is stable in closed containers at room temperature. Polymerisation: It does not polymerise.

Combustion Products: Burning can produce carbon monoxide and carbon dioxide.

6: ACCIDENTAL RELEASE MEASURES

Not Applicable.

7: FIRST AID MEASURES

Remove contaminated clothing immediately and wash affected area with soap and water if substance has got into eyes flush with running water.

Eye Contact: For contact with product, flush with large amounts of cool water for at least 15 minutes, including under lids. Seek medical attention for burns and severe irritation.

Skin Contact: Wash with cool water and a pH neutral soap or a mild skin detergent. Do not use solvents or thinners to remove product from skin. Seek medical attention for burns, rash, irritation, and dermatitis. For contact with hot product, immerse or flush skin with cold water for at least 15 minutes. Call a physician.

Inhalation: Move person to fresh air. Seek medical attention for discomfort or if coughing or other symptoms do not subside.

Ingestion: Do not induce vomiting. If conscious, have person drink plenty of water. Seek medical attention or contact poison control centre immediately.

Clean tools with Kerosene, wash hands with soap and water. By wearing gloves one could prevent the material coming into direct contact with the hands.

MATERIAL SAFETY DATA SHEET

weberdry RBE –K

EDITION: May 2016

8: HEALTH HAZARD

Notify safety personnel, remove all ignition sources. Provide adequate ventilation. Use sand or soil to absorb the spill. Scrape up with non-sparking tools and place in a covered metal container for disposal.

9: HANDLING AND STORAGE

Keep all containers away from heat, sparks and flame. Always keep containers closed. Protect container from physical damage no smoking in areas of use, storage or manufacturing. Prevent skin contact and avoid prolonged breathing of vapor. Do not inject.

10: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Fluid
Color:	Brown dries to Black
Odor:	Slight petroleum odor
Specific Gravity	0.99 -1.01
p H:	11-12
Boiling Point:	100 °C (aqueous phase)

11: TOXICOLOGICAL INFORMATION

There is no data available on the product itself.

However, materials to avoid: Keep away from strong oxidizing agents and strongly acidic materials to prevent the possibility of exothermic reaction.

12: ECOLOGICAL INFORMATION

The coating contains no Dangerous Asbestos constituents. No other data available on this product.

13: DISPOSABLE CONSIDERATIONS

Product is not regulated as a hazardous waste by the US EPA (Environmental Protection Agency), under Resource Conservation and Recovery Act (RCRA) regulations. Disposal must be in accordance with national legislation.

14: TRANSPORT INFORMATION

This product is not classified as a Hazardous material under the U.S. D.O.T (Department of Transport) regulations.

MATERIAL SAFETY DATA SHEET

weberdry RBE –K

EDITION: May 2016

15: REGULATORY INFORMATION

EU Directive No: 2004 /42 EP (European Parliament) and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in decorative paints and varnishes.

EU Directive No: 305/2011 EP and the Council. Statutory Instruments: Not Known.
BS 8215:1991 Code of Practice for Design and Installation of damp-proof courses in masonry construction.

16: SUPPLEMENTARY INFORMATION

The data contained in this Safety Data Sheet has been supplied as required by the UK Chemical (Hazard Identification and Packing) Regulations 1993, as amended, for the purpose of protecting health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided. Please insure that it is passed to the appropriate person(s) in your company, who are capable of acting on the information.

This safety Information data sheet includes the last 16 headings in accordance with Annex II of Commission Regulation(EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH).

Manufacturer`s disclaimer:

As of the date of this document, the foregoing information is believed to be accurate and is provided in good faith. However no warranty or representation of law or fact with respect to such information is intended or given.