

## MATERIAL SAFETY DATA SHEET

### weberdry prime 310 PU Formerly "Waterproof.310 PU Primer"

EDITION: Aug.2014

#### 1. IDENTIFICATION

PRODUCT NAME: **weberdry prime 310 PU**

DESCRIPTION: DEEP PENETRATING POLYURETHANE PRIMER

##### SUPPLIER / MANUFACTURER:

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR  
 SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi – UAE  
 Al Quoz industrial area, P.O. Box 31320 Dubai - UAE  
 SODAMCO KSA: Bin Abdul Aziz Str., P.O. Box 222 –Jeddah 21411- KSA  
 Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA  
 SODAMCO Jordan:Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN  
 SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON  
 SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON  
 SODAMCO Kuwait: P.O. Box 496 Salmiya 20005 State of Kuwait  
 SODAMCO Syria: Kafarsouseh – Damascus Syria  
 SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat – OMAN

##### INFORMATION:

SODAMCO Qatar: 00 974 4 4423816 –SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994  
 SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 – SODAMCO Jordan: 00962 6 4200417 –  
 SODAMCO Lebanon: 00961 70 258 393 – SODAMCO S.AL: 00961 9 790 920 – SODAMCO Syria:  
 00963 11 214 5548 – SODAMCO Kuwait: 00965 2 571 6404 – SODAMCO Muscat : 00968 24 21 83 61

#### 2. COMPOSITION / INGREDIENTS

ETHYL METHYL KETOXIME case number: 96-29-7  
 HYDROCARBON DISTILLATE case number : 64742-82-1

#### 3. HAZARDS IDENTIFICATION

Flammable. Limited evidence of a carcinogenic effect. May cause sensitization by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Carcinogen Category 3.

HAZARDOUS SUBSTANCE: DANGEROUS GOODS

#### 4. FIRST-AID MEASURES

INHALATION	: Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.
INGESTION	: DO NOT INDUCE VOMITING! If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Provide fresh air, warmth and rest, preferably in comfortable upright sitting position. Rinse mouth thoroughly. Get medical attention.

---

**MATERIAL SAFETY DATA SHEET**

---

**weberdry prime 310 PU Formerly "Waterproof.310 PU Primer"****EDITION:** Aug.2014

---

**SKIN** : Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if irritation persists after washing.

**EYES** : Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**5. FIRE - FIGHTING MEASURES**

**EXTINGUISHING MEDIA:** Use: Alcohol resistant foam. Powder. Dry chemicals, sand, dolomite etc.

**6. ACCIDENTAL RELEASE MEASURES**

**SPILL CLEANUP METHODS:** Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers.

**7. HANDLING AND STORAGE**

**USAGE PRECAUTIONS:** Avoid spilling, skin and eye contact. Ventilate well, avoid breathing vapours. Use approved respirator if air contamination is above accepted level.

**STORAGE PRECAUTIONS:** Keep in cool, dry, ventilated storage and closed containers. Keep in original container.

**STORAGE CRITERIA:** Flammable liquid storage.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**VENTILATION:** Provide sufficient ventilation during operations which cause vapour formation.

**RESPIRATORS:** No specific recommendation made, but respiratory protection must be used if the general level exceeds the Occupational Exposure Level (OEL).

**PROTECTIVE GLOVES:** Use protective gloves.

**EYE PROTECTION:** Wear approved safety goggles.

**OTHER PROTECTION:** Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapor contact.

**HYGIENIC WORK PRACTICES:** DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap & water if skin becomes contaminated. No eating or drinking while working with this material.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	liquid
Color	transparent
Water solubility	insoluble
Specific gravity	1.1
Miscibility	solvents not water.
Flammability	flammable

**10. STABILITY AND REACTIVITY**

**STABILITY:** Normally stable.

**CONDITIONS TO AVOID:** Avoid heat, flames and other sources of ignition.

## MATERIAL SAFETY DATA SHEET

### weberdry prime 310 PU Formerly "Waterproof.310 PU Primer"

EDITION: Aug.2014

#### 11. TOXICOLOGICAL INFORMATION

INHALATION: Solvent vapors are hazardous and may cause nausea, sickness and headaches. High concentrations of vapors may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

INGESTION: May cause stomach pain or vomiting.

SKIN: May cause sensitization by skin contact. Prolonged or repeated exposure may cause severe irritation.

EYES: Irritating to eyes.

HEALTH WARNINGS: Known or suspected carcinogen for humans.

OTHER HEALTH EFFECTS: Suspect Cancer Hazard.

#### 12. ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Dangerous for the environment: May cause long-term adverse effects in the aquatic environment.

#### 13. DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Dispose of in accordance with Local Authority requirements.

#### 14. TRANSPORT INFORMATION

UN No. ROAD	: 1993
UK ROAD TRANSPORT CLASS	: 3
UK ROAD PACK GR.	: III
ADR CLASS No.	: 3
ADR CLASS: Class 3	: Flammable liquids.
ADR ITEM No.	: III
ADR LABEL No.	: 3
HAZCHEM CODE	: 3Y
CEPIC TEC(R) No.	: 30GFI-III, 30GFI-sp
PROPER SHIPPING NAME I	: FLAMMABLE LIQUID, N.O.S. (HYDROCARBON DISTILLATE)
RID CLASS No.	: 3
RID ITEM No.	: III
UN No. SEA	: 1993
IMDG CLASS	: 3
IMDG PACK GR.	: III
EmS No.	: F-E; S-E
MFAG TABLE No.	: See Guide
MARINE POLLUTANT	: No.
UN No., AIR	: 1993
ICAO CLASS	: 3
AIR PACK GR.	: III

#### 15. REGULATORY INFORMATION

RISK PHRASES: R-10 Flammable.

R-40 Limited evidence of a carcinogenic effect.

R-43 May cause sensitization by skin contact.

R-51/53 Toxic to aquatic organisms may cause long-term adverse effects in the aquatic environment.

SAFETY PHRASES: S-36/37 Wear suitable protective clothing and gloves.

## MATERIAL SAFETY DATA SHEET

---

### **weberdry prime 310 PU Formerly "Waterproof.310 PU Primer"**

**EDITION:** Aug.2014

---

S-51 Use only in well ventilated areas.

#### **16. OTHER INFORMATION**

*Uses: No other information*

*This safety data sheet should be used in conjunction with the product's technical data sheet. It does not replace it. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.*