

MATERIAL SAFETY DATA SHEET

weberdry prime SB Formerly "Waterproof.prime SB"

EDITION: Aug.2014

1. IDENTIFICATION

PRODUCT NAME: **weberdry prime SB**

DESCRIPTION: Solvent based bitumen primer

SUPPLIER / MANUFACTURER:

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR

SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi – UAE

Al Quoz industrial area, P.O. Box 31320 Dubai - UAE

SODAMCO KSA: Bin Abdul Aziz Str., P.O. Box 222 –Jeddah 21411- KSA

Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA

SODAMCO Jordan:Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN

SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON

SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON

SODAMCO Kuwait: P.O. Box 496 Salmiya 20005 State of Kuwait

SODAMCO Syria: Kafarsouseh – Damascus Syria

SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat – OMAN

INFORMATION:

SODAMCO Qatar: 00 974 4 4423816 –SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994

SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 – SODAMCO Jordan: 00962 6 4200417 –

SODAMCO Lebanon: 00961 70 258 393 – SODAMCO S.AL: 00961 9 790 920 – SODAMCO Syria:

00963 11 214 5548 – SODAMCO Kuwait: 00965 2 571 6404 – SODAMCO Muscat : 00968 24 21 83 61

2. COMPOSITION / INGREDIENTS

Chemical Characterization/Family:

Synthetic resins Bitumen: CASE No. 64741-56-6

3. HAZARDS IDENTIFICATION

May cause lung damage if swallowed; toxic to aquatic organisms;

May cause long term adverse effects in the aquatic environment

Repeated exposure may cause skin dryness and cracking

Keep out of reach of children

Keep away from sources of ignition – No smoking.

If swallowed do not induce vomiting – seek medical assistance.

Do not breathe vapor. Avoid contact with skin and eyes.

4. FIRST-AID MEASURES

INHALATION:

Avoid working in a poorly ventilated, confined space. Remove to fresh air and rest. If irritation or breathing difficulties persist, seek medical attention.

MATERIAL SAFETY DATA SHEET

weberdry prime SB Formerly "Waterproof.prime SB"

EDITION: Aug.2014

SKIN CONTACT:

Wash off skin with warm soapy water. Remove contaminated clothing and launder regularly. Prolonged and unattended contact should be avoided. Where irritation to skin is apparent seek medical attention.

INGESTION:

Clean out mouth with copious volumes of water and drink plenty. Do not induce vomiting. Beware of aspiration if vomiting occurs. Seek prompt medical attention and show this data sheet.

EYE CONTACT:

Irrigate thoroughly for 15 minutes with clean running water or a boric saline eye wash bottle. Seek medical attention should eye irritation persist or become inflamed.

5. FIRE - FIGHTING MEASURES

Recommended extinguishers – Dry powder; Foam, CO₂ – Do not use water jets.

Hazardous decomposition when subject to combustion – will produce noxious, irritating fumes.

Special procedures – Use approved self-contained breathing apparatus. Only use a fine water spray to cool down heat affected containers – not burning product.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area and eliminate all sources of ignition. Absorb and scrape spillages onto sand, sawdust or absorbent granules and confine residues in a clearly marked sealed container for disposal in accordance with Local Authority regulations for flammable products. Protective Equipment section for advice when handling spillages.

7. HANDLING AND STORAGE

Handling: Ensure adequate ventilation and use all recommended personal protective equipment

Storage: Store in well-sealed, clearly marked containers. Keep out of reach of children in a cool well ventilated environment preferably within a lockable metal cabinet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory	: Good ventilation is required otherwise use an organic vapour filtered face mask in confined spaces.
Hand	: Wear 17" long elbow length latex rubber (chlorinated) or nitrile gloves approved to EN 374 & EN 420 with a BTT rating of > 4 hrs.
Eye	: BS 2092 Goggles should be worn for all applications to help prevent accidental face/eye contact
Skin	: A disposable PVC apron should be worn on top of overalls, however if the fabric becomes contaminated these should be laundered immediately.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Black liquid
Boiling point range	154 - 195
Water solubility	< 50mg/ltr
Auto ignition temp	230°C
Specific gravity	0.93 - 0.95
Miscibility	solvents not water.

MATERIAL SAFETY DATA SHEET

weberdry prime SB Formerly "Waterproof.prime SB"

EDITION: Aug.2014

Odour	Paraffinic oil based hydrocarbon.
Flash point	40°C - FLAMMABLE
Viscosity	< 500mPa.s
Flammability	Lower 0.9% - Upper 8.0%

10. STABILITY AND REACTIVITY

Stable – No dangerous chemical reactions known – hazardous polymerisation will not occur.
Materials to avoid – Oxidizing agents; Conditions to avoid – sources of ignition.

11. TOXICOLOGICAL INFORMATION

Routes of exposure – Inhalation, skin contact and ingestion.
Health effect – prolonged inhalation may cause headaches and Depression of the CNS.
Acute effects of inhalation – coughing and eyes watering.
Acute effects of skin contact – redness, irritation and sensitisation.

12. ECOLOGICAL INFORMATION

Bio-accumulative potential – negligible (no data available).
Ecotoxicity: LC50: 1 – 10 mg/litre
Environmental Persistence – No data available

13. DISPOSAL CONSIDERATIONS

Dried residues are non-hazardous and non-flammable, although cloths used to apply the product will retain a flammability risk until they are either laundered or allowed to dry completely. Unused product and freshly contaminated application materials must be considered flammable and disposed of in accordance with local authority regulations for flammable liquids / paints.

14. TRANSPORT INFORMATION

IMDG: PAINT, CLASS 3, UN 1263, PG III (40OC cc), MARINE POLLUTANT
IATA / IACO: Class 3; Packing Group III; ADR / RID: UN 1263, PAINT, 3, PG III

15. REGULATORY INFORMATION

CHIP Hazard symbols: R10, R51, R53, R65, R66 – Flammable; Harmful Xn, Dangerous for the Environment
Safety phrases: S2 – S16 – S24 – S25 – S36/37/39.

16. OTHER INFORMATION

Uses: No other information

This safety data sheet should be used in conjunction with the product's technical data sheet. It does not replace it. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations

MATERIAL SAFETY DATA SHEET

weberdry prime SB *Formerly "Waterproof.prime SB"*

EDITION: Aug.2014

regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.