

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **weberpremix putty**

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

(Contd. on page 2)

EUG

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name weberpremix putty**

(Contd. of page 1)

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)  
Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box  
1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

**1.4 Emergency telephone number:**

UAE:+971 2 550 9994

Lebanon:+9619790920

Jeddah:+966126683295

Riyadh:+966114738751

Qatar:+97444423816

Jordan: +96264200417

Kuwait:+96525716404

Muscat:+96824218361

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon

Sunday to Thursday in other countries

## SECTION 2: Hazards identification

**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008** Void**Hazard pictograms** Void**Signal word** Void**Hazard statements** Void**Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water/0

P308+P313 IF exposed or concerned: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Does not contain PBT substances.

(Contd. on page 3)

EUG

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name** weberpremix putty

**vPvB:** Does not contain vPvB substances.

(Contd. of page 2)

### SECTION 3: Composition/information on ingredients

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances without any hazardous components

##### Dangerous components:

CAS: 84-74-2	dibutyl phthalate	0.1-1%
EINECS: 201-557-4	Repr. 1B, H360Df; Aquatic Acute 1, H400	
Index number: 607-318-00-4		

##### SVHC

CAS: 84-74-2	dibutyl phthalate
--------------	-------------------

**Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

##### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)

EUG

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name** weberpremix putty

(Contd. of page 3)

### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Not required.

**6.2 Environmental precautions:** Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures required.

Keep receptacles tightly sealed.

Open and handle receptacle with care.

**Information about fire - and explosion protection:** Keep respiratory protective device available.

### 7.2 Conditions for safe storage, including any incompatibilities

**Storage**
**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

DNELs		
CAS: 471-34-1 calcium carbonate		
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value)
		1.06 mg/m <sup>3</sup> (consumer local long term value)

(Contd. on page 5)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name weberpremix putty**

(Contd. of page 4)

CAS No.	Designation of material	%	Type	Value	Unit
<b>CAS: 84-74-2 dibutyl phthalate</b>					
AGW (Germany)	Long-term value: 0.58 mg/m <sup>3</sup> , 0.05 ppm 2(I);DFG, Y, 11				
GV (Denmark)	Long-term value: 3 mg/m <sup>3</sup>				
LEP (Spain)	Long-term value: 5 mg/m <sup>3</sup> TR1B, ae, r				
TWA (Italy)	Long-term value: 5 mg/m <sup>3</sup>				
VLE (Portugal)	Long-term value: 5 mg/m <sup>3</sup> lesão testicular; Irritação ocular, do TRS				
OEL (Sweden)	Short-term value: 5 mg/m <sup>3</sup> Long-term value: 3 mg/m <sup>3</sup> R, V				

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**
**Personal protective equipment:**
**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Store protective clothing separately.

Avoid contact with the skin.

**Respiratory protection:** Not required.

**Protection of hands:** Protective gloves.

**Eye protection:** Goggles recommended during refilling

**Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties**
**General Information**
**Appearance:**

<b>Form:</b>	Pasty
<b>Colour:</b>	Whitish
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.

<b>pH-value:</b>	Not determined.
------------------	-----------------

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	100 °C (DIN)

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name weberpremix putty**

(Contd. of page 5)

<b>Flash point:</b>	Not applicable
<b>Flammability (solid, gas):</b>	Not applicable.
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
<b>Oxidising properties</b>	Not determined.
<b>Vapour pressure at 20 °C:</b>	48 hPa (DIN 51640)
<b>Density:</b>	Not determined
<b>Bulk density:</b>	Not applicable.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with Water:</b>	Fully miscible
<b>Segregation coefficient (n-octanol/water) log Pow:</b>	Not determined.
<b>Viscosity:</b>	
dynamic:	Not determined.
kinematic:	Not determined.
<b>Solvent separation test:</b>	Not applicable.
<b>Solvent content:</b>	
Water:	29.3 %
EU-VOC (%)	0.00 %
EU-VOC (g/L)	0.0 g/l
Solids content:	76.5 %
<b>9.2 Other information</b>	No further relevant information available.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

(Contd. on page 7)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name** weberpremix putty

(Contd. of page 6)

- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 471-34-1 calcium carbonate</b>			
Oral	LD50	6,450 mg/kg (Rat)	
Dermal	LD50	6,450 mg/kg (Rat)	

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

Type of test	Effective concentration	Method	Assessment
<b>CAS: 471-34-1 calcium carbonate</b>			
EC50/72h	14 mg/l	(Algae)	

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:** Not known to be hazardous to water.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

Trade name weberpremix putty

12.6 Other adverse effects No further relevant information available.

(Contd. of page 7)

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Smaller quantities can be disposed of with household waste.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

#### Uncleaned packaging:

**Recommendation:** Non contaminated packagings may be recycled.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

14.1 UN-Number  
ADR, IMDG, IATA

Void

14.2 UN proper shipping name  
ADR, IMDG, IATA

Void

14.3 Transport hazard class(es)  
ADR, ADN, IMDG, IATA  
Class

Void

14.4 Packing group  
ADR, IMDG, IATA

Void

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of  
Marpol and the IBC Code

Not applicable.

UN "Model Regulation":

Void

### SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

#### LIST OF SUBSTANCES SUBJECT TO AUTHORISATION (ANNEX XIV)

CAS: 84-74-2 dibutyl phthalate

Sunset date: 2015-02-21

(Contd. on page 9)



## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2019

Version number 1

Revision: 19.08.2019

**Trade name weberpremix putty**

(Contd. of page 8)

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 51b**National regulations****Other regulations, limitations and prohibitive regulations****Medical check-ups**

CAS: 84-74-2 dibutyl phthalate

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H360Df May damage the unborn child. Suspected of damaging fertility.

H400 Very toxic to aquatic life.

**Department issuing SDS:** R&D Department of Weber-Middle East**Contact:**

Product Safety

T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Repr. 1B: Reproductive toxicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

-EUG-