

## **Safety Use Instruction Sheet**

**according to 1907/2006/EC, Article 31**

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

**Trade name** Proboard

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

#### **1.3 Details of the supplier of the safety data sheet**

##### **Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

(Contd. on page 2)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

Trade name Proboard

(Contd. of page 1)

F +966 11 472 5339

### 1.4 Emergency telephone number:

UAE:+971 2 550 9994

Lebanon:+9619790920

Jeddah:+966126683295

Riyadh:+966114738751

Qatar:+97444423816

Jordan: +96264200417

Kuwait:+96525716404

Muscat:+96824218361

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon

Sunday to Thursday in other countries

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements

P401 Store in accordance with local/regional/national/international regulations.

P407 Maintain air gap between stacks or pallets.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### Additional information:

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

### 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances without any hazardous components

#### Dangerous components:

|                                |                                                     |      |
|--------------------------------|-----------------------------------------------------|------|
| CAS: 8052-42-4                 | Asphalt                                             | >50% |
| EINECS: 232-490-9              | substance with a Community workplace exposure limit |      |
| Reg.nr.: 01-2119480172-44-xxxx |                                                     |      |

(Contd. on page 3)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

Trade name Proboard

|                                                                        |                                                                                                                                                                         |                              |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| CAS: 14808-60-7<br>EINECS: 238-878-4<br>Reg.nr.: 01-2120770509-45-xxxx | Siliciumdioxide (SiO <sub>2</sub> , Quartz flour in a dry product)<br> STOT RE 2, H373 | (Contd. of page 2)<br>25-50% |
| CAS: 1317-65-3<br>EINECS: 215-279-6                                    | limestone<br>substance with a Community workplace exposure limit                                                                                                        | 5-10%                        |

**SVHC** Void

### Additional information

This is free from asbestos, chromate copper, Arsenate, lead or any other non conforming material.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Generally the product does not irritate the skin.

#### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures** Not required.

**6.2 Environmental precautions:** No special measures required.

### 6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to item 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

**Trade name Proboard**

See Section 13 for disposal information.

(Contd. of page 3)

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

No special measures required.

Provide suction extractors if dust is formed.

**Information about fire - and explosion protection:** No special measures required.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Storage

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**Additional information about design of technical facilities:** No further data; see item 7.

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:**

| CAS No.                                                               | Designation of material                                                         | % | Type | Value Unit |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------|---|------|------------|
| CAS: 8052-42-4 Asphalt                                                |                                                                                 |   |      |            |
| MAK (Germany)                                                         | Long-term value: 1.5 mg/m³<br>Dampf und Aerosol                                 |   |      |            |
| GV (Denmark)                                                          | Long-term value: 1 mg/m³                                                        |   |      |            |
| LEP (Spain)                                                           | Long-term value: 0.5 mg/m³<br>aerosoles solubles en benceno                     |   |      |            |
| TWA (Italy)                                                           | Long-term value: 0.5 mg/m³<br>A4 , IBEp, (i)                                    |   |      |            |
| VLE (Portugal)                                                        | Long-term value: 0.5 mg/m³<br>Fração inal.; A4, IBEp; Irritação ocular e do TRS |   |      |            |
| CAS: 14808-60-7 Siliciumdioxide (SiO2, Quartz flour in a dry product) |                                                                                 |   |      |            |
| BOELV (European Union)                                                | Long-term value: 0.1* mg/m³<br>*respirable fraction                             |   |      |            |
| MAK (Germany)                                                         | alveolengängige Fraktion                                                        |   |      |            |
| GV (Denmark)                                                          | Long-term value: 0.3* 0.1** mg/m³<br>*total; **total, respirabel, K             |   |      |            |
| LEP (Spain)                                                           | Long-term value: 0.05 mg/m³<br>*Fracción resp:n,d,y                             |   |      |            |
| TWA (Italy)                                                           | Long-term value: 0.025 mg/m³<br>A2, (j)                                         |   |      |            |
| VLE (Portugal)                                                        | Long-term value: 0.025 mg/m³<br>Resp.;A2; fibrose pulmonar; cancro do pulmão    |   |      |            |

(Contd. on page 5)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

Trade name Proboard

(Contd. of page 4)

|                                 |                                                                     |
|---------------------------------|---------------------------------------------------------------------|
| OEL (Sweden)                    | Long-term value: 0.1 mg/m <sup>3</sup><br>C, M, respirabel fraktion |
| HTP (Finland)                   | Long-term value: 0.05 mg/m <sup>3</sup><br>alveolijae               |
| <b>CAS: 1317-65-3 limestone</b> |                                                                     |
| TWA (Italy)                     | Long-term value: 10 mg/m <sup>3</sup><br>(e)                        |

**Additional Occupational Exposure Limit Values for possible hazards during processing:**  
Quartz respirable dust (< 5 µm) : 0,15 mg/m<sup>3</sup>

### 8.2 Exposure controls

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the skin.

**Respiratory protection:** Not required.

**Protection of hands:** Not required.

**Eye protection:** Not required.

**Body protection:** Protective work clothing.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance:

|                  |                   |
|------------------|-------------------|
| Form:            | Solid material.   |
| Colour:          | Black             |
| Odour:           | Uncharacteristic. |
| Odour threshold: | Not determined.   |

#### Change in condition

|                                          |                  |
|------------------------------------------|------------------|
| Melting point/freezing point:            | Undetermined.    |
| Initial boiling point and boiling range: | 320-500 °C (DIN) |

|              |                       |
|--------------|-----------------------|
| Flash point: | 180 °C (DIN ISO 2592) |
|--------------|-----------------------|

|                            |                           |
|----------------------------|---------------------------|
| Flammability (solid, gas): | Product is not flammable. |
|----------------------------|---------------------------|

|                       |                 |
|-----------------------|-----------------|
| Ignition temperature: | Not determined. |
|-----------------------|-----------------|

|                            |                 |
|----------------------------|-----------------|
| Decomposition temperature: | Not determined. |
|----------------------------|-----------------|

|                            |                              |
|----------------------------|------------------------------|
| Auto-ignition temperature: | Product is not selfigniting. |
|----------------------------|------------------------------|

|                       |                                               |
|-----------------------|-----------------------------------------------|
| Explosive properties: | Product does not present an explosion hazard. |
|-----------------------|-----------------------------------------------|

#### Explosion limits:

|        |                 |
|--------|-----------------|
| Lower: | Not determined. |
| Upper: | Not determined. |

#### Oxidising properties

Not determined.

(Contd. on page 6)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

Trade name Proboard

(Contd. of page 5)

|                                                           |                                            |
|-----------------------------------------------------------|--------------------------------------------|
| <b>Vapour pressure at 20 °C:</b>                          | 1 hPa (DIN 51640)<br>Not applicable.       |
| <b>Density:</b>                                           | Not applicable.                            |
| <b>Relative density</b>                                   | Not determined.                            |
| <b>Vapour density</b>                                     | Not applicable.                            |
| <b>Evaporation rate</b>                                   | Not applicable.                            |
| <b>Solubility in / Miscibility with Water:</b>            | Soluble                                    |
| <b>Segregation coefficient (n-octanol/water) log Pow:</b> | Not determined.                            |
| <b>Viscosity:</b>                                         |                                            |
| dynamic:                                                  | Not applicable.                            |
| kinematic:                                                | Not applicable.                            |
| <b>Solvent content:</b>                                   |                                            |
| EU-VOC (%)                                                | 0.00 %                                     |
| EU-VOC (g/L)                                              | 0.0 g/l                                    |
| <b>Solids content:</b>                                    | 100.0 %                                    |
| <b>9.2 Other information</b>                              | No further relevant information available. |

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

| Components                      | Type | Value        | Species  |
|---------------------------------|------|--------------|----------|
| <b>CAS: 8052-42-4 Asphalt</b>   |      |              |          |
| Oral                            | LD50 | >5,000 mg/kg | (Rat)    |
| Dermal                          | LD50 | >2,000 mg/kg | (Rabbit) |
| <b>CAS: 1317-65-3 limestone</b> |      |              |          |
| Oral                            | LD50 | >5,000 mg/kg | (Rat)    |

**Primary irritant effect:**

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.

**Serious eye damage/irritation** Based on available data, the classification criteria are not met.

(Contd. on page 7)

EUG

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

**Trade name Proboard**

(Contd. of page 6)

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

#### 12.1 Toxicity

**Aquatic toxicity:** Not classified as harmful to aquatic life

|                     |                                |               |                   |
|---------------------|--------------------------------|---------------|-------------------|
| <b>Type of test</b> | <b>Effective concentration</b> | <b>Method</b> | <b>Assessment</b> |
|---------------------|--------------------------------|---------------|-------------------|

**CAS: 1317-65-3 limestone**

|          |                                                    |
|----------|----------------------------------------------------|
| LC50/96h | >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout)) |
|----------|----------------------------------------------------|

|          |                             |
|----------|-----------------------------|
| EC50/48h | >1,000 mg/l (Daphnia magna) |
|----------|-----------------------------|

|          |                   |
|----------|-------------------|
| EC50/72h | >200 mg/l (Algae) |
|----------|-------------------|

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**Behaviour in environmental systems:**

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

**Recommendation** Smaller quantities can be disposed of with household waste.

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

|     |                                                           |
|-----|-----------------------------------------------------------|
| HP5 | Specific Target Organ Toxicity (STOT)/Aspiration Toxicity |
|-----|-----------------------------------------------------------|

**Uncleaned packaging:**

**Recommendation:** Non contaminated packagings may be recycled.

**Recommended cleaning agent:**

Water, if necessary together with cleansing agents.

Thoroughly shake out sacks.

EUG

(Contd. on page 8)

## Safety Use Instruction Sheet

according to 1907/2006/EC, Article 31

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

Trade name Proboard

(Contd. of page 7)

### SECTION 14: Transport information

|                                                                                |                 |
|--------------------------------------------------------------------------------|-----------------|
| <b>14.1 UN-Number</b><br>ADR, IMDG, IATA                                       | Void            |
| <b>14.2 UN proper shipping name</b><br>ADR, IMDG, IATA                         | Void            |
| <b>14.3 Transport hazard class(es)</b><br>ADR, ADN, IMDG, IATA<br>Class        | Void            |
| <b>14.4 Packing group</b><br>ADR, IMDG, IATA                                   | Void            |
| <b>14.5 Environmental hazards:</b>                                             | Not applicable. |
| <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| <b>UN "Model Regulation":</b>                                                  | Void            |

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

H373 May cause damage to organs through prolonged or repeated exposure.

**Department issuing SDS:** R&D Department of Weber-Middle East

**Contact:**

Product Safety

T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

(Contd. on page 9)



## **Safety Use Instruction Sheet**

**according to 1907/2006/EC, Article 31**

Printing date 11.08.2020

Version number 1

Revision: 11.08.2020

**Trade name Proboard**

(Contd. of page 8)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

EUG