

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 3

Edition: August 2016

1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

 $\textbf{Tradename:} \underline{\textbf{WebersiliconeACMulti-PurposeAceticSiliconeSealant}$

1.2 Relevant identified uses of the substance or mixture and uses advised against

No data available

Application of the substance / the mixture

Sealant

Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi – UAE

Al Quoz industrial area, P.O. Box 31320 Dubai - UAE Bin Abdul Aziz Str., P.O. Box 222 –Jeddah 21411- KSA

Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA

SODAMCO Jordan: Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN

SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON

SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON

SODAMCO Kuwait: P.O. Box 496 Salmiya 22005 State of Kuwait

SODAMCO Syria: Kafarsouseh – Damascus Syria

SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat - OMAN MATSUCO SAL (OFFSHORE COMPANY): P.O. BOX 55-44 Beirut Lebanon

1.4 Information:

SODAMCO KSA:

SODAMCO Qatar: 00 974 4 4423816 -SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994 SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 - SODAMCO Jordan: 00962 6 4200417 - SODAMCO Lebanon: 00961 70 258 393 - SODAMCO S.AL: 00961 9 790 920 - SODAMCO Syria: 00963 11 214 5548 - SODAMCO Kuwait: 00965 2 571 6404 - SODAMCO Muscat: 00968 24 21 83 61 / 00968 24 21 83 62 - MATSUCO SAL (Offshore Company): 00961 1 510864.

2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

Keep out of reach of children. Incorporates biocidal products.

EUH208 Contains 4,5-dichloro-2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH210 Safety data sheet available on request.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

• VPVB: Not applicable.



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 3

Edition: August 2016

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

CAS: 64742-46-7	Distillates (petroleum), hydtrotreated middle	<20.0%
EINECS: 265-148-2	♦ Asp. Tox. 1, H304	
Reg.nr.: 01-21198227000-58-		
XXXX		
CAS: 64742-47-8	Distillates (petroleum), hydrotreated light	<10.0%
EINECS: 265-149-8	♦ Asp. Tox. 1, H304	
Reg.nr.: 01-2119453414-43-XXXX		

Additional information: For the wording of the listed hazard phrases refer to section 16.

4: First aid measures

4.1 Description of first aid measures

Generalinformation:

Immediately remove any clothing soiled by

the product.

No special measures required.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms

persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Wash with plenty of water or water and soap. In cases of sickness seek medical advice (show label if possible).

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed No data available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO).

formaldehyde

silica dioxide

Nitrogen oxides (NOx).

Product during a fire will produce dense black smoke.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.



Edition: August 2016 Version number

Trade name: Weber silicone AC Multi-Purpose Acetic Silicone Sealant

6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to enter sewers / surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7: Handling and storage

7.1 Precautions for safe handling

Keep away from heat and direct sunlight.

Store in cool, dry place in tightly closed receptacles.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Keep away from water and moisture.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Protect from frost.

Store under lock and key and out of the reach of children.

7.3 Specific end use(s) No data available.

8: Exposure controls/personal protection

Additionalinformationaboutdesignoftechnicalfacilities:Nofurtherdata; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Use skin protection cream for skin protection.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not necessary if room is well-ventilated.



Edition: August 2016 Version number

Trade name: Weber silicone AC Multi-Purpose Acetic Silicone Sealant

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality

and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the $\,$

application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product / the substance / the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality

and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the

resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

Body protection: Protective work clothing.

9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Paste

Colour: According to product specification

Odour: acetous

Change in condition

Melting point/Melting range:NotdeterminedBoiling point/Boiling range:Notdetermined



Edition: August 2016 Version number

Trade name: Weber silicone AC Multi-Purpose Acetic Silicone Sealant

	Flash point: >100 °C
	Flammability (solid, gaseous): Not applicable
Ignition temperature:	
Decomposition temperature:	Not determined
	Self-igniting: Product is not selfigniting
	Danger of explosion: Product does not present
Explosion limits:	
Lower:	Not determined
Upper:	Not determined
	Vapour pressure: Not determined
	Density: 0.96 g/cm³
	Relative density Not determined
	Vapour density Not determined
	Evaporation rate Not determined
Solubility in / Miscibility with	
water:	Not determined.
Partition coefficient (n-octanol	/water):Not determined
Viscosity:	
Dynamic: Orange of the control of th	Not determined
Kinematic:	Not determined
Solvent content:	
VOC (EC)	0.00 %
	9.2 Other information No data available

10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with water.

Reacts with oxidising agents.

• 10.4 Conditions to avoid No data available.

10.5 Incompatible materials: Strong oxidants.

10.6 Hazardous decomposition products: Small quantities of formal dehyde may be formed

11: Toxicological information

11.1 Information on toxicological effects

 $\textbf{Acute toxicity} \ \textbf{Based on available data, the classification criteria are not met.}$

- LD/LC50 values relevant for classification:			
CAS: 64742-46-7 Distillates (petroleum), hydtrotreated middle			
Oral	LD50	>5000 mg/kg (rat) (OECD 401)	
Dermal	LD50	>3160 mg/kg (rabbit) (OECD 402)	
Inhalati	LC50	> 5266 mg/l (rat) (OECD 403)	
CAS: 64742-47-8 Distillates (petroleum), hydrotreated light			
Oral	LD50	>15000 mg/kg (rat)	
Dermal	LD50	>3160 mg/kg (rabbit)	



Edition: August 2016 Version number

Trade name: Weber silicone AC Multi-Purpose Acetic Silicone Sealant

Primary irritant effect:

Skin corrosion/irritation May produce an allergic reaction.

Serious eye damage/irritation May cause slight temporary eye irritation.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity B ased on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability Easily biodegradable
- 12.3 Bioaccumulative potential No data available.
- 12.4 Mobility in soil No data available.
- Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

VPVB: Not applicable.

12.6 Other adverse effects No data available.

13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage sustem.

Remove in accordance with applicable legislation.

• Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14: Transport information

-	14.1 UN-Number	
-	ADR, ADN, IMDG, IATA	Not applicable
-	14.2 UN proper shipping name	
-	ADR, ADN, IMDG, IATA	Not applicable
-	14.3 Transport hazard class(es)	
-	ADR, ADN, IMDG, IATA	
-	Class	Not applicable
-	14.4 Packing group	
-	ADR, IMDG, IATA	Not applicable



Version number Edition: August 2016

Trade name: Weber silicone AC Multi-Purpose Acetic Silicone Sealant

- 14.5 Environmental hazards:		
- Marine pollutant:	No.	
 14.6 Special precautions for user 	Not applicable.	

14.7 Transport in bulk according to Annex II

of Marpol and the IBC Code	Not applicable
UN "Model Regulation":	Not applicable

15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- Other regulations, limitations and prohibitive regulations
- Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H304 May be fatal if swallowed and enters airways.

- Recommended restriction of use Information in the appropriate technical data sheet of product.
- **Department issuing SDS:**Product safety department.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage

of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative Asp. Tox. 1: Aspiration hazard - Category 1