

Page 1/9

EUG

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

| SECTION 1: Identification of the substance/mixture and of the company/ undertaking |
|--|
| 1.1 Product identifier Trade name <u>Epsilone HP 540 A</u> |
| Safety data sheet no.: XXP015416 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals |
| 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SODAMCO S.A.L Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon T +961 9 790 920/1/2/3 F +961 9 790 924 |
| ATTADAMUNIA for Construction Industries JSC Tha'labah AI – Ameli StrP.O. Box 710844 Amman 11171 Jordan T +962 6 420 0417 F +962 6 420 0418 |
| SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi - T +971 2 550 9994 F +971 2 550 9449 |
| SODAMCO S.A.L Dubai Branch Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E. T +971 4 347 2640 F +971 4 340 3420 |
| SODAMCO Qatar W.L.L. Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar T +974 4442 3816 / +974 4442 7651 F +974 4442 5149 |
| SODAMCO Kuwait W.L.L. Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait T +965 2 571 6404 /+965 2 571 0397 F +965 2 571 2721 |
| SODAMCO Muscat L.L.C. Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133, T +968 24 21 83 61 F +968 24 21 83 62 |
| SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah) SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia (Contd. on page 2) |



Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

Trade name Epsilone HP 540 A

(Contd. of page 1) T +966 12 668 3295 +966 12 261 2722 F +966 12 668 1498 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office) Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia T +966 11 473 8751 F +966 11 472 5339 1.4 Emergency telephone number: UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+9744423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361 Hours of operation: From 8 am to 6 pm Monday to Friday in Lebanon Sunday to Thursday in other countries **SECTION 2: Hazards identification** 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation. 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. Keep out of reach of children. P102 Read label before use. P103 P280 Wear protective gloves / eye protection / face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor/Plant Safety Department. P304+P341 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. P401 Store in accordance with local/regional/national/international regulations. P403+P233 Store in a well-ventilated place. Keep container tightly closed. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. (Contd. on page 3) EUG



Page 3/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

(Contd. of page 2)

Trade name Epsilone HP 540 A

Additional information:

Safety data sheet available on request.

This Safety Data Sheet is provided by the supplier on a voluntary basis according to the Article 32 of the Regulation (EC) No 1907/2006 (REACH).

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures Description: Mixture of substances without any hazardous components

Dangerous components: Void SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

No special measures required.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 4)



Page 4/9

<u>Safety data sheet</u>

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

(Contd. of page 3)

Trade name Epsilone HP 540 A

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: No special measures required.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls
Personal protective equipment:
General protective and hygienic measures:
The usual precautionary measures are to be adhered to when handling chemicals.
Avoid contact with the skin.
Respiratory protection: Not required.
Protection of hands: Protective gloves.

(Contd. on page 5)

EUG

Page 5/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

(Contd. of page 4)

Trade name Epsilone HP 540 A

Eye protection: Goggles recommended during refilling Body protection: Protective work clothing.

| SECTION 9: Ph | ysical and chemical | properties |
|---------------|---------------------|------------|
|---------------|---------------------|------------|

| 9.1 Information on basic physical and cher General Information | mical properties |
|--|--|
| Appearance: Form: Colour: Odour: | Liquid Light brown Mild |
| Odour threshold: | Not determined. |
| pH-value: | Not applicable. Not determined. |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range: | Undetermined. 100 °C (DIN) |
| Flash point: | Not applicable |
| Flammability (solid, gas): | Not applicable. |
| Ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: Lower: Upper: Oxidising properties | Not determined. Not determined. Not determined. |
| Vapour pressure at 20 °C: | 48 hPa (DIN 51640) |
| Density: | Not determined |
| Bulk density: Relative density Vapour density Evaporation rate | Not applicable. Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix |
| Segregation coefficient (n-octanol/water) Pow: | log Not determined. |

(Contd. on page 6) EUG



Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

Trade name Epsilone HP 540 A

| | (Contd. of page 5 |
|--------------------------|--|
| Viscosity: | |
| dynamic: | Not determined. |
| kinematic: | Not determined. |
| Solvent separation test: | Not determined |
| Solvent content: | |
| EU-VOC (%) | 0.00 % |
| EU-VOC (g/L) | 0.0 g/l |
| 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| 0 | | - | Value | • · | |
|-------|-------------------|------------------|--------|-----|--|
| LD/LC | 50 values relevan | nt for classific | ation: | | |

| Components | Туре | Value | Species | |
|----------------------|-------------|-------|---------|--|
| CAS: 527-07-1 sodium | n gluconate | | | |
| Oral LD50 >5,000 mg/ | /kg (Rat) | | | |
| | | | | |

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met. STOT-repeated exposure Based on available data, the classification criteria are not met. Aspiration hazard Based on available data, the classification criteria are not met.



Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

(Contd. of page 6)

Trade name Epsilone HP 540 A

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test Effective concentration Method Assessment

CAS: 527-07-1 sodium gluconate

EC 0 >5,000 mg/l (pp)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Other information:

CAS: 527-07-1 sodium gluconate

CSB 807 mg O2/g

BSB 507 mg O2/g

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system. **12.5 Results of PBT and vPvB assessment**

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

European waste catalogue Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled.

| 14.1 UN-Number | | |
|------------------------------|------|--|
| ADR, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | | |
| ADR, IMDG, IATA | Void | |



Page 8/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

Trade name Epsilone HP 540 A

| | | (Contd. of page 7 |
|---|-----------------|-------------------|
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to Ann | ex II of | |
| Marpol and the IBC Code | Not applicable. | |
| UN "Model Regulation": | Void | |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: R&D Department of Weber-Middle East **Contact:**

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

(Contd. on page 9)

EUG



Page 9/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.09.2019

Version number 1

Revision: 28.08.2019

Trade name Epsilone HP 540 A

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative

EUG

(Contd. of page 8)