



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name weberbloc fill RM

Safety data sheet no.: XXP014907

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

#### ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

### SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

### SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

#### SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

#### SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

#### SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

## SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

(Contd. on page 2)



Page 2/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

#### Trade name weberbloc fill RM

(Contd. of page 1)

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

## 1.4 Emergency telephone number:

UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+97444423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon

Sunday to Thursday in other countries

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

## 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 3)



Page 3/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

Trade name weberbloc fill RM

(Contd. of page 2)

## Hazard pictograms





GHS05 GHS07

## Signal word Danger

## Hazard-determining components of labelling:

cement grey

calcium dihydroxide

## Hazard statements

H315 Causes skin irritation.

H318 Causes serious eve damage.

H317 May cause an allergic skin reaction.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

## 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

## Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4 Index number: 002-315-45-4	Siliciumdioxide (Quartzsand) substance with a Community workplace exposure limit	>50%

(Contd. on page 4)



Page 4/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

#### Trade name weberbloc fill RM

	(Conto	d. of page 3)
CAS: 65997-15-1	cement grey	10-20%
EINECS: 266-043-4	Eye Dam. 1, H318;	
CAS: 1305-62-0	calcium dihydroxide	2-5%
EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	Eye Dam. 1, H318;  Skin Irrit. 2, H315; STOT SE 3,	

### **SVHC** Void

#### **Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position

for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

## After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** If symptoms persist consult a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

## 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 5)



Page 5/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

Trade name weberbloc fill RM

(Contd. of page 4)

## 5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs			
CAS: 130	5-62-0 calcium dihydrox	ride	
Inhalative	Derived No Effect Level	1 mg/m³ (consumer local long term value)	
		4 mg/m³ (consumer local short term value)	
			(Contd. on page 6





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

## Trade name weberbloc fill RM

DNEC		(Contd. of pa		
PNECs				
CAS: 1305-62-0 calcius	•			
Predicted No Effect Con	centration 0.49 mg/l (fresh water rating factor)			
	1.08 mg/l (soil/groundwater)			
CAS No. Designation	n of material % Type Value Unit			
CAS: 14808-60-7 Silici	umdioxide (Quartzsand)			
TWA (Italy)	Long-term value: 0.025 mg/m <sup>3</sup> A2 (r)			
HTP (Finland)	Long-term value: 0.05 mg/m³ alveolijae			
CAS: 65997-15-1 ceme	nt grey			
AGW (Germany)	Long-term value: 5 E mg/m³ DFG			
LEP (Spain)	Long-term value: 4 mg/m³ fracción respirable: e, d			
TWA (Italy)	Long-term value: 1 mg/m³ (e, j), A4			
VLE (Portugal)	Long-term value: 1 mg/m³ Fração resp.;A4,função pulm.,sintomas resp.,asma			
HTP (Finland)	Long-term value: 5* 1** mg/m³ *hengittyvä/inhalerbart, **alveolijae/respirabel			
CAS: 1305-62-0 calcius	n dihydroxide			
IOELV (European Union	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction			
AGW (Germany)	Long-term value: 1E mg/m³ 2(I);Y, EU, DFG			
GV (Denmark)	Long-term value: 5 1* mg/m³ E; *respirabel fraktion			
LEP (Spain)	Long-term value: 4 mg/m³, 1 ppm fracción resp., VLI, d			
TWA (Italy)	Long-term value: 5 mg/m <sup>3</sup>			
VLE (Portugal)	Long-term value: 5 mg/m³ Irritação ocular, do TRS, cutânea			
OEL (Sweden)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³	Short-term value: 4 mg/m³ Long-		
HTP (Finland)	Short-term value: 4 mg/m³ Long- term value: 1 mg/m³			

EUG



Page 7/11

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

### Trade name weberbloc fill RM

(Contd. of page 6)

### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

## 8.2 Exposure controls

## Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not required.
Protection of hands: Protective gloves.
Eye protection: Tightly sealed goggles
Body protection: Protective work clothing.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chen General Information	nical properties
Appearance:	
Form:	Powder
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
	(0.11.0)

(Contd. on page 8)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

### Trade name weberbloc fill RM

	(Contd. of page
Oxidising properties	Not determined.
Vapour pressure:	Not applicable.
Density:	Not applicable.
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Unsoluble
Segregation coefficient (n-octanol/wa	ater) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	• •
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

## **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Туре	Value	Species
CAS: 6	5997-1	5-1 cement grey		
Dermal	LD50	>2,000 mg/kg (Rabbit)		
CAS: 13	305-62	-0 calcium dihydroxide		
Oral	LD50	7,340 mg/kg (Rat)		
Dermal	LD50	>2,500 mg/kg (Rabbit)		(0)

(Contd. on page 9)



Page 9/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

Trade name weberbloc fill RM

(Contd. of page 8)

Primary irritant effect:

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

### Type of test Effective concentration Method Assessment

## CAS: 1305-62-0 calcium dihydroxide

LC50/96h | 158 mg/l (Daphnia magna)

>50.6 mg/l (Fish)

EC50/48h 49.1 mg/l (Daphnia magna)

EC50/72h | 184.57 mg/l (Algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

Additional ecological information:

#### **General notes:**

Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

## 12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

EUG



Page 10/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

Trade name weberbloc fill RM

(Contd. of page 9)

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

## European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

HP 4	Irritant - skin irritation and eye damage
HP 13	Sensitising

## **Uncleaned packaging:**

### **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled

after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

44.4 LINI Niverban		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to Annex	x II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 11)



Page 11/11

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.01.2021 Version number 1 Revision: 01.01.2021

Trade name weberbloc fill RM

(Contd. of page 10)

## **REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

## **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

#### Department issuing SDS: R&D Department of Weber-Middle East

#### Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

FH