



Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weberfloor 4850 VR

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3. Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

(Contd. on page 2)



Page 2/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 1)

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

2-methyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 3)



Page 3/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 2)

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:		
EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	25-50%
EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50-xxxx	2-methyl-2H-isothiazol-3-one	≥0.025-<0.1%
EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.0015-<0.0025°

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

- EUG

(Contd. on page 4)



Page 4/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eve contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 5)





Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

See Section 13 for disposal information.

(Contd. of page 4)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS: 2682	2-20-4 2-methyl-2H-isot	niazoi-3-one	
Oral	Derived No Effect Level	0.027 mg/kgxday (consumer local long term value)	
Inhalative	Derived No Effect Level	0.021 mg/m³ (worker local long term value)	
		0.021 mg/m³ (consumer local long term value)	
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)	
		0.02 mg/m³ (consumer local long term value)	
PNECs			
CAS: 2682	2-20-4 2-methyl-2H-isot	hiazol-3-one	
Predicted	No-Effect Concentration	0.0471 mg/kgxdwt (earth rating factor)	
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)	
		0.00339 mg/l (fresh water rating factor)	
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)	
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)	
		0.00339 mg/l (fresh water rating factor)	

— EUG





Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 5)

CAS No. / De	CAS No. / Designation of material / % / Type / Value / Unit			
CAS: 1317-65-3	CAS: 1317-65-3 calcium carbonate			
TWA (Italy)	ly) Long-term value: 10 mg/m³ (e)			
CAS: 2682-20-4	CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one			
MAK (Germany)	Long-term value: 0.2 E mg/m³ vgl. Abschn. Xc			
CAS: 55965-84-9	9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc			

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: White

Odour: Uncharacteristic.
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range FlammabilityUndetermined.
Not applicable.

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

(Contd. on page 7)





Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 6)

Flash point:

Auto-ignition temperature:

Decomposition temperature:

PH

Not applicable

Not determined.

Not applicable

Viscosity:

Kinematic viscosity Not determined.

Kinematic viscosity

dynamic: Not determined.

Solubility

Water: Partly soluble
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Vapour pressure:

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test: Not determined

Solvent content:

Water: 1.5 %

Change in condition

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void

(Contd. on page 8)





Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

		(Contd. of page 7)
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	nts	/ Тур	е	1	Value	1	/ Species
CAS: 131	7-65-3 cal	cium carbona	ite				
Oral	LD50	>5,000 mg/kg	g (Ra	at)			
CAS: 2682	CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one						
Oral	LD50	120 mg/kg (F	Rat)				
Dermal	LD50	242 mg/kg (F	Rat)				
Inhalative	LC50/4 h	0.34 mg/l (Ra	at)				
CAS: 559							ethyl-2H-isothiazol-3-one [EC no. 247-500-7]
	an	d 2-methyl-2	H-is	othia	azol-3- o	ne	e [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (F	Rat)				
Dermal	LD50	660 mg/kg (F	Rabb	it)			
Inhalative	LC50/4 h	2.36 mg/l (Ra	at)				

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 8)

Page 9/13

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine	disrupting	properties

CAS: 556-67-2 Octamethylcyclotetrasiloxane

List II; III

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test	/ Effective concentration / Method / Assessment			
CAS: 1317-6	5-3 calcium carbonate			
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))			
EC50/48h	>1,000 mg/l (Daphnia magna)			
EC50/72h	>200 mg/l (Algae)			
CAS: 2682-2	0-4 2-methyl-2H-isothiazol-3-one			
LC50/48h	0.934 mg/l (Daphnia magna)			
	6.2 mg/l (Fish)			
LC50/96h	1.81 mg/l (Daphnia magna)			
	4.77 mg/l (Fish)			
EC50/24h	1.7 mg/l (Daphnia magna)			
	0.445 mg/l (Algae)			
EC50/48h	1.6 mg/l (Daphnia magna)			
EC50/96h	0.0725 mg/l (Algae)			
NOEC (21d)	0.042 mg/l (Daphnia magna)			
EC 10/16h	1 mg/l (Activated sludge)			
CAS: 55965-	84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]			
	and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)			
LC50/48h	0.18 mg/l (Daphnia magna)			
LC50/96h	0.282 mg/l (Daphnia magna)			
	0.19-0.3 mg/l (Fish)			
EC50/24h	0.109 mg/l (Daphnia magna)			
	0.0107 mg/l (Algae)			
EC50/48h	0.16 mg/l (Daphnia magna)			
	0.0181-0.0371 mg/l (Algae)			
	(Contd. on page 10)			

(Contd. on page 10)



Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment
0.40, 0.000, 0.0, 4.0,, 41-4, 411-1-1-4,, 1.0,,
CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one
EC 50 (3h) 41 mg/l (Activated sludge)
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]
and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
EC 50 (3h) 4.5 mg/l (Activated sludge)

Additional ecological information:

General notes:

Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	

(Contd. on page 11)

Page 10/13





Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

		(Contd. of page 10
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi	ing to	
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 12)



Page 12/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 11)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East **Contact:**

Product Safety

T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

(Contd. on page 13)



Page 13/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 05.05.2023

Trade name weberfloor 4850 VR

(Contd. of page 12)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

EUG