

Page 1/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name weber.floor Epopark not colored Part B Safety data sheet no.: XXP014720-b 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SODAMCO S.A.L Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon T +961 9 790 920/1/2/3 F +961 9 790 924 ATTADAMUNIA for Construction Industries JSC Tha'labah Al - Ameli Str.-P.O. Box 710844 Amman 11171 Jordan T +962 6 420 0417 F +962 6 420 0418 SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -T +971 2 550 9994 F +971 2 550 9449 SODAMCO S.A.L. - Dubai Branch Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E. T +971 4 347 2640 F +971 4 340 3420 SODAMCO Qatar W.L.L. Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha -Qatar T +974 4442 3816 / +974 4442 7651 F +974 4442 5149 SODAMCO Kuwait W.L.L. Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait T +965 2 571 6404 /+965 2 571 0397 F +965 2 571 2721 SODAMCO Muscat L.L.C. Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133, T +968 24 21 83 61 F +968 24 21 83 62 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah) SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia T +966 12 668 3295 +966 12 261 2722 F +966 12 668 1498 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office) Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. (Contd. on page 2)

- EUG



Page 2/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1


Revision: 22.08.2019

(Contd. of page 1)

Trade name weber.floor Epopark not colored Part B

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia T +966 11 473 8751 F +966 11 472 5339 **1.4 Emergency telephone number:** UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+97444423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm Monday to Friday in Lebanon Sunday to Thursday in other countries





Page 3/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

Trade name weber.floor Epopark not colored Part B

(Contd. of page 2) **Precautionary statements** P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read carefully and follow all instructions. P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P362 Take off contaminated clothing. P501 Dispose of contents/container in accordance with local/regional/national/ international regulations. 2.3 Other hazards Results of PBT and vPvB assessment **PBT:** Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12- xxxx	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	75-100%
CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0 Reg.nr.: 01-2119560597-27- xxxx	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1C, H314; Eye Dam. 1, H318; () Skin Sens. 1, H317	10-20%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

(Contd. on page 4)

⁻ EUG -



Page 4/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

(Contd. of page 3)

Trade name weber.floor Epopark not colored Part B

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Inform respective authorities in case of seepage into water course or sewage system. Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: None.

(Contd. on page 5)

⁻ EUG



Page 5/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

(Contd. of page 4)

Trade name weber.floor Epopark not colored Part B

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	10.58 mg/m ³ (worker systemic long term value)

CAS: 90-7	'2-2 2,4,6-tris(dimethyla	minomethyl)phenol
Oral	Derived No Effect Level	0.075 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	0.15 mg/kgxday (worker systemic long term value)
		0.075 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.53 mg/m ³ (worker systemic long term value)
		0.13 mg/m ³ (consumer systemic long term value)

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not required.

Protection of hands: Protective gloves.

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical properties

 General Information

 Appearance:

 Form:
 Fluid

 Colour:
 According to product specification

 Odour:
 Characteristic

(Contd. on page 6)

⁻ EUG



Page 6/11

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

Trade name weber.floor Epopark not colored Part B

	(Contd. of page
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Undetermined. >200 °C (DIN)
Flash point:	110-120 °C (DIN ISO 2592)
Flammability (solid, gas):	Not applicable.
Ignition temperature:	400 °C (DIN 51794)
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper: Oxidising properties	Not determined. Not determined. Not determined.
Vapour pressure at 20 °C:	0.1 hPa (DIN 51640)
Density:	Not determined
Bulk density: Relative density Vapour density Evaporation rate	Not applicable. Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix
Segregation coefficient (n-octanol/water) le Pow:	og Not determined.
Viscosity: dynamic: kinematic:	Not determined. Not determined.
Solvent separation test: Solvent content:	Not determined
EU-VOC (%) EU-VOC (g/L) Solids content:	0.00 % 0.0 g/l 0.0 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

(Contd. on page 7)

[—] EUG —



Page 7/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

(Contd. of page 6)

Trade name weber.floor Epopark not colored Part B

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Components	Туре	Value	Species
CAS: 9046-10-0 Reaction	on products of	di-, tri- and	tetra-propoxylated propane-1,2-diol with

ammonia Oral |LD50|>2,885 mg/kg (Rat)

Dermal LD50 >2,980 mg/kg (Rabbit)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral |LD50 |2,169 mg/kg (Rat)

Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity Aquatic toxicity: Harmful to aquatic life with long lasting effects (H412). Harmful to aquatic life with long lasting effects.

Type of test Effective concentration Method Assessment

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

LC50/96h >15 mg/l (Oncorhynchus mykiss (Rainbow trout)) (OECD 203, static) EC50/48h 80-418.34 mg/l (Daphnia magna)

(Contd. on page 8)

EUG



Page 8/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

(Contd. of page 7)

Trade name weber.floor Epopark not colored Part B

EC50/72h 2.1-15 mg/l (Algae)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

LC50/96h 100 mg/l (Fish)

EC50/48h 100 mg/l (Daphnia magna)

EC50/72h 46.7 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria. Harmful to fish

Harmur to lish

Behaviour in sewage processing plants:

Type of test Effective concentration Method Assessment

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

EC 50 (3h) 750 mg/l (Activated sludge)

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

HP8 Corrosive

HP13 Sensitising

HP14 Ecotoxic

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 9)

EUG



Page 9/11

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

Trade name weber.floor Epopark not colored Part B

(Contd. of page 8)

14.1 UN-Number ADR, IMDG, IATA	UN2735
	0112/00
14.2 UN proper shipping name ADR	2735 AMINES LIQUID CORPOSIVE N.O.S.
IMDG, IATA	2735 AMINES, LIQUID, CORROSIVE, N.O.S. AMINES, LIQUID, CORROSIVE, N.O.S.
14.3 Transport hazard class(es)	
ADR	
A A A A A A A A A A A A A A A A A A A	
Class	8 (C7) Corrosive substances.
Label	8
IMDG, IATA	
AND	
Class	8 Corrosive substances.
Label	8
14.4 Packing group	
ADR, IMDG, IATA	
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category Segregation Code	A SG35 Stow "separated from" SGG1-acids
	· .
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
•	
Transport/Additional information:	
ADR	41
Limited quantities (LQ)	1L Code: F2
Excepted quantities (EQ)	Code: E2 Maximum pet quantity per inper packaging: 30 m
	Maximum net quantity per inner packaging: 30 m Maximum net quantity per outer packaging: 500 m
Transport category	2
Tunnel restriction code	E



Page 10/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

(Contd. of page 9)

Trade name weber.floor Epopark not colored Part B

IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: R&D Department of Weber-Middle East **Contact:**

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 11)

⁻ EUG



Page 11/11

FUG

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021

Version number 1

Revision: 22.08.2019

Trade name weber.floor Epopark not colored Part B

(Contd. of page 10) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Corr. 1C: Skin corrosion/irritation - Category 1C Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3