



Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberfloor epobat Part A

Safety data sheet no.: XXP014738-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

#### ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

#### SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

# SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

#### SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

#### SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

#### SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

# SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

#### SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O.

(Contd. on page 2)



Page 2/12

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 1 Revision: 22.08.2019 Printing date 22.05.2021

#### Trade name weberfloor epobat Part A

(Contd. of page 1)

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

# 1.4 Emergency telephone number:

UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+97444423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon

Sunday to Thursday in other countries

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## **Hazard pictograms**





GHS07 GHS09

#### Signal word Warning

#### Hazard-determining components of labelling:

bis-[4-(2,3-epoxipropoxi)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs

#### **Hazard statements**

H315 Causes skin irritation.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

#### Trade name weberfloor epobat Part A

(Contd. of page 2)

Page 3/12

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** 

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

| Dangerous components:                                                                                    |                                                                                                                                                                                                                           |         |
|----------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| CAS: 14808-60-7<br>EINECS: 238-878-4                                                                     | Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit                                                                                                                                         | 50-75%  |
| CAS: 1675-54-3<br>EINECS: 216-823-5<br>Index number: 603-073-00-2<br>Reg.nr.: 01-2119456619-26-<br>xxxx  | bis-[4-(2,3-epoxipropoxi)phenyl]propane  Aquatic Chronic 2, H411;  Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317  Specific concentration limits:  Eye Irrit. 2; H319: C ≥ 5 %  Skin Irrit. 2; H315: C ≥ 5 % | 25-50%  |
| CAS: 68609-97-2<br>EINECS: 271-846-8<br>Index number: 603-103-00-4<br>Reg.nr.: 01-2119485289-22-<br>xxxx | oxirane, mono[(C12-14-alkyloxy)methyl] derivs  Skin Irrit. 2, H315; Skin Sens. 1, H317                                                                                                                                    | ≥5-<10% |

**SVHC** Void

Additional information For the wording of the listed hazard phrases refer to section 16.

EUG -

(Contd. on page 4)



Page 4/12

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 1 Revision: 22.08.2019 Printing date 22.05.2021

Trade name weberfloor epobat Part A

(Contd. of page 3)

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

#### After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Seek immediate medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

#### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

Carbon dioxide (CO2)

#### 5.3 Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

### Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Dispose of contaminated material as waste according to item 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 5)





Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

Trade name weberfloor epobat Part A

See Section 13 for disposal information.

(Contd. of page 4)

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Information about fire - and explosion protection: Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

Storage

#### Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Store in a cool location.

# Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

Store away from foodstuffs.

### Further information about storage conditions:

Keep container tightly sealed.

Store in a cool place.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7. Ingredients with limit values that require monitoring at the workplace:

| Oral                                              | Derived No Effe         | ct Level | 0.5 mg/kg                                         | gxday ( | consumer    | systemic long  | g term value)    |
|---------------------------------------------------|-------------------------|----------|---------------------------------------------------|---------|-------------|----------------|------------------|
| Dermal                                            | Derived No Effe         | ct Level | 0.75 mg/l                                         | kgxday  | (worker sy  | ystemic long   | term value)      |
|                                                   |                         |          | 0.0893 m                                          | g/kgxd  | ay (consur  | mer systemic   | long term value) |
| Inhalative                                        | Derived No Effe         | ct Level | evel 4.93 mg/m³ (worker systemic long term value) |         | value)      |                |                  |
|                                                   |                         |          | 0.87 mg/r                                         | m³ (cor | sumer sys   | stemic long te | erm value)       |
| CAS: 686                                          | 09-97-2 oxirane,        | mono[(   | C12-14-al                                         | kyloxy  | methyl]     | derivs         |                  |
| Oral                                              | Derived No Effe         | ct Level | 0.5 mg/kg                                         | gxday ( | consumer    | systemic long  | g term value)    |
| Dermal                                            | Derived No Effect Level |          | 1 mg/kgx                                          | day (w  | orker syste | emic long terr | n value)         |
|                                                   |                         |          | 0.5 mg/kg                                         | gxday ( | consumer    | systemic long  | g term value)    |
| Inhalative                                        | Derived No Effect Level |          | 3.6 mg/m                                          | ³ (work | er system   | ic long term v | alue)            |
|                                                   |                         |          | 0.87 mg/r                                         | m³ (cor | sumer sys   | stemic long te | erm value)       |
| CAS No. Designation of material % Type Value Unit |                         |          |                                                   |         |             |                |                  |
| CAS: 14808-60-7 Silicon dioxide (Quartz sand)     |                         |          |                                                   |         |             |                |                  |
| BOELV (E                                          | uropean Union)          |          | m value: (<br>ole fraction                        |         | /m³         |                |                  |
| MAK (Ger                                          | ermany) alveolei        |          | gängige F                                         | raktion |             |                |                  |
|                                                   |                         |          |                                                   |         |             |                | (Contd. or       |

EUG



Page 6/12

# **Safety Data Sheet**

# according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

#### Trade name weberfloor epobat Part A

|                           |                                                                              | (Contd. of page 5) |
|---------------------------|------------------------------------------------------------------------------|--------------------|
| GV (Denmark)              | Long-term value: 0.3* 0.1** mg/m³<br>*total:,**total, respirabel, EK         |                    |
| LEP (Spain)               | Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y                             |                    |
| TWA (Italy)               | Long-term value: 0.025 mg/m³<br>A2, (j)                                      |                    |
| VLE (Portugal)            | Long-term value: 0.025 mg/m³<br>Resp.;A2; fibrose pulmonar; cancro do pulmão |                    |
| OEL (Sweden)              | Long-term value: 0.1 mg/m³ C, M, respirabel fraktion                         |                    |
| HTP (Finland)             | Long-term value: 0.05 0.1* mg/m³<br>alveolijae;*sitovat raja-arvot, pöly     |                    |
| CAS: 1675-54-3 bis-[4-(2, | 3-epoxipropoxi)phenyl]propane                                                |                    |
| MAK (Germany)             | vgl. Abschn. IIb                                                             |                    |

## Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m<sup>3</sup>

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

### Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

## Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Material of gloves Butyl rubber, BR Chloroprene rubber, CR

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Fluid

**Colour:** According to product specification

Odour: Characteristic

(Contd. on page 7)





Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

#### Trade name weberfloor epobat Part A

|                                              | (Contd. of page                               |
|----------------------------------------------|-----------------------------------------------|
| Odour threshold:                             | Not determined.                               |
| pH-value:                                    | Not applicable.                               |
| Change in condition                          |                                               |
| Melting point/freezing point:                | Undetermined.                                 |
| Initial boiling point and boiling range:     | Undetermined.                                 |
| Flash point:                                 | Not applicable                                |
| Flammability (solid, gas):                   | Not applicable.                               |
| Ignition temperature:                        | Not determined.                               |
| Decomposition temperature:                   | Not determined.                               |
| Auto-ignition temperature:                   | Product is not selfigniting.                  |
| Explosive properties:                        | Product does not present an explosion hazard. |
| Explosion limits:                            |                                               |
| Lower:                                       | Not determined.                               |
| Upper:                                       | Not determined.                               |
| Oxidising properties                         | Not determined.                               |
| Vapour pressure:                             | Not determined.                               |
| Density at 20 °C:                            | 1.66 g/cm³                                    |
| Bulk density:                                | Not applicable.                               |
| Relative density                             | Not determined.                               |
| Vapour density                               | Not determined.                               |
| Evaporation rate                             | Not determined.                               |
| Solubility in / Miscibility with             |                                               |
| Water:                                       | Not miscible or difficult to mix              |
| Segregation coefficient (n-octanol/water) le | og                                            |
| Pow:                                         | Not determined.                               |
| Viscosity:                                   |                                               |
| dynamic:                                     | Not determined.                               |
| kinematic at 20 °C:                          | 180 s                                         |
| Solvent separation test:                     | Not determined                                |
| 9.2 Other information                        | No further relevant information available.    |

# **SECTION 10: Stability and reactivity**

- 10.1 Reactivity Not reactive under normal conditions of use
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 8)





# **Safety Data Sheet**

according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

Trade name weberfloor epobat Part A

(Contd. of page 7)

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Compo   | nents                                                         | Type Value Species                         |  |
|---------|---------------------------------------------------------------|--------------------------------------------|--|
| CAS: 16 | 375-54                                                        | -3 bis-[4-(2,3-epoxipropoxi)phenyl]propane |  |
| Oral    | LD50                                                          | 15,000 mg/kg (Rat)                         |  |
| Dermal  | LD50                                                          | 23,000 mg/kg (Rat)                         |  |
| CAS: 68 | CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs |                                            |  |
| Oral    | LD50                                                          | 26,800 mg/kg (Rat)                         |  |
| Dermal  | LD50                                                          | >4,000 mg/kg (Rabbit)                      |  |
|         |                                                               | 26,800 mg/kg (Rat)                         |  |

#### **Primary irritant effect:**

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

# Additional toxicological information:

#### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

| CAS: 1675-54-3 bis-[4-(2,3-epoxipropoxi)phenyl]propane        |                              |                 |
|---------------------------------------------------------------|------------------------------|-----------------|
| IC50/72h                                                      | 1.7-1.8 mg/l (Fish)          |                 |
| LC50/96h                                                      | 1.2-3.6 mg/l (Fish)          |                 |
| EC50/48h                                                      | 1.1-2.8 mg/l (Daphnia magna) |                 |
| EC50/72h                                                      | 9.4-11 mg/l (Algae)          |                 |
| NOEC (21d)                                                    | 0.3 mg/l (Daphnia magna)     |                 |
| CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs |                              |                 |
| LC50/96h                                                      | >100 mg/l (Fish)             |                 |
|                                                               |                              | (Contd. on page |



Page 9/12

# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

#### Trade name weberfloor epobat Part A

(Contd. of page 8)

|            |                          | (Conta. or page o) |
|------------|--------------------------|--------------------|
| EC50/48h   | 7.2 mg/l (Daphnia magna) |                    |
| NOEC (72h) | 500 mg/l (Algae)         |                    |

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### **Ecotoxical effects:**

#### Remark:

The product contains substances which are toxic to fishes and bacteria.

Toxic for fish

#### Behaviour in sewage processing plants:

| Type of test Effective concentration Method Assessment        |  |  |
|---------------------------------------------------------------|--|--|
| CAS: 1675-54-3 bis-[4-(2,3-epoxipropoxi)phenyl]propane        |  |  |
| EC 50 (3h) 100 mg/l (Activated sludge)                        |  |  |
| CAS: 68609-97-2 oxirane, mono[(C12-14-alkyloxy)methyl] derivs |  |  |
| EC 50 (3h) 100 mg/l (Activated sludge)                        |  |  |

#### Additional ecological information:

#### General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

| 08 01 11* | waste paint and varnish containing organic solvents or other hazardous substances |  |
|-----------|-----------------------------------------------------------------------------------|--|
| HP4       | Irritant - skin irritation and eye damage                                         |  |
| HP13      | Sensitising                                                                       |  |
| HP14      | HP14 Ecotoxic                                                                     |  |

#### **Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

ELIC





Revision: 22.08.2019 Printing date 22.05.2021 Version number 1

Trade name weberfloor epobat Part A

(Contd. of page 9)

| SECTION 14: Transport information                                                                     |                                                                                                  |
|-------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|
| 14.1 UN-Number<br>ADR, IMDG, IATA                                                                     | UN3082                                                                                           |
| 14.2 UN proper shipping name<br>ADR                                                                   | 3082 ENVIRONMENTALLY HAZARDOU<br>SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)                         |
| IMDG                                                                                                  | ENVIRONMENTALLY HAZARDOU<br>SUBSTANCE, LIQUID, N.O.S. (Epoxy resi<br>KEROSENE), MARINE POLLUTANT |
| IATA                                                                                                  | ENVIRONMENTALLY HAZARDOU<br>SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)                              |
| 14.3 Transport hazard class(es)                                                                       |                                                                                                  |
| ADR                                                                                                   |                                                                                                  |
| Class                                                                                                 | 9 (M6) Miscellaneous dangerous substances ar articles.                                           |
| Label<br><br>IMDG, IATA                                                                               | 9                                                                                                |
| Class                                                                                                 | 9 Miscellaneous dangerous substances ar                                                          |
| Label                                                                                                 | articles.                                                                                        |
| 14.4 Packing group<br>ADR, IMDG, IATA                                                                 | III                                                                                              |
| 14.5 Environmental hazards:<br>Marine pollutant:<br>Special marking (ADR):<br>Special marking (IATA): | Symbol (fish and tree)<br>Symbol (fish and tree)<br>Symbol (fish and tree)                       |
| 14.6 Special precautions for user                                                                     | Warning: Miscellaneous dangerous substance and articles.                                         |
| Hazard identification number (Kemler code): EMS Number: Stowage Category                              | 90<br>F-A,S-F<br>A                                                                               |
| 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code                               | Not applicable.                                                                                  |
|                                                                                                       | (Contd. on page                                                                                  |





# Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

# Trade name weberfloor epobat Part A

|                                   | (Contd. of page 1                                                                                      |
|-----------------------------------|--------------------------------------------------------------------------------------------------------|
| Transport/Additional information: |                                                                                                        |
| ADR                               |                                                                                                        |
| Limited quantities (LQ)           | 5L                                                                                                     |
| Excepted quantities (EQ)          | Code: E1                                                                                               |
|                                   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 100<br>ml |
| Transport category                | 3                                                                                                      |
| Tunnel restriction code           | -                                                                                                      |
| IMDG                              |                                                                                                        |
| Limited quantities (LQ)           | 5L                                                                                                     |
| Excepted quantities (EQ)          | Code: E1                                                                                               |
|                                   | Maximum net quantity per inner packaging: 30 ml                                                        |
|                                   | Maximum net quantity per outer packaging: 100 ml                                                       |
| UN "Model Regulation":            | UN 3082 ENVIRONMENTALLY HAZARDOU<br>SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN<br>9, III                   |

# **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 12/12

# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 22.05.2021 Version number 1 Revision: 22.08.2019

Trade name weberfloor epobat Part A

(Contd. of page 11)

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eve irritation.

H411 Toxic to aquatic life with long lasting effects.

#### Department issuing SDS: R&D Department of Weber-Middle East

#### Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

#### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG