

#### according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberprim EP 2K\_ component A

Safety data sheet no.: XXP014177-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

The product is intended for industrial or professional use.

Application of the substance / the mixture Primer/ Subcoating

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SAINT-GOBAIN PORTUGAL S.A.

RUA DA CARREIRA BRANCA, ZONA INDUSTRIAL DE TABOEIRA

3800-055 AVEIRO

Portugal

Tel. +351 234 10 10 10

fds@pt.weber

1.4 Emergency telephone number: 112

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms



GHS05

#### Signal word Danger

#### Hazard-determining components of labelling:

Linseed oil polymer with bisphenol A, bisphenol A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether and pentaethylenehexamine

#### **Hazard statements**

H318 Causes serious eve damage.

#### **Precautionary statements**

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

(Contd. on page 2)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

### Trade name weberprim EP 2K\_ component A

vPvB: Does not contain vPvB substances.

(Contd. of page 1)

## **SECTION 3: Composition/information on ingredients**

3.2 Chemical characterisation: Mixtures

**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:** 

CAS: 68915-81-1 Linseed oil polymer with bisphenol A, bisphenol A diglycidyl ≥3-EC number: 639-495-9 ether, diethylenetriamine, formaldehyde, glycidyl Ph ether and

pentaethylenehexamine

Eye Dam. 1, H318; 🗘 Skin Irrit. 2, H315

**SVHC** Void

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Take affected persons out into the fresh air.

Seek immediate medical advice

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

#### After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

#### After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

Seek immediate medical advice.

#### After swallowing

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

Seek immediate medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing agents CO2, powder or water spray. Fight larger fires with water spray.

For safety reasons unsuitable extinguishing agents Water with full jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

## 5.3 Advice for firefighters

#### **Protective equipment:**

Mouth respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

#### Trade name weberprim EP 2K\_ component A

**Additional information** 

(Contd. of page 2)

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Wear protective clothing.

Keep away from ignition sources

#### 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

#### 6.3 Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible

absorbents.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

## **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.

## Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

## Requirements to be met by storerooms and receptacles:

Store in a cool location.

Prevent any seepage into the ground.

Provide ventilation for receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

## Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

#### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

#### Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

(Contd. on page 4)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

#### Trade name weberprim EP 2K\_ component A

(Contd. of page 3)

#### 8.2 Exposure controls

#### Personal protective equipment:

### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Store protective clothing separately.

Avoid contact with the eyes and skin.

#### Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation.

Use suitable respiratory protective device only when aerosol or

mist is formed.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Short term filter device:

Filter A2/P2.

#### Protection of hands:

Protective gloves against chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Fluorocarbon rubber (FKM-Viton)

Recommended thickness of the material:  $\geq 0.5$  (BR); 0.4 (Viton) mm

Recommendation: contaminated gloves should be disposed of.

## Penetration time of glove material

For the mixture of chemicals mentioned below the breakthrough time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The determined breakthrough times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the breakthrough time, is recommended.

Eye protection: Tightly sealed goggles

**Body protection:** Protective work clothing.

**Boots** 

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Appearance:

Form: Liquid
Colour: Yellowish
Odour: Uncharacteristic.
Odour threshold: Not determined.

(Contd. on page 5)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Revision: 10.11.2020 Version number 4

## Trade name weberprim EP 2K\_ component A

	(Contd. of pag			
pH-value:	Not determined.			
Change in condition				
Melting point/freezing point:	Undetermined.			
Initial boiling point and boiling range:	Undetermined.			
Flash point:	Not applicable			
Flammability (solid, gas):	Not applicable.			
Ignition temperature:	Not determined.			
Decomposition temperature:	Not determined.			
Auto-ignition temperature:	Product is not selfigniting.			
Explosive properties:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
Oxidising properties	Not determined.			
Vapour pressure:	Not determined.			
Density at 20 °C:	1.1 g/cm³			
Bulk density:	Not applicable.			
Relative density	Not determined. Not determined.			
Vapour density				
Evaporation rate	Not determined.			
Solubility in / Miscibility with				
Water:	Not miscible or difficult to mix			
Segregation coefficient (n-octanol/water)				
Pow:	Not determined.			
Viscosity:				
dynamic at 20 °C:	40 mPas			
kinematic:	Not determined.			
Solvent separation test:	Not applicable.			
Solvent content:	• •			
EU-VOC (g/L)	30.0 g/l			
9.2 Other information	No further relevant information available.			

## **SECTION 10: Stability and reactivity**

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided: Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.



#### according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

Trade name weberprim EP 2K\_ component A

(Contd. of page 5)

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Type \	/alue	Species			
CAS: 68915-81-1 Linseed oil polymer with bisphenol A, bisphenol A diglycidyl ether, diethylenetriamine, formaldehyde, glycidyl Ph ether and pentaethylenehexamine							
Oral	LD50	2,960 mg/kg (Rat)					
Dermal	LD50	>5,000 mg/kg (Rabbit)					

#### **Primary irritant effect:**

Skin corrosion/irritation Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

**12.4 Mobility in soil** No further relevant information available.

## **Ecotoxical effects:**

Remark: Harmful to fish

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

**PBT**: Does not contain PBT substances. **vPvB**: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

#### Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

(Contd. on page 7)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

### Trade name weberprim EP 2K\_ component A

(Contd. of page 6)

08 04 09\* waste adhesives and sealants containing organic solvents or other hazardous substances

Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to An of Marpol and the IBC Code	nex II  Not applicable.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Directive 2004/42/CE (VOC), cf. section 9

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

(Contd. on page 8)



## according to 1907/2006/EC, Article 31

Printing date 16.11.2020 Version number 4 Revision: 10.11.2020

#### Trade name weberprim EP 2K\_ component A

H318 Causes serious eye damage.

(Contd. of page 7)

**Department issuing SDS:** Technical Department **Contact:** Sara Lacerda, Tel.: +351 234 101 010

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

## \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

**EUG**