

MATERIAL SAFETY DATA SHEET

weber seal PS 1000 GG/PG Formerly "Jointseal.PS 1000 GG/PG"-Accelerator

EDITION: Aug. 2014

1. IDENTIFICATION

Product Name: **weber seal PS 1000 GG/PG-Accelerator**

Description: Two component polysulfide joint sealant, gun grade, pouring grade, sewage

SUPPLIER / MANUFACTURER:

SODAMCO Qatar: Rayan Road Al Musheireb, P.O. Box 22520- Doha-QATAR
 SODAMCO UAE: Industrial city, ICAD III, P.O. Box 96082 Abu Dhabi - UAE
 Al Quoz industrial area, P.O. Box 31320 Dubai - UAE
 SODAMCO KSA: Bin Abdul Aziz Str., P.O. Box 222 -Jeddah 21411- KSA
 Salahuddin Al Ayoubi Str. Bldg No.5 Riyadh - KSA
 SODAMCO Jordan: Tha'labah al ameli Str., P.O. Box 710844 Amman 11171- JORDAN
 SODAMCO Lebanon: Nahr el-Mot - Beirut- LEBANON
 SODAMCO S.A.L: Main Road, Hosrayel (jbeil), P.O. Box 11-9666- Beirut-LEBANON
 SODAMCO Kuwait: P.O. Box 496 Salmiya 20005 State of Kuwait
 SODAMCO Syria: Kafarsouseh - Damascus Syria
 SODAMCO Muscat: Al Khuwair, P.O.Box 1094 PC 133, CPO, Muscat - OMAN

INFORMATION:

SODAMCO Qatar: 00 974 4 4423816 -SODAMCO UAE: 00971 4 347 2640 - 00971 2 550 9994
 SODAMCO KSA: 00966 12 668 3295 / 966 11 473 8751 - SODAMCO Jordan: 00962 6 4200417 -
 SODAMCO Lebanon: 00961 70 258 393 - SODAMCO S.AL: 00961 9 790 920 - SODAMCO Syria:
 00963 11 214 5548 - SODAMCO Kuwait: 00965 2 571 6404 - SODAMCO Muscat : 00968 24 21 83 61

2. COMPOSITION / INGREDIENTS

Chemical Family

Accelerator:

- Butyl Benzyl Phthalate Case number: 85-68-7
- Alpha Dimethylbenzyl Hydroperoxide (Cumene Hydroperoxide)
Case number: 80-15-9

3. HAZARDS IDENTIFICATION

Inhalation of vapors or mists may cause severe irritation to nose, throat, and lungs. Prolonged and repeated inhalation of vapors/mists may cause headaches and may cause severe damage of the mouth and stomach.

Prolonged or repeated contact may cause allergic skin reactions such as redness, hive-like, and drying or skin.

Eye Contact May cause severe, permanent eye damage including blindness.

Skin Absorption Corrosive to skin.

Ingestion May cause irritation of the mouth, throat and gastrointestinal tract.

4. FIRST AID MEASURES

Eyes immediately flush with plenty of water for at least 15 minutes. Keep eyelids open. Consult a physician immediately. Remove contact lenses before washing eyes. Discard the lenses.

MATERIAL SAFETY DATA SHEET

weber seal PS 1000 GG/PG Formerly "Jointseal.PS 1000 GG/PG"-Accelerator

EDITION: Aug. 2014

Skin Wash material off with plenty of soap and water. Repeat soap and water washing several times to ensure removal from skin folds and beneath fingernails and toenails. If redness, itching or burning develops, consult a physician.

Inhalation Remove person to fresh air. If not breathing, give artificial respiration. If breathing is labored, give oxygen.

Get medical help immediately. Do not give any food or liquids to an unconscious person.

Ingestion Give 1 or 2 glasses of water to drink. If gastrointestinal symptoms develop, get medical help immediately. (Do not give anything by mouth to an unconscious person).

5. FIRE FIGHTING MEASURES

Suitable extinguishing media: In case of fire use foam, dry chemical, carbon dioxide and water spray.

Special fire fighting procedures: Wear protective equipment such as fire resistant coveralls, respirators, etc. Do not let the water used for extinguishing drain in the sewer or waterways. Dike the area if possible.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Keep people away from the area. Work from the windward side. Environmental precautions: Do not flush into surface water or sanitary sewer system.

Methods for cleaning up: Dike area of spill and collect the spillage in a suitable container. If possible, solidify the Component with the Base-Component and solidify the waste. Store the waste in a dry, cool location before disposal.

7. HANDLING & STORAGE

Store in a cool, dry location. Avoid any contact with oxidizers and acids.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

RESPIRATORY PROTECTION: Wear MSHA/NIOSH approved organic vapor or charcoal filtered cartridge respirator or positive pressure supplied air respirator with full face piece or an air-supplied hood.

VENTILATION: local and or mechanical exhaust.

PROTECTIVE GLOVES: Nitrile, neoprene, and butyl rubber gloves.

EYE PROTECTION: Chemical tight goggles, full face shield in addition if splashing is possible.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: WORK/HYGIENIC PRACTICES: Provide eye station. Provide showers. Wash before eating, drinking or smoking. Do not smoke around the uncured material or open containers.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	dark to brown paste
Boiling Point	May decompose before boiling
Vapor Density	Heavier than air
Evaporation Rate	No Data (butyl Acetate = 1.0)
Solubility in water	Slightly soluble in water

MATERIAL SAFETY DATA SHEET

weber seal PS 1000 GG/PG Formerly "Jointseal.PS 1000 GG/PG"-Accelerator

EDITION: Aug. 2014

10. STABILITY AND REACTIVITY

Under normal conditions the product is stable. Avoid open flame and sparks.

Hazardous Decomposition or Byproducts

Combustion products include carbon monoxide and carbon dioxide, ketones, alcohol, methane and ethane. Under acidic conditions phenols may also be formed.

Hazardous Polymerization will not occur

11. TOXICOLOGICAL PROPERTIES

No available data for this section.

12. DISPOSAL CONSIDERATIONS

Dispose in accordance to federal, state, and local regulations.

13. TRANSPORT INFORMATION

Non-regulated

14. OTHER INFORMATION

Uses: No other information

This safety data sheet should be used in conjunction with the product's technical data sheet. It does not replace it. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products. This information is not exhaustive. This does not exonerate the user from ensuring that legal obligations, other than those mentioned, relating to the use and storage of the product, do not exist. This is solely his responsibility.