

Page 1/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1 Product identifier Trade name webertec epo 450 PC Part B Safety data sheet no.: XXP014714-b 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SODAMCO S.A.L Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon T +961 9 790 920/1/2/3 F +961 9 790 924 ATTADAMUNIA for Construction Industries JSC Tha'labah Al - Ameli Str.-P.O. Box 710844 Amman 11171 Jordan T +962 6 420 0417 F +962 6 420 0418 SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -T +971 2 550 9994 F +971 2 550 9449 SODAMCO S.A.L. - Dubai Branch Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E. T +971 4 347 2640 F +971 4 340 3420 SODAMCO Qatar W.L.L. Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha -Qatar T +974 4442 3816 / +974 4442 7651 F +974 4442 5149 SODAMCO Kuwait W.L.L. Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait T +965 2 571 6404 /+965 2 571 0397 F +965 2 571 2721 SODAMCO Muscat L.L.C. Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133, T +968 24 21 83 61 F +968 24 21 83 62 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah) SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia T +966 12 668 3295 +966 12 261 2722 F +966 12 668 1498 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office) Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O.

- EUG

(Contd. on page 2)



Page 2/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1


Revision: 22.08.2019

(Contd. of page 1)

Trade name webertec epo 450 PC Part B

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia T +966 11 473 8751 F +966 11 472 5339 **1.4 Emergency telephone number:** UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+97444423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm Monday to Friday in Lebanon Sunday to Thursday in other countries





Page 3/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

Trade name webertec epo 450 PC Part B

Dressutioners, statements

(Contd. of page 2)

Precautionary sta	atements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P362	Take off contaminated clothing.
P501	Dispose of contents/container in accordance with local/regional/national/ international regulations.

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12- xxxx	Polyoxypropylene diamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	>50%
CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0 Reg.nr.: 01-2119560597-27- xxxx	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1B, H314; O Skin Sens. 1, H317; Aquatic Chronic 3, H412	10-20%

SVHC Void

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8). For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air; consult doctor in case of complaints.

(Contd. on page 4)

[–] EUG



Page 4/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

(Contd. of page 3)

Trade name webertec epo 450 PC Part B

After skin contact

Immediately wash with water and soap and rinse thoroughly. Seek immediate medical advice.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents
Use fire extinguishing methods suitable to surrounding conditions.
5.2 Special hazards arising from the substance or mixture In case of fire, the following can be released:
Carbon dioxide (CO2)
Carbon monoxide (CO)
Nitrogen oxides (NOx)
5.3 Advice for firefighters
Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Mouth respiratory protective device. **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 5)

FUG



Page 5/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

Trade name webertec epo 450 PC Part B

(Contd. of page 4)

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

DNELs

CAS: 9046-10-0 Polyoxypropylene diamine

Dermal Derived No Effect Level 2.5 mg/kgxday (worker systemic long term value) Inhalative Derived No Effect Level 1.36 mg/m³ (worker systemic long term value)

CAS No. Designation of material % Type Value Unit

Additional Occupational Exposure Limit Values for possible hazards during processing: Quartz respirable dust (< $5 \mu m$) : 0,15 mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Protection of hands: Protective gloves.

Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.



Page 6/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

(Contd. of page 5)

- EUG -

Trade name webertec epo 450 PC Part B

Penetration time of glove material

The exact breaktrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

As protection from splashes gloves made of the following materials are suitable: PVC gloves Not suitable are gloves made of the following materials: Leather gloves

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and cher General Information	nical properties
Appearance:	
Form:	Liquid
Colour:	Clear
Odour:	Uncharacteristic.
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Not applicable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	0.95 g/cm³
Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Segregation coefficient (n-octanol/water)	-
Pow:	Not determined.
	(Contd. on page 7)



Page 7/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

(Contd. of page 6)

Trade name webertec epo 450 PC Part B

Viscosity: dynamic: kinematic at 20 °C:

Not determined. 15 s

Solvent separation test: 9.2 Other information

Not determined

No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidizing agents

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products:

Carbon monoxide Carbon dioxide

Ammonia

Aldehyde

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Туре	Value	Species	
CAS: 9046-10-0 Po	lyoxypropylene dia	mine		
Oral LD50 2,920) mg/kg (Rat)			
Dermal LD50 2,980) mg/kg (Rabbit)			
CAS: 90-72-2 2,4,6-	tris(dimethylamino	methyl)ph	enol	
Oral LD50 1,670) mg/kg (Rat)			
Dermal LD50 1,242	2 mg/kg (Rabbit)			
Primary irritant effe				
Skin corrosion/irrit				
	burns and eye dama	age.		
Serious eye damag				
Causes serious eye				
Respiratory or skin				
May cause an allerg				
			oxicity for reproduction)	
			the classification criteria are not met.	
• •			sification criteria are not met.	
			e classification criteria are not met.	
STOT-single expos	ure Based on availa	ible data, tł	he classification criteria are not met.	_
			(Contd. on p	age 8



Page 8/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

Trade name webertec epo 450 PC Part B

(Contd. of page 7)

STOT-repeated exposure Based on available data, the classification criteria are not met. **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects (H412).

Type of test Effective concentration Method Assessment

CAS: 9046-10-0 Polyoxypropylene diamine

LC50/96h >15 mg/l (Oncorhynchus mykiss (Rainbow trout)) (OECD 203, static)

EC50/48h 80 mg/l (Daphnia magna)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

LC50/96h 175 mg/l (Cyprinus Carpio (common carp))

EC50/24h 222 mg/l (Oncorhynchus mykiss (Rainbow trout))

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish **Additional ecological information:**

General notes:

Danger to drinking water if even small quantities leak into the ground. Do not allow undiluted product or large quantities of it to

reach ground water, water course or sewage system.

Harmful to aquatic organisms

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic
	(Contd. on page 9)

EUG



Page 9/11

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

(Contd. of page 8)

Trade name webertec epo 450 PC Part B

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number	
ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR	2735 AMINES, LIQUID, CORROSIVE, N.O. (polyoxypropylenediamine)
IMDG, IATA	AMINES, LIQUID, CORROSIVE, N.O.: (polyoxypropylenediamine)
14.3 Transport hazard class(es)	
ADR	
Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA	
a a construction of the second	
Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler co	Warning: Corrosive substances.
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category Segregation Code	A SC35 Stow "separated from" SCC1 acids
•••	SG35 Stow "separated from" SGG1-acids
14.7 Transport in bulk according to Anne of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	



Page 10/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

Trade name webertec epo 450 PC Part B

	(Contd. of page 9
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category Hazardous to the Aquatic Environment REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: R&D Department of Weber-Middle East **Contact:** Product Safety T+97125509449 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

(Contd. on page 11)

- EUG



Page 11/11

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020

Version number 1

Revision: 22.08.2019

(Contd. of page 10)

FUG

Trade name webertec epo 450 PC Part B

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (RÈACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 * Data compared to the previous version altered. According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.