



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webertec epo 450 PC - Part C

Safety data sheet no.: XXP014714-c

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O.

(Contd. on page 2)



Page 2/8

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

Trade name webertec epo 450 PC - Part C

(Contd. of page 1)

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number:

UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+97444423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon

Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances without any hazardous components

| Dangerous components: | | |
|--|---|-------|
| CAS: 14808-60-7 EINECS: 238-878-4 | Siliciumdioxide (Quartz sand) substance with a Community workplace exposure limit | >50% |
| CAS: 471-34-1 EINECS: 207-439-9 Reg.nr.: 01-2119486795-18- xxxx | calcium carbonate substance with a Community workplace exposure limit | 5-10% |

SVHC Void

(Contd. on page 3)



Page 3/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

Trade name webertec epo 450 PC - Part C

(Contd. of page 2)

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information No special measures required.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special measures required.

Information about fire - and explosion protection: No special measures required.

(Contd. on page 4)





Printing date 28.10.2020

Safety Data Sheet according to 1907/2006/EC, Article 31

Version number 1

according to 1907/2006/EC, Article 31

Trade name webertec epo 450 PC - Part C

(Contd. of page 3)

Revision: 22.08.2019

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical facilities: No further data; see item 7.

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| DNELs | |
|----------------------------|---|
| CAS: 471-34-1 calcium c | arbonate |
| Inhalative Derived No Effe | ect Level 6.36 mg/m³ (worker local long term value) |
| | 1.06 mg/m³ (consumer local long term value) |
| CAS No. Designation | of material % Type Value Unit |
| CAS: 14808-60-7 Siliciun | ndioxide (Quartz sand) |
| BOELV (European Union) | Long-term value: 0.1* mg/m³ *respirable fraction |
| MAK (Germany) | alveolengängige Fraktion |
| GV (Denmark) | Long-term value: 0.3* 0.1** mg/m³ *total;**total, respirabel, K |
| LEP (Spain) | Long-term value: 0.05 mg/m³ *Fracción resp:n,d,y |
| TWA (Italy) | Long-term value: 0.025 mg/m³ A2 (r) |
| VLE (Portugal) | Long-term value: 0.025 mg/m³ Resp.;A2; fibrose pulmonar; cancro do pulmão |
| OEL (Sweden) | Long-term value: 0.1 mg/m³ C, M, respirabel fraktion |
| HTP (Finland) | Long-term value: 0.05 mg/m³ alveolijae |
| CAS: 471-34-1 calcium c | arbonate |
| LEP (Spain) | Long-term value: 10 mg/m³ |
| TWA (Italy) | Long-term value: (10) mg/m³ (e) |
| VLE (Portugal) | Long-term value: (10) mg/m³ (Irritação) |

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m³

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

(Contd. on page 5)





Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 1 Revision: 22.08.2019 Printing date 28.10.2020

Trade name webertec epo 450 PC - Part C

(Contd. of page 4)

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection: Not required. Protection of hands: Not required. Eye protection: Not required.

Body protection: Protective work clothing.

| SECTION 9: Ph | sical and chemica | l properties |
|---------------|-------------------|--------------|
|---------------|-------------------|--------------|

| SECTION 9: Physical and chemical | <u> </u> |
|--|---|
| 9.1 Information on basic physical and che General Information | mical properties |
| Appearance: Form: Colour: Odour: Odour threshold: | Powder Light beige Odourless Not determined. |
| pH-value: | Not applicable. |
| Change in condition Melting point/freezing point: Initial boiling point and boiling range: | Undetermined. Undetermined. |
| Flash point: | Not applicable |
| Flammability (solid, gas): | Product is not flammable. |
| Ignition temperature: | Not determined. |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product does not present an explosion hazard. |
| Explosion limits: Lower: Upper: Oxidising properties | Not determined. Not determined. Not determined. |
| Vapour pressure: | Not applicable. |
| Density at 20 °C: Relative density Vapour density Evaporation rate | 1.78 g/cm³ Not determined. Not applicable. Not applicable. |
| Solubility in / Miscibility with Water: | Unsoluble |
| Segregation coefficient (n-octanol/water) I Pow: | og Not determined. |

(Contd. on page 6)



Page 6/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

Trade name webertec epo 450 PC - Part C

(Contd. of page 5)

Viscosity:

dynamic:Not applicable.kinematic:Not applicable.

Solvent content:

EU-VOC (%) 0.00 % EU-VOC (g/L) 0.0 g/l Solids content: 100.0 %

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Compo | nents | Туре | Value | Species | |
|---------|---------|---------------------|-------|---------|--|
| CAS: 47 | 71-34-1 | l calcium carbonate | | | |
| Oral | LD50 | 6,450 mg/kg (Rat) | | | |
| Dermal | LD50 | 6,450 mg/kg (Rat) | | | |

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

(Contd. on page 7)



Page 7/8

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

Trade name webertec epo 450 PC - Part C

(Contd. of page 6)

Type of test Effective concentration Method Assessment

CAS: 471-34-1 calcium carbonate

EC50/72h 14 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Smaller quantities can be disposed of with household waste.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation: Non contaminated packagings may be recycled. **Recommended cleaning agent:** Thoroughly shake out sacks.

| SECTION 14: Transport information | tion | |
|---|---------------------------|--|
| 14.1 UN-Number ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA Class | Void | |
| 14.4 Packing group ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | Not applicable. | |
| 14.6 Special precautions for user | Not applicable. | |
| 14.7 Transport in bulk according to An of Marpol and the IBC Code | nex II Not applicable. | |
| UN "Model Regulation": | Void | |

EUG

(Contd. on page 8)



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.10.2020 Version number 1 Revision: 22.08.2019

Trade name webertec epo 450 PC - Part C

(Contd. of page 7)

Page 8/8

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG