





Welcome to weber industrial constructions solution brochure. As a recognized manufacturer and innovator of easy-to-apply products in the flooring systems, facades, technical mortars, admixtures and tile fixing markets, weber is a leading player in the construction products industry.

The synergy between these different activities enables weber to provide integrated solutions for a wide range of projects from buildings to infrastructures to industrial developments.

As part of the industrial segment, the **Oil & Gas** market is still showing an expansion and new plants are being built with high demand on construction products and solutions.

Based on its strong knowledge and experience, weber is committed to provide complete high performance solutions to meet all the requirements related to the **Oil & Gas** continuous growing market.



Oil & Gas Range

| 1- GROUTING & BEDDING | P.4 |
|--------------------------------|------|
| 2- CONCRETE REPAIR & ANCHORING | P.6 |
| 3- CRACK INJECTION | P.8 |
| 4- JOINT SEALANTS | P.10 |
| 5- PROTECTIVE COATINGS | P.12 |
| 6- WATERPROOFING | P.14 |
| 7- ROOFING | P.10 |
| 8- FLOORING | P.18 |
| 9- ADMIXTURES FOR CONCRETE | P.2 |

www.middleeast.weber

7

Grouting & Bedding

Cementitious & epoxy grouts for bedding, repairing, jacketing, jointing and other technical applications











Product Selector

| Cementitious | Description Application Field | | Compressive Strength | Flexural Strength | Thickness/ mm | |
|---------------------------|---|---|-------------------------|----------------------|------------------|--|
| webertec OG | Highly fluid cementitious expansive grout | Grouting under pipe support (transmission pipeline) | ≥65 Mpa | ≥14 Mpa | Up to 100 | |
| webertec 304 VHS | Very high strength shrinkage compensated grout | Grouting industrial equipment and machinery base plates | >80 Mpa | >10 Mpa | Up to 100 | |
| webertec 305 HF | Highly fluid non-shrink cementitious grout | Grouting industrial equipment and machinery base plates | >60 Mpa | >10 Mpa | Up to 50 | |
| webertec grout P plus | Highly fluid cementitious expansive grout | Grouting under pipe support (transmission pipeline) | ≥65 Mpa | ≥14 Mpa | Up to 100 | |
| webertec 311 MC-HCS | Non-shrink high strength fluid micro- concrete | Pile capping for Jetty offshore production deck | 70 Mpa | >10 Mpa | Up to 300 | |
| webertec MC1 | Easy to use durable micro-concrete | Pile capping for Jetty offshore production deck | >60 Mpa | >10 Mpa | Up to 200 | |
| Ероху | | | | | | |
| webertec epo 430 GRT plus | Free flowing high strength epoxy grout | Equipment & heavy machinery mounting plates & cranes base plate | 100 Mpa | >30 Mpa | Up to 450 | |

Concrete repair & anchoring

Fair Facing and structural cementitious and epoxy based mortars











Product Selector

| Cementitious | Description | Application Field | Compressive Strength | Flexural Strength | Thickness/ mm |
|-----------------------------|---|--|-------------------------|----------------------|------------------|
| weberep 331 TX | Non- shrink thixotropic repair mortar with fiber | Structural concrete cracks or damages | 50 Mpa | 7 Mpa | Up to 50 |
| weberep 331 HCS | Non shrink high strength thixotropic repair mortar | Structural concrete cracks or damages | 70 Mpa | >10 Mpa | Up to 50 |
| weberep 360 FFR | Pre-mixed cementitious filler for fair face repair | Superficial cracks in concrete walls | >20 Mpa | 5 Mpa | Up to 3 |
| weberep 314 RD | High early strength and fast setting filling mortar | Repair of roads or industrial surfaces without long traffic interruption | 60 Mpa | 10 Mpa | Up to 150 |
| weberep 370 PF | Two-component cement based corrosion protection and bonding agent | Corrosion protection coat of reinforcement steel in concrete | | | |
| Ероху | | | | | |
| weberep epo 412 CRY plus | High strength, thixotropic epoxy patching & bonding paste | Patching repair of concrete floors prior to epoxy coatings | 70 Mpa | >30 Mpa | Up to 3 |
| weberep 501 ZRP | Heavy duty ant-corrosive zinc-rich primer | Corrosion protection coat of reinforcement steel in concrete | | | |
| weberanc 405 BFX | Pure epoxy anchoring resin in | Heavy loads applications for anchoring | >80 Mpa | | |



Crack Injection

Epoxy & polyurethane injection products for sealing cracks in dry and wet structures



Product Selector

| Ероху | Description | Application Field | Tensile Strength | Elongation | Free Expansion |
|-------------------|---|--|---------------------|------------|-------------------|
| weberep epo 660 i | Standard epoxy injection resin | Structural cracks in concrete elements (Slabs, walls, beams and columns) | 59 Mpa | | |
| weberep epo 650 i | Very low viscosity epoxy injection resin | Structural cracks in concrete elements (Slabs, walls, beams and columns) | 62 Mpa | | |
| Polyurethane | | | | | |
| weberdry 600 i | Flexible water sealing 2 component polyurethane injection resin | Sealing cracks in concrete elements (Slabs, walls, beams and columns) | >3 Mpa | 128% | |
| weberdry 610 i | Foam forming water sealing injection resin | Sealing cracks in concrete elements (Slabs, walls, beams and columns) | | | 1700% to 2200% |









8

Joint **Sealants**

Polyurethane & polysulphide based, cold applied elastomeric sealants with excellent adhesion and bonding









Product Selector

| Polysulphide | Description | Application Field | Elongation | MAF |
|-----------------------------|---|--|------------|-----|
| weber seal PS 1000 GG/PG | Two-component polysulphide joint sealant | Expansion joints in heavy traffic floors | >600% | 25% |
| weber seal PS 2000 JF | Two-component polysulphide jet fuel resistant sealant | Sealing joints in reinforced concrete structures which may be subject to fuel spillage | | 25% |
| Polyurethane | | | | |
| weber jointseal PU | One component polyurethane sealant | Sealant for joints in concrete structures (expansion & construction joints & precast elements) | >500% | 25% |
| weber joint seal PU MC | One component polyurethane sealant and adhesive | Sealant for joints in concrete structures (expansion & construction joints & precast elements) | >500% | 25% |
| Silicone | | | | |
| weber silicone FS | High performance firestop silicone sealant | Fire resistant joints in fire rated zone (firestop system) | >300% | 50% |



Protective coatings

Innovative
solutions for
different
applications to
protect concrete
structures











Product Selector

| Polyester | Description | Application Field | Adhesion strength | Chemical resistance | Reduction in RCP |
|----------------------------------|---|--|----------------------|---------------------|---------------------|
| webercote protect PE | Eco-friendly hydrophobic coating for concrete | For underground structures & foundation protections | 2 Mpa | Yes | |
| weberdry epo PW Coal Tar | Non-toxic solvent free, high-chemical resistant epoxy coating | Chemicals storage tanks Water reservoirs and tanks | > 3 Mpa | Yes | |
| weberdry tar ESB | Solvent based coat tar epoxy coating for steel and concrete | Manholes foundations | | Yes | |
| weberdry tar ESF Acrylic | High-Build solvent free coal tar epoxy coating | Manholes foundations | | Yes | |
| webercote beton plus Bituminous | Protective anti-carbonation coating for concrete | Exposed concrete structures with high risk of carbonation and chloride attack | > 2 Mpa | Yes | ≥ 9% |
| weberdry SSP 50 | Waterproofing rubberized bitumen emulsion | Footings and other buried elements | | | |
| weberdry bitum WB | Cold applied bitumen protective coating | Protective coating for concrete underground Primer coat prior to application of bituminous membranes | | | |



Waterproofing

Quality solutions for different requirements which protect safely the structure and for the long term
















| Cementitious | Description | Application Field | Wall | Floors |
|----------------------------|---|--|------|--------|
| weberdry 110 FX | Flexible high cement based performance waterproof coating | Water tanks Drinking water reservoirs | Yes | Yes |
| weberdry 116 FX | Flexible cement based acrylic waterproof coating | Waterproofing of wet areas | Yes | Yes |
| weberdry 150 BLC | Cementitious plugging mortar | Water seepage in underground structures Cracks in silos and water reservoir leakage | Yes | Yes |
| weberdry waterstop Rubber | Waterstops for construction and expansion joints | Sealing for construction and expansion joints in water retaining structures | Yes | Yes |
| weberdry swellbar LB | Swellable rubber waterstop | Construction joints in vertical and horizontal situations | Yes | Yes |
| Bituminous | | | | |
| Biplas range | APP modified bituminous membrane | Waterproofing of foundations, basements and footings | Yes | Yes |
| Biflex range | SBS modified bituminous membrane | Waterproofing of foundations, basements | Yes | Yes |



Roofing

Flexible waterproofing liquid membranes for exposed roof with high solar reflectance



Product Selector

| Polyurethane | Description | Application Field | Elongation | Wall | Floor | Primer |
|---------------------------|--|--|------------|------|-------|--------|
| weberdry 360 PU | Liquid applied polyurethane waterproofing membrane | Concrete roof Steel roof Old bituminous felt | > 600% | Yes | Yes | Yes |
| weberdry PUR seal | Liquid applied polyurethane waterproofing membrane | Concrete roof Steel roof Old bituminous felt | > 800% | Yes | Yes | Yes |
| weberdry PUR coat | Aliphatic polyurethane top-coat | Over the weberdry 360 PU and weberdry PUR seal on surfaces with normal pedestrian traffic | 289% | | Yes | No |
| weberdry PUR coat traffic | Aliphatic polyurethane top-coat | Over the weberdry 360 PU and weberdry PUR seal on surfaces with public pedestrian traffic or light car traffic | > 100% | | Yes | No |









Flooring

Weber offers a wide range of products such as primers, screeds and smoothing mortars and even floor covering adhesives...









Product Selector

| Cementitious | Description | Application Field | CF | FS | Application thickness | Indoor | Outdoor | Prime |
|-------------------------|---|---|----------|----------|-----------------------------|--------|---------|-------|
| weberfloor 600 SCR | Dry ready mix screed fiber reinforced | Indoor floor surface prior to installation of other overlayment products | > 30 Mpa | > 6 Mpa | 30 mm to 80 mm | Yes | No | Yes |
| weberfloor 620 PMB plus | Fast drying (4 days), shrinkage controlled, semi-dry floor screed | Indoor floor surface prior to installation of other overlayment products | > 20Mpa | > 4Mpa | 15 mm to 200 mm | Yes | Yes | Yes |
| weberfloor 514 SL | Fast setting cementitious self-leveling flooring compound | Indoor floor surface prior to installation of other overlayment products | 25 Mpa | 6 Мра | up to 15 mm | Yes | No | Yes |
| weberfloor 400 BA | Surface hardener in powder form | Warehouses and industrial floors | 55 Mpa | 12 Mpa | | Yes | Yes | No |
| Ероху | | | | | | | | |
| weberfloor epobat | Solvent free heavy duty epoxy floor coating | Machinery service area Mechanical rooms Warehouse and storage facilities | > 85 Mpa | > 30 Mpa | 200 microns DFT per coat | Yes | No | Yes |
| Silicate | | | | | | | | |
| weberfloor 255 SC | Liquid surface hardener for concrete mortar | Warehouses and industrial floors | | | | Yes | Yes | No |



Admixtures for concrete

Solutions to improve the durability of concrete & increase the service life for structures



Product Selector

| Corrosion In | Description hibitor | Application Field | Appearance | Standard Reference | Dosage |
|---------------|---|---|------------|-----------------------|--|
| Admix PCI | Bipolar concrete penetrating corrosion inhibiting admixture | Concrete structures exposed to corrosive environment | Liquid | ASTM G 109 | 2 kg/m³ |
| Waterproofi | ng | l | | | |
| weberad sec E | Integral waterproofing admixture in liquid form | Concrete for foundations under water table Concrete in regular contact with water | Liquid | BS EN 934 | 0.5 to 1.5 kg per 100 kg of the cement |











weber cares about building better for people and the planet











SODAMCO Qatar W.L.L.

Al Rayan Complex P.O.Box 22520 • Doha Qatar Tel.: + 974 4442 3816

vww.saint-gobain-emme.com



