

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weberfloor epopatch part B

Safety data sheet no.: XXP017242-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320 Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

(Contd. on page 2)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 1)

DRYMIX Weber Egypt
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt
Tel : (+20) 2 3827 4646
Hot line: (+2) 15802

SAINT-GOBAIN CONSTRUCTION PRODUCTS LLC OPC Al Ghail Industrial Zone-NFZ RAK
P.O. Box 54529 Ras Al Khaimah - United Arab Emirates
T +971 2 550 9994
F +971 2 550 9449

1.4 Emergency telephone number:

UAE:+971 2 550 9994
Lebanon:+9619790920
Jeddah:+966126683295
Riyadh:+966114738751
Qatar:+97444423816
Jordan: +96264200417
Kuwait:+96525716404
Muscat:+96824218361
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm
Monday to Friday in Lebanon and UAE
Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Lact. H362 May cause harm to breast-fed children.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

(Contd. on page 3)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 2)

Signal word Danger

Hazard-determining components of labelling:

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia
 2,4,6-tris(dimethylaminomethyl)phenol
 alkanes, C14-17, chloro
 2,2'-iminodi(ethylamine)

Hazard statements

H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H362 May cause harm to breast-fed children.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P263 Avoid contact during pregnancy and while nursing.
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P321 Specific treatment (see on this label).
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

CAS: 85535-85-9 | alkanes, C14-17, chloro

Substances Persistent Bioaccumulative and Toxic according to Annex XIII of REACH regulation.

vPvB:

CAS: 85535-85-9 | alkanes, C14-17, chloro

Substances very Persistent and very Bioaccumulative according to Annex XIII of REACH regulation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:

CAS: 471-34-1 EINECS: 207-439-9	calcium carbonate ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319 substance with a Community workplace exposure limit	50-75%
CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12-xxxx	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	5-10%

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epatch part B

(Contd. of page 3)

CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0 Reg.nr.: 01-2119560597-27-xxxx	2,4,6-tris(dimethylaminomethyl)phenol ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Skin Sens. 1, H317	≥2-<3%
CAS: 85535-85-9 EINECS: 287-477-0 Index number: 602-095-00-X Reg.nr.: 01-2119519269-33-xxxx	alkanes, C14-17, chloro ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Lact., H362, EUH066 substance with a Community workplace exposure limit PBT; vPvB	1-2%
CAS: 111-40-0 EINECS: 203-865-4 Index number: 612-058-00-X Reg.nr.: 01-2119473793-27-xxxx	2,2'-iminodi(ethylamine) ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 substance with a Community workplace exposure limit	1-2%

SVHC

CAS: 85535-85-9 | alkanes, C14-17, chloro

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media
Suitable extinguishing agents

 CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire toxic gases are released.

5.3 Advice for firefighters
Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

(Contd. on page 5)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epatch part B

(Contd. of page 4)

Mouth respiratory protective device.

6.2 Environmental precautions: The product must not get into watercourses or into the soil.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Thorough dedusting.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 471-34-1 calcium carbonate

Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
------	-------------------------	---

Inhalative	Derived No Effect Level	6.36 mg/m ³ (worker local long term value)
------------	-------------------------	---

		1.06 mg/m ³ (consumer local long term value)
--	--	---

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)
--------	-------------------------	---

Inhalative	Derived No Effect Level	5.29 mg/m ³ (worker systemic long term value)
------------	-------------------------	--

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral	Derived No Effect Level	0.075 mg/kgxday (consumer systemic long term value)
------	-------------------------	---

Dermal	Derived No Effect Level	0.15 mg/kgxday (worker systemic long term value)
--------	-------------------------	--

		0.075 mg/kgxday (consumer systemic long term value)
--	--	---

Inhalative	Derived No Effect Level	0.53 mg/m ³ (worker systemic long term value)
------------	-------------------------	--

		0.13 mg/m ³ (consumer systemic long term value)
--	--	--

CAS: 85535-85-9 alkanes, C14-17, chloro

Oral	Derived No Effect Level	0.58 mg/kgxday (consumer systemic long term value)
------	-------------------------	--

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 5)

Dermal	Derived No Effect Level	47.9 mg/kgxday (worker systemic long term value) 28.75 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.7 mg/m ³ (worker systemic long term value) 2 mg/m ³ (consumer systemic long term value)
CAS: 111-40-0 2,2'-iminodi(ethylamine)		
Dermal	Derived No Effect Level	11.4 mg/kgxday (worker systemic long term value) 4.88 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	15.4 mg/m ³ (worker systemic long term value) 4.6 mg/m ³ (consumer systemic long term value)

PNECs**CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia**

Predicted No-Effect Concentration	0.018 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.014 mg/l (sea water rating factor) 0.015 mg/l (fresh water rating factor)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Predicted No-Effect Concentration	0.025 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.005 mg/l (sea water rating factor) 0.046 mg/l (fresh water rating factor)

CAS: 85535-85-9 alkanes, C14-17, chloro

Predicted No-Effect Concentration	11.9 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.0002 mg/l (sea water rating factor) 0.001 mg/l (fresh water rating factor)

CAS: 111-40-0 2,2'-iminodi(ethylamine)

Predicted No-Effect Concentration	7.97 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.056 mg/l (sea water rating factor) 0.56 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit**CAS: 471-34-1 calcium carbonate**

LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: (10) mg/m ³ (e)
VLE (Portugal)	Long-term value: (10) mg/m ³ (Irritação)

CAS: 85535-85-9 alkanes, C14-17, chloro

AGW (Germany)	Long-term value: 6 E mg/m ³ , 0.3 E ppm 8(II);H, Y, 11, AGS
---------------	---

CAS: 111-40-0 2,2'-iminodi(ethylamine)

MAK (Germany)	vgl.Abschn.IV
GV (Denmark)	Short-term value: 8 mg/m ³ , 2 ppm Long-term value: 4 mg/m ³ , 1 ppm H
LEP (Spain)	Long-term value: 4.3 mg/m ³ , 1 ppm vía dérmica, Sen

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 6)

TWA (Italy)	Long-term value: 4.2 mg/m ³ , 1 ppm Cute
VLE (Portugal)	Long-term value: 1 ppm P; Irritação ocular e do TRS
OEL (Sweden)	Short-term value: 10 mg/m ³ , 2 ppm Long-term value: 4.5 mg/m ³ , 1 ppm H, SH, V
HTP (Finland)	Short-term value: 13 mg/m ³ , 3 ppm Long-term value: 4.3 mg/m ³ , 1 ppm iho

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
 Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.
 In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Solid.
Colour:	Grey
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Undetermined
Boiling point or initial boiling point and boiling range	Undetermined
Flammability	Product is not flammable.
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Insoluble
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not applicable.

(Contd. on page 8)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 7)

Density and/or relative density

Density:	Not applicable.
Relative density	Not determined
Vapour density	Not applicable
Particle characteristics	See section 3.

9.2 Other information

Appearance:	
Form:	Pasty
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
EU-VOC (g/L)	
Solids content:	100.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not applicable.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

10.6 Hazardous decomposition products: No dangerous decomposition products known. (Contd. of page 8)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 471-34-1 calcium carbonate			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia			
Oral	LD50	>2,885 mg/kg	(Rat)
Dermal	LD50	>2,980 mg/kg	(Rabbit)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol			
Oral	LD50	2,169 mg/kg	(Rat)
CAS: 85535-85-9 alkanes, C14-17, chloro			
Oral	LD50	>4,000 mg/kg	(Rat)
CAS: 111-40-0 2,2'-iminodi(ethylamine)			
Oral	LD50	>1,553 mg/kg	(Rat)
Dermal	LD50	>1,045 mg/kg	(Rabbit)

Primary irritant effect:

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity May cause harm to breast-fed children.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test	Effective concentration	Method	Assessment
CAS: 471-34-1 calcium carbonate			
EC50/72h	14 mg/l	(Algae)	
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia			
IC50/72h	141.72 mg/l	(aquatic algae and cyanobacteria)	

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epatch part B

(Contd. of page 9)

LC50/96h	772.14 mg/l (Fish) (OECD 203, static)
EC50/48h	80-418.34 mg/l (aquatic invertebrates)
EC50/96h	15 mg/l (Fish)
EC50/72h	2.1-15 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	100 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	18-200 mg/l (aquatic invertebrates)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	46.7 mg/l (aquatic algae and cyanobacteria)
NOEC (28d)	2 mg/l (microorganisms)
CAS: 85535-85-9 alkanes, C14-17, chloro	
LC50/96h	>5,000 mg/l (Fish)
EC50/24h	0.095-0.1 mg/l (aquatic invertebrates)
EC50/48h	0.0059-0.0077 mg/l (aquatic invertebrates)
EC50/96h	3.2 mg/l (aquatic algae and cyanobacteria)
EC50/72h	3.2 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	0.1 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	0.1 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.125 mg/l (Fish)
NOEC (21d)	0.01 mg/l (aquatic invertebrates)
CAS: 111-40-0 2,2'-iminodi(ethylamine)	
LC50/96h	430 mg/l (Fish)
EC50/48h	32 mg/l (Daphnia magna)
EC50/72h	1,164 mg/l (Algae)
NOEC (72h)	10 mg/l (Algae)
NOEC (21d)	5.6 mg/l (Daphnia magna)
NOEC (28d)	10 mg/l (Fish)
EC 0/48h	2 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Method	
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
Biod. (28 days)	0 % (Biodegradation)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
Biod. (28 days)	4 %
Behaviour in environmental systems:	
Components:	
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
DT50-value (Degradation Half time)	365 day

(Contd. on page 11)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epatch part B

(Contd. of page 10)

12.3 Bioaccumulative potential

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

EBAB	1.34 log Pow (Bioaccumulation)
------	--------------------------------

CAS: 85535-85-9 alkanes, C14-17, chloro

EBAB	7 log Pow
------	-----------

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT:

CAS: 85535-85-9	alkanes, C14-17, chloro
-----------------	-------------------------

vPvB:

CAS: 85535-85-9	alkanes, C14-17, chloro
-----------------	-------------------------

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 471-34-1 calcium carbonate

EC 50 (3h)	1,000 mg/l (microorganisms)
------------	-----------------------------

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

EC 50 (3h)	750 mg/l (microorganisms)
------------	---------------------------

CAS: 111-40-0 2,2'-iminodi(ethylamine)

EC 50 (3h)	32.7 mg/l (microorganisms)
------------	----------------------------

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.
 Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

HP8	Corrosive
-----	-----------

HP14	Ecotoxic
------	----------

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

EUG

(Contd. on page 12)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 11)

SECTION 14: Transport information

14.1 UN number or ID number
 ADR, IMDG, IATA

UN1759

14.2 UN proper shipping name
 ADR

1759 CORROSIVE SOLID, N.O.S.
 (POLYOXYPROPYLENEDIAMINE,
 DIETHYLENTRIAMINE)
 IMDG, IATA
 CORROSIVE SOLID, N.O.S.
 (POLYOXYPROPYLENEDIAMINE,
 DIETHYLENTRIAMINE)

14.3 Transport hazard class(es)

ADR



Class
Label

8 (C10) Corrosive substances.
 8

IMDG, IATA



Class
Label

8 Corrosive substances.
 8

14.4 Packing group
 ADR, IMDG, IATA

III

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user
Hazard identification number (Kemler code):
EMS Number:
Segregation groups
Stowage Category

Warning: Corrosive substances.
 80
 F-A,S-B
 (SGG18) Alkalis
 A

14.7 Maritime transport in bulk according to
IMO instruments

Not applicable

Transport/Additional information:

ADR

Limited quantities (LQ)
Excepted quantities (EQ)

5 kg
 Code: E1
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 1000 g

Transport category
Tunnel restriction code

3
 E

(Contd. on page 13)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 12)

IMDG

Limited quantities (LQ)
Excepted quantities (EQ)

5 kg
 Code: E1
 Maximum net quantity per inner packaging: 30 g
 Maximum net quantity per outer packaging: 1000 g

UN "Model Regulation":

UN 1759 CORROSIVE SOLID, N.O.S.
 (POLYOXYPROPYLENEDIAMINE,
 DIETHYLENETRIAMINE), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)
 Regulation (EC) No 1272/2008 (CLP)
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

(Contd. on page 14)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epatch part B

(Contd. of page 13)

National regulations

Other regulations, limitations and prohibitive regulations

Substances of Very High Concern (SVHC) according to REACH, Article 57:

CAS: 85535-85-9 | alkanes, C14-17, chloro

Substances of Very High Concern on the REACH Candidate List for Authorisation.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H362 May cause harm to breast-fed children.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Reproductive toxicity Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety
 T+97125509449
 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organisation
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances

(Contd. on page 15)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 03.01.2023

Trade name: weberfloor epopatch part B

(Contd. of page 14)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Lact.: Reproductive toxicity – effects on or via lactation

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG