



Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weberdry roof

Safety data sheet no.: XXP017183

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133.

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

(Contd. on page 2)



Page 2/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

F +966 12 668 1498

(Contd. of page 1)

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P304+P312 IF INHALED: Call a doctor if you feel unwell.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 3)





Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

Additional information:

(Contd. of page 2)

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 27138-31-4 EINECS: 248-258-5 Reg.nr.: 01-2119529241-49-xxxx 02-211952731-39-0000	oxydipropyl dibenzoate Aquatic Chronic 3, H412	≥2.5-<5%
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide Carc. 2, H351	1-2%
CAS: 1336-21-6 EINECS: 215-647-6 Index number: 007-001-01-2 Reg.nr.: 2119488876-14-xxxx	ammonia, aqueous solution Skin Corr. 1B, H314; Aquatic Acute 1, H400; STOT SE 3, H335 Specific concentration limit: STOT SE 3; H335:C ≥ 5 %	≥0.1-<0.25%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48-xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	≥0.0015-<0.0025%

(Contd. on page 4)



Page 4/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

SVHC Void

(Contd. of page 3)

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** Dilute with plenty of water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Version number 1 Revision: 18.07.2021 Printing date 28.03.2023

Trade name weberdry roof

See Section 13 for disposal information.

(Contd. of page 4)

Page 5/13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 134	63-67-7 titanium dioxide	e
Inhalative	Derived No Effect Level	0.17 mg/m³ (worker local long term value)
		0.028 mg/m³ (consumer local long term value)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.02 mg/m³ (worker local long term value)
		0.02 mg/m³ (consumer local long term value)
PNECs		
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500- H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS	lo. / Designation of mat	terial / % / Type / Value / Unit
CAS: 131	7-65-3 calcium carbona	te
TWA (Italy	(e) Long-term value	: 10 mg/m³
		(Contd. on pag



Page 6/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

	(Contd. of page
CAS: 13463-67-7	titanium dioxide
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y
GV (Denmark)	Short-term value: 12 mg/m³ Long-term value: 6 mg/m³ K, som Ti
LEP (Spain)	Long-term value: 10 mg/m³
TWA (Italy)	Long-term value: 10 mg/m³ A4
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm
CAS: 1336-21-6	ammonia, aqueous solution
AGW (Germany)	Long-term value: 14 mg/m³, 20 ppm 2(I);DFG, EU, Y
HTP (Finland)	Short-term value: 36 mg/m³, 50 ppm Long-term value: 14 mg/m³, 20 ppm
CAS: 55965-84-9	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

FUG



Page 7/13

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

(Contd. of page 6)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Fluid Colour: White

Odour:Uncharacteristic.Odour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range Not applicable

Undetermined.

Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity Not determined.

Kinematic viscosity

dynamic: Not determined.

Solubility

Water: Fully miscible
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Vapour pressure:

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other informationNo further relevant information available.

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

0.21 %

EU-VOC (g/L) 2.1 g/l

(Contd. on page 8)



Page 8/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

Change in condition

Corrosive to metals

Desensitised explosives

(Contd. of page 7)

Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.
Information with regard to physical haza	ard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void

Void

Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)





Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

LD/LC50 values relevant for classification:

(Contd. of page 8)

Components		I	Type	1	Value	1	/ Species
CAS: 131	CAS: 1317-65-3 calcium carbonate						
Oral	LD50	>5,000	mg/kg ((Rat)			
CAS: 2713	CAS: 27138-31-4 oxydipropyl dibenzoate						
Oral	LD50	>3,300	mg/kg (Rat)			
Dermal	LD50	>2,000	mg/kg (Rat)			
Inhalative	LC50/4 h	>200 m	g/l (Rat)			
CAS: 134	63-67-7 tit	anium d	lioxide				
Oral	LD50	>10,000) mg/kg	(Rat)			
CAS: 559	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)						
Oral	LD50	457 mg	/kg (Ra	t)			
Dermal	LD50	660 mg	/kg (Ra	bbit)			
Inhalative	LC50/4 h	2.36 mg	g/I (Rat)				
Skin corresion/irritation Resed on available data, the electification criteria are not met							

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment						
CAS: 1317-6	CAS: 1317-65-3 calcium carbonate					
LC50/96h	LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))					
EC50/48h	EC50/48h >1,000 mg/l (Daphnia magna)					
EC50/72h	>200 mg/l (Algae)					
CAS: 27138-	-31-4 oxydipropyl dibenzoate					
LC50/96h	3.7 mg/l (Fish)					
	(Contd. on pa	ae 10)				

EUG





Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

		(Contd. of page 9)					
	EC50/48h	19.3 mg/l (Daphnia magna)					
CAS: 13463-67-7 titanium dioxide							
	LC50/48h 100 mg/l (Daphnia magna)						
	EC50/48h 2.41-103.9 mg/l (Daphnia magna)						
	EC50/72h	3.58-100 mg/l (Daphnia magna)					
	100 mg/l (Algae)						
NOEC (72h) 100 mg/l (Algae)							
	NOEC (14d)	0.87-1.1 mg/l (Fish)					
	NOEC (21d)	5 mg/l (Daphnia magna)					
	CAS: 55965-	84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]					
		and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)					
		0.18 mg/l (Daphnia magna)					
	LC50/96h 0.282 mg/l (Daphnia magna)						
		0.19-0.3 mg/l (Fish)					
	EC50/24h	0.109 mg/l (Daphnia magna)					
		0.0107 mg/l (Algae)					
	EC50/48h	0.16 mg/l (Daphnia magna)					
		0.0181-0.0371 mg/l (Algae)					
	EC50/72h	0.0063-0.0273 mg/l (Algae)					
	NOEC (14d)	0.035 mg/l (Daphnia magna)					
	NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)					
_							

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment					
CAS: 13463-67-7 titanium dioxide					
EC 50 (3h) 1,000 mg/l (Activated sludge)					
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]					
and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)					
EC 50 (3h) 4.5 mg/l (Activated sludge)					

(Contd. on page 11)



Page 11/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

(Contd. of page 10)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

HP7 Carcinogenic

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information 14.1 UN number or ID number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, IMDG, IATA Void 14.3 Transport hazard class(es) ADR, ADN, IMDG, IATA Void **Class** 14.4 Packing group ADR, IMDG, IATA Void 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Not applicable. 14.7 Maritime transport in bulk according to **IMO** instruments Not applicable. **UN "Model Regulation":** Void

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

(Contd. on page 12)





Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

(Contd. of page 11)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation | The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

(Contd. on page 13)





Printing date 28.03.2023 Version number 1 Revision: 18.07.2021

Trade name weberdry roof

(Contd. of page 12)

Page 13/13

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.