



Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name Webercote beton Plus

Safety data sheet no.: XXP017360-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O.

(Contd. on page 2)



Page 2/16

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 1)

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS07

Signal word Warning

Hazard-determining components of labelling:

octhilinone (ISO);2-octyl-2H-isothiazol-3-one

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

1,2-benzisothiazol-3(2H)-one

Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P401 Store in accordance with local/regional/national/international regulations.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Additional information:

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

(Contd. on page 3)





Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 2)

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.1 Substances

CAS No. Description

CAS: 1317-65-3 calcium carbonate

Identification number(s): EC number: 215-279-6

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	10-25%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17- xxxx	titanium dioxide substance with a Community workplace exposure limit	5-10%
CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0 Reg.nr.: 01-2119475108-36- xxxx	2-butoxyethanol Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319 ATE: LD50 oral: 1,200 mg/kg LC50/4 h inhalative: 3 mg/l	1-2%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 Reg.nr.: 01-2120761540-60- xxxx	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1;H317: C ≥ 0.05 %	<0.05%

EUG





Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

		(Contd. of page 3)
CAS: 26530-20-1 EINECS: 247-761-7	octhilinone (ISO);2-octyl-2H-isothiazol-3-one	≥0.0015-<0.0025%
Index number: 613-112-00-5 Reg.nr.: 01-2120768921-45- xxxx	 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A;H317: C ≥ 0.0015 % 	
CAS: 886-50-0 EINECS: 212-950-5	terbutryn Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Acute Tox. 4, H302; Skin Sens. 1, H317	≥0.00025-<0.0025%
CAS: 55965-84-9 EC number: 611-341-5 Index number: 613-167-00-5 Reg.nr.: 01-2120764691-48- xxxx	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317 Specific concentration limits: Skin Corr. 1C;H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

SVHC Void

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8).

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

This powder (wet or dry) may cause irritation or potentially irreversible serious injury on contact with the eyes. Prolonged contact with moist skin (due to e.g. sweat or humidity) can cause skin irritation (Contd. on page 5)



Page 5/16

Safety Data Sheet

according to 1907/2006/EC, Article 31

Version number 1 Revision: 22.03.2023 Printing date 05.04.2023

Trade name Webercote beton Plus

(Contd. of page 4)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- **6.2 Environmental precautions:** No special measures required.
- 6.3 Methods and material for containment and cleaning up:

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

(Contd. on page 6)





Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 5)

DNELs			require monitoring at the workplace:
CAS: 134	63-67-7	titanium dioxide	9
Inhalative	Derive	d No Effect Level	0.17 mg/m³ (worker local long term value)
			0.028 mg/m³ (consumer local long term value)
CAS: 111	-76-2 2-	butoxyethanol	
Oral	Derived	No Effect Level	6.3 mg/kgxday (consumer systemic long term value)
			26.7 mg/kgxday (consumer systemic short term value)
Inhalative	Derived	d No Effect Level	98 mg/m³ (worker systemic long term value)
			1,091 mg/m³ (worker systemic short term value)
			59 mg/m³ (consumer systemic long term value)
			426 mg/m³ (consumer systemic short term value)
			246 mg/m³ (worker local short term value)
			147 mg/m³ (consumer local short term value)
CAS: 263	⊥ 4-33-5 1	,2-benzisothiaz	,
Dermal		•	0.966 mg/kgxday (worker systemic long term value)
			0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived	d No Effect Level	6.81 mg/m³ (worker systemic long term value)
maaaro		. 110 2.11001 20101	1.2 mg/m³ (consumer systemic long term value)
CAC. EEO			
		and 2-methyl-2l	H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	Derive	and 2-methyl-2hd No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value)
Oral	Derive	and 2-methyl-2hd No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value)
Oral	Derive	and 2-methyl-2hd No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value)
Oral	Derive	and 2-methyl-2hd No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value)
Oral Inhalative PNECs CAS: 263	Derived	and 2-methyl-2hd No Effect Leveld No Effect Leveld No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value)
Oral Inhalative PNECs CAS: 263	Derived	and 2-methyl-2hd No Effect Leveld No Effect Leveld No Effect Level	1-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value)
Oral Inhalative PNECs CAS: 263	Derived	and 2-methyl-2hd No Effect Leveld No Effect Leveld No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value)
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559	Derived Derived 4-33-5 1 No-Effe	and 2-methyl-2hd No Effect Level dd No Effect Level	0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) ol-3(2H)-one 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506] -isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559	Derived Derived 4-33-5 1 No-Effe	and 2-methyl-2hd No Effect Level dd No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) ol-3(2H)-one 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-50]
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559	Derived Derived 4-33-5 1 No-Effe No-Effe	and 2-methyl-2hd No Effect Level do No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) 0.02 mg/m³ (consumer local long term value) 0.00403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) 0f 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506] 1-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559	Derived Derived 4-33-5 1 No-Effe No-Effe	and 2-methyl-2hd No Effect Level do No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) ol-3(2H)-one 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506] H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor)
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559 Predicted Predicted	Derived Derived 4-33-5 1 No-Effe No-Effe No-Effe	and 2-methyl-2hd No Effect Level do No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) ol-3(2H)-one 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-50-1-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
Oral Inhalative PNECs CAS: 263 Predicted CAS: 559 Predicted Predicted Ingredien	Derived Derived 4-33-5 1 No-Effe 65-84-9 No-Effe No-Effe No-Effe	and 2-methyl-2hd No Effect Level do No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) ol-3(2H)-one 0.000403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-50-1-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor)
Oral Inhalative PNECs CAS: 263 Predicted Predicted Predicted Predicted Ingredien CAS: 111	Derived Derived 4-33-5 1 No-Effe No-Effe No-Effe ts with -76-2 2-	and 2-methyl-2hd No Effect Level dd No Effect Concentration dd Concentration dd Concentration dd No Effect Level dd No Effect L	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) 0.02 mg/m³ (consumer local long term value) 0.00403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-50-1-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (sea water rating factor) 0.00339 mg/l (fresh water rating factor) values:
Oral Inhalative PNECs CAS: 263 Predicted Predicted Predicted Predicted Ingredien CAS: 111	Derived Derived 4-33-5 1 No-Effe No-Effe No-Effe No-Effe ts with -76-2 2-rmany)	and 2-methyl-2hd No Effect Level do No Effect Level	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) 0.02 mg/m³ (consumer local long term value) 0.00403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506] -isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (fresh water rating factor) 0.00339 mg/l (fresh water rating factor) values:
Oral Inhalative PNECs CAS: 263 Predicted Predicted Predicted Predicted Ingredien CAS: 111	Derived Derived 4-33-5 1 No-Effe No-Effe No-Effe No-Effe ts with -76-2 2-rmany)	and 2-methyl-2hd No Effect Level do No Effect Concentration do No Effect Concentration do No Effect Concentration do No Effect Level do No Effect	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) 0.02 mg/m³ (consumer local long term value) 0.00403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) 0.01 f5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506]
Oral Inhalative PNECs CAS: 263 Predicted Predicted Predicted Predicted Ingredien CAS: 111	Derived Derived 4-33-5 1 No-Effe No-Effe No-Effe No-Effe ts with -76-2 2-rmany)	and 2-methyl-2hd No Effect Level do No Effect Concentration do No Effect Concentration do No Effect Concentration do No Effect Level do No Effect	H-isothiazol-3- one [EC no. 220-239-6] (3:1) 0.09 mg/kgxday (consumer systemic long term value) 0.02 mg/m³ (worker local long term value) 0.02 mg/m³ (consumer local long term value) 0.02 mg/m³ (consumer local long term value) 0.00403 mg/l (sea water rating factor) 0.00403 mg/l (fresh water rating factor) 0.00403 mg/l (fresh water rating factor) of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-506] -isothiazol-3- one [EC no. 220-239-6] (3:1) 0.01 mg/kgxdwt (earth rating factor) 0.00339 mg/l (fresh water rating factor) 0.00339 mg/l (fresh water rating factor) values:





Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

	T	(Contd. of page
VLB (Spain)	200 mg/g creatinina Muestra: orina Momento de Muestero: Final de la jornada laboral	
IDE (Italy)	Indicador Biológico: Ácido butoxiacético	
IBE (Italy)	200 mg/g creatinina Campioni: urine	
	Momento del prelievo: a fine turno	
	Indicatore biologico: Acido butossiacetico	
IBE (Portugal)	200 mg/g creatinina Amostra: urina	
	Momento da amostragem: Fim do turno	
	Indicador biológico: Ácido butoxiacético (BAA)	
CAS No. / De	esignation of material / % / Type / Value / Unit	
CAS: 1317-65-3	calcium carbonate	
TWA (Italy)	Long-term value: 10 mg/m³ (e)	
	7 titanium dioxide	
AGW (Germany)	Long-term value: 1.25* 10** mg/m³ 2(II);*alveolengängig**einatembar; AGS, DFG, Y	
GV (Denmark)	Short-term value: 12 mg/m³ Long-term value: 6 mg/m³ K, som Ti	
LEP (Spain)	Long-term value: 10 mg/m³	
TWA (Italy)	Long-term value: 10 mg/m³ A4	
VLE (Portugal)	Long-term value: 10 mg/m³ A4; Irritação do TRI	
OEL (Sweden)	Long-term value: 5 mg/m³ totaldamm	
CAS: 111-76-2 2	-butoxyethanol	
IOELV (Europea	n Union) Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin	
AGW (Germany)	Long-term value: 49 mg/m³, 10 ppm 2(I);EU, DFG; H, Y	
GV (Denmark)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm EH	
LEP (Spain)	Short-term value: 245 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm vía dérmica, VLI, VLB	
TWA (Italy)	Long-term value: 97 mg/m³, 20 ppm A3, IBE	
VL (Italy)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Cute	



Page 8/16

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

	(Contd. of page 7)
VLE (Portugal)	Long-term value: 20 ppm A3; IBE, Irritação ocular e do TRS
OEL (Sweden)	Short-term value: 246 mg/m³, 50 ppm Long-term value: 50 mg/m³, 10 ppm H
HTP (Finland)	Short-term value: 250 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm iho
CAS: 2634-33-5 1,2-ben	zisothiazol-3(2H)-one
MAK (Germany)	vgl.Abschn.Ilb und Xc
CAS: 26530-20-1 octhili	none (ISO);2-octyl-2H-isothiazol-3-one
AGW (Germany)	Long-term value: 0.05 E mg/m³ 2(I);DFG, H, Y
	on mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
MAK (Germany)	Long-term value: 0.2E mg/m³ vgl.Abschn.Xc

Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz respirable dust (< 5 µm): 0,15 mg/m³

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.Eye/face protection Safety glasses.Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Solid.

Colour: According to product specification

Odour: Uncharacteristic.
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and

boiling range Undetermined.

Flammability Product is not flammable.

(Contd. on page 9)





according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 8)

Lower and upper explosion limit

Not determined. Upper: Flash point: Not applicable **Auto-ignition temperature:** Not determined. **Decomposition temperature:** Not determined. pН Not applicable

Viscosity:

Kinematic viscosity Not applicable.

Kinematic viscosity

Not applicable. dynamic:

Solubility

Water: Partly soluble

Partition coefficient n-octanol/water (log

value) Not determined. Vapour pressure: Not applicable.

Vapour pressure:

Density and/or relative density

Not applicable. Density: Relative density Not determined. Not applicable. Vapour density **Particle characteristics** See section 3.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent content:

Water: 0.0 %

EU-VOC (g/L)

Solids content: 100.0 %

Change in condition

Softening point/range

Oxidising properties Not determined. **Evaporation rate** Not applicable.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void

(Contd. on page 10)





according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

		(Contd. of page 9
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compone	ents	/ Type / Value / Species
Aqueous	dispersio	n of a polymer based on: acrylic ester, styrene
Oral	LD50	>2,000-10,000 mg/kg (Rat)
CAS: 131	7-65-3 cal	cium carbonate
Oral	LD50	>5,000 mg/kg (Rat)
CAS: 134	63-67-7 tit	anium dioxide
Oral	LD50	>10,000 mg/kg (Rat)
Inhalative	LC50/4 h	>6.8 mg/l (Rat)
CAS: 111-	-76-2 2-bu	toxyethanol
Oral	LD50	1,200 mg/kg (ATE)
		1,414 mg/kg (Guinea pig)
Dermal	LD50	>2,000 mg/kg (Rabbit)
Inhalative	LC50/4 h	3 mg/l (ATE)
CAS: 2634	4-33-5 1,2-	benzisothiazol-3(2H)-one
Oral	LD50	>490 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
	•	(Contd. on page





Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

		(Contd. of page 10)	
CAS: 2653	30-20-1 oc	thilinone (ISO);2-octyl-2H-isothiazol-3-one	
Oral	LD50	125 mg/kg (ATE)	
Dermal	LD50	311 mg/kg (ATE)	
Inhalative	LC50/4 h	0.27 mg/l (ATE)	
CAS: 886-	CAS: 886-50-0 terbutryn		
Oral	LD50	2,045 mg/kg (Rat)	
Dermal	LD50	2,000 mg/kg (Rabbit)	
CAS: 5596	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]		
	an	d 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	
Oral	LD50	457 mg/kg (Rat)	
Dermal	LD50	660 mg/kg (Rabbit)	
Inhalative	LC50/4 h	2.36 mg/l (Rat)	

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of tes	t / Effective concentration / Method / Assessment		
Aqueous d	ispersion of a polymer based on: acrylic ester, styrene		
LC50/96h	>100 mg/l (Brachydanio rerio (zebra danio))		
EC50/48h	>100 mg/l (Daphnia magna)		
EC50/72h	>100 mg/l (Scenedesmus subspicatus (Algae))		
CAS: 1317-	CAS: 1317-65-3 calcium carbonate		
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))		
EC50/48h	>1,000 mg/l (Daphnia magna)		
EC50/72h	>200 mg/l (Algae)		
CAS: 13463	3-67-7 titanium dioxide		
LC50/48h	100 mg/l (Daphnia magna)		
EC50/48h	2.41-103.9 mg/l (Daphnia magna)		
EC50/72h	3.58-100 mg/l (Daphnia magna)		
	100 mg/l (Algae)		
	(Contd. on page 12)		





Revision: 22.03.2023 Printing date 05.04.2023 Version number 1

Trade name Webercote beton Plus

NOFC (72h)	(Contd. of page 100 mg/l (Algae)
` ,	0.87-1.1 mg/l (Fish)
, ,	5 mg/l (Daphnia magna)
, ,	-2 2-butoxyethanol
LC50/96h	1,400 mg/l (Fish)
EC50/48h	1,550-1,800 mg/l (Daphnia magna)
EC50/72h	623 mg/l (Algae)
NOEC (21d)	100 mg/l (Daphnia magna)
` ,	100 mg/l (Fish)
EC 10/16h	>700 mg/l (Pseudomonas putida (Bacteria))
CAS: 2634-3	3-5 1,2-benzisothiazol-3(2H)-one
LC50/96h	2.2 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/16h	0.4 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	2.9 mg/l (Daphnia magna)
EC50/72h	0.11 mg/l (Algae)
	0.067 mg/l (Pseudomonas putida (Bacteria))
CAS: 26530-	20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one
LC50/48h	0.181 mg/l (Daphnia magna)
LC50/96h	0.122 mg/l (Fish)
EC50/48h	0.42 mg/l (Daphnia magna)
EC50/96h	0.15 mg/l (Algae)
CAS: 886-50	
IC50/72h	0.0055 mg/l (Selenastrum capricornutum (Green algae))
EC50/48h	7.1 mg/l (Daphnia magna)
	84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
LC50/48h	0.18 mg/l (Daphnia magna)
LC50/96h	0.282 mg/l (Daphnia magna)
	0.19-0.3 mg/l (Fish)
EC50/24h	0.109 mg/l (Daphnia magna)
	0.0107 mg/l (Algae)
EC50/48h	0.16 mg/l (Daphnia magna)
	0.0181-0.0371 mg/l (Algae)
EC50/72h	0.0063-0.0273 mg/l (Algae)
` '	0.035 mg/l (Daphnia magna)
NOTO (04 I)	0.011-1.05 mg/l (Daphnia magna)

12.3 Bioaccumula	12.3 Bioaccumulative potential		
CAS: 111-76-2 2-b	CAS: 111-76-2 2-butoxyethanol		
EBAB	EBAB 0.81 log Pow		
CAS: 2634-33-5 1,	CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
EBAB 0.7 log Pow			

(Contd. on page 13)





according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 12)

CAS: 26530-20-1 octhilinone (ISO);2-octyl-2H-isothiazol-3-one EBAB 2.61 log Pow (Bioaccumulation) Bioaccumulation Factor (BCF) 19.21

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances. 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Behaviour in sewage processing plants:

Bonaviour in comago processing planter		
Type of test / Effective concentration / Method / Assessment		
CAS: 13463-67-7 titanium dioxide		
EC 50 (3h) 1,000 mg/l (Activated sludge)		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
EC 50 (3h) 10.3 mg/l (Activated sludge)		
CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
EC 50 (3h) 4.5 mg/l (Activated sludge)		

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

HP14 Ecotoxic

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport information 14.1 UN number or ID number ADR, IMDG, IATA Void 14.2 UN proper shipping name ADR, IMDG, IATA Void

(Contd. on page 14)





according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

		(Contd. of page 13
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Page 15/16

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 14)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation

Hazardous to the aquatic environment - longterm (chronic) aquatic hazard The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 16)



Page 16/16

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.04.2023 Version number 1 Revision: 22.03.2023

Trade name Webercote beton Plus

(Contd. of page 15)

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1: Skin corrosion/irritation - Category 1 Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Con. 16. Skin corrosion/initiation – Category 1
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.