



Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webercol epo plus Part B

Safety data sheet no.: XXP014730-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O.

(Contd. on page 2)



Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 1)

Page 2/14

Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-2-aminoethanol

Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Page 3/14 Safety Data Sheet

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

P362 Take off contaminated clothing. (Contd. of page 2)

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12- xxxx	Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)- Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	50-75%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38- xxxx	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332	10-20%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28- xxxx	2-aminoethanol Skin Corr. 1B, H314; ↑ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	5%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eve contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

(Contd. on page 4)



Page 4/14

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 3)

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

EUG





Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 4)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

DNELs				
CAS: 9046		xy(methyl methyletho	-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2 oxy)-	
Dermal	Derived No E	ffect Level	2.5 mg/kgxday (worker systemic long term value)	
Inhalative	Derived No E	ffect Level	5.29 mg/m³ (worker systemic long term value)	
CAS: 100-	-51-6 Benzyl a	alcohol		
Oral	Derived No E	ffect Level	4 mg/kgxday (consumer systemic long term value)	
Dermal	Derived No E	ffect Level	8 mg/kgxday (worker systemic long term value)	
			4 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No E	ffect Level	22 mg/m³ (worker systemic long term value)	
			5.4 mg/m³ (consumer systemic long term value)	
CAS: 141-	43-5 2-amino	ethanol		
Dermal	Derived No E	ffect Level	1.5 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No E	ffect Level	1 mg/m³ (worker systemic long term value)	
CAS N	lo. / Designat	ion of mat	erial / % / Type / Value / Unit	
	51-6 Benzyl			
AGW (Ger			m value: 22 mg/m³, 5 ppm	
•	• ,	2(I);DFG	i, H, Y, 11	
HTP (Finla	and)	Long-ter	m value: 45 mg/m³, 10 ppm	
CAS: 141-	43-5 2-amino	ethanol		
IOELV (Eu	ıropean Unior		m value: 7.6 mg/m³, 3 ppm	
		Long-ter Skin	m value: 2.5 mg/m³, 1 ppm	
AGW (Ger	many)		m value: 0.5 mg/m³, 0.2 ppm	
70VV (OCI	many)		i, EU, H, Y, Sh, 11	
GV (Denmark)		` '	m value: 7.6 mg/m³, 3 ppm	
			Long-term value: 2.5 mg/m³, 1 ppm	
		EH		
LEP (Spair	n)		Short-term value: 7.5 mg/m³, 3 ppm	
			Long-term value: 2.5 mg/m³, 1 ppm vía dérmica, VLI	
TWA (Italy	d)		m value: 15 mg/m³, 6 ppm	
i vva (italy	,		m value: 7.5 mg/m³, 3 ppm	
VL (Italy)		-	m value: 7.6 mg/m³, 3 ppm	
` ' ' ' ' ' '		Long-ter	m value: 2.5 mg/m³, 1 ppm	
		Cute		
VLE (Portu	ıgal)		m value: 6 ppm	
			m value: 3 ppm ocular e cutânea	
OFL (Swo	den)	_	m value: 7.5 mg/m³, 3 ppm	
OEL (Sweden)				
022 (0110		Lona-ter	m value: 2.5 mg/m³, 1 ppm	

(Contd. on page 6)





according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

		(Contd. of page 5)
HTP (Finland)	Short-term value: 7.6 mg/m³, 3 ppm	
	Long-term value: 2.5 mg/m³, 1 ppm iho	

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

Undetermined.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not required. **Hand protection** Protective gloves.

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour:YellowishOdour:Uncharacteristic.Odour threshold:Not determined.

Melting point/freezing point:

Boiling point or initial boiling point and

boiling range232 °C (DIN) **Flammability**Not applicable.

Lower and upper explosion limit

Lower:
Upper:
Not determined.
Not determined.
Not applicable
Auto-ignition temperature:
Decomposition temperature:
Not applicable
Not determined.
Not applicable.

. Viscosity:

Kinematic viscosity Not determined.

Kinematic viscosity

dynamic: Not determined.

Solubility

Water: Not miscible or difficult to mix

(Contd. on page 7)





according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 6)

Partition coefficient n-octanol/water (log

Vapour pressure at 20 °C:Not determined.
0.1 hPa (DIN 51640)

Vapour pressure:

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

EU-VOC (g/L)

Not determined
7.0000 %
70.0000 g/l

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes **Explosives** Void Flammable gases Void Void **Aerosols** Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit Void Void

flammable gases in contact with water

Oxidising liquids

Oxidising solids

Organic peroxides

Corrosive to metals

Desensitised explosives

Void

Void

Void

Void

Void

EUG



Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 7)

Page 8/14

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	nts	/ Type / Value / Species		
CAS: 9040		y[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-inomethylethoxy)-		
Oral	LD50	>2,885 mg/kg (Rat)		
Dermal	LD50	>2,980 mg/kg (Rabbit)		
CAS: 100-	-51-6 Benz	zyl alcohol		
Oral	LD50	1,620 mg/kg (Rat)		
Dermal	LD50	>2,000 mg/kg (Rabbit)		
Inhalative	LC50/4 h	>4.178 mg/l (Rat)		
CAS: 141-	-43-5 2-am	inoethanol		
Oral	LD50	2,050 mg/kg (Rat)		
Dermal	LD50	2,504 mg/kg (rbt)		
Inhalative	LC50/4 h	1,487 mg/l (Rat)		

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 9)





according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 8)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Т	ype of test	/ Effective concentration / Method / Assessment
С	CAS: 9046-1	0-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)-
L	.C50/96h	772.14 mg/l (Fish) (OECD 203, static)
E	C50/48h	80-418.34 mg/l (Daphnia magna)
E	C50/96h	15 mg/l (Fish)
E	C50/72h	2.1-15 mg/l (Algae)
С	CAS: 100-51	-6 Benzyl alcohol
L	.C50/48h	260 mg/l (Daphnia magna)
		645 mg/l (Leuciscus idus (Orfe))
L	.C50/96h	10 mg/l (Lepomis macrochirus (Sunfish))
		460 mg/l (Pimephales promelas (Minnow))
E	C50/24h	400 mg/l (Daphnia magna)
E	C50/48h	230 mg/l (Daphnia magna)
E	C50/96h	400 mg/l (Daphnia magna)
		640 mg/l (Scenedesmus subspicatus (Algae))
E	C50/72h	770 mg/l (Algae)
N	NOEC (72h)	310 mg/l (Algae)
N	NOEC (21d)	51-66 mg/l (Daphnia magna)
E	EC 10	400 mg/l (Pseudomonas putida (Bacteria))
С	CAS: 141-43	-5 2-aminoethanol
E	C50/48h	27-65 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Method

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

Biod. (28 days) 0 % (Biodegradation)

Behaviour in environmental systems:

Components:

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

DT50-value (Degradation Half Time) 365 day

(Contd. on page 10)





according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 9)

12.3 Bioaccumulative potential
CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)-
EBAB 1.34 log Pow (Bioaccumulation)
CAS: 100-51-6 Benzyl alcohol
EBAB 1.05 log Pow (Bioaccumulation)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.vPvB: Does not contain vPvB substances.12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

Behaviour in sewage processing plants:

Type of tes	st / Effective concentration / Method / Assessment
CAS: 9046	-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)-
EC 50 (3h)	750 mg/l (Activated sludge)
CAS: 100-5	1-6 Benzyl alcohol
EC 50 (3h)	79 mg/l (Scenedesmus quadricauda (Algae))

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Europ	European waste catalogue		
HP8	Corrosive		
HP10	Toxic for reproduction		
HP14	Ecotoxic		

(Contd. on page 11)





Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 10)

Uncleaned packaging: Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14.2 UN proper shipping name ADR 2735 AMINES, LIQUID, CORROSIVE, N.O. (POLYOXYPROPYLENEDIAMINE) IMDG, IATA AMINES, LIQUID, CORROSIVE, N.O. (POLYOXYPROPYLENEDIAMINE) 14.3 Transport hazard class(es) ADR Class Label 8 (C7) Corrosive substances. 8 IMDG, IATA Class B Corrosive substances. 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups Stowage Category A Corrosive substances. Karning: Corrosive substances.	14.1 UN number or ID number ADR, IMDG, IATA	UN2735
ADR 2735 AMINES, LIQUID, CORROSIVE, N.C. (POLYOXYPROPYLENEDIAMINE) AMINES, LIQUID, CORROSIVE, N.O. (POLYOXYPROPYLENEDIAMINE) 14.3 Transport hazard class(es) ADR Class 8 (C7) Corrosive substances. Label 8 IMDG, IATA Class 8 Corrosive substances. 8 Corrosive substances. 14.4 Packing group ADR, IMDG, IATA 11 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Stowage Category A	<u> </u>	UNZ I JU
IMDG, IATA (POLYOXYPROPYLENEDIAMINE) AMINES, LIQUID, CORROSIVE, N.O (POLYOXYPROPYLENEDIAMINE) 14.3 Transport hazard class(es) ADR Class Label R IMDG, IATA Class B (C7) Corrosive substances. 8 IMDG, IATA Label 14.4 Packing group ADR, IMDG, IATA 11.5 Environmental hazards: 14.5 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups Stowage Category SGG18) Alkalis Stowage Category F-A,S-B Segregation groups Stowage Category A CORROSIVE, N.O (POLYOXYPROPYLENEDIAMINE) 8 (C7) Corrosive substances. 8 Corrosive substances. 8 Varning: Corrosive substances. F-A,S-B Segregation groups SGG18) Alkalis		OZOF AMINEC LIQUID CORROCIVE N.C.
IMDG, IATA AMINES, LIQUID, CORROŚIVE, N.O. (POLYOXYPROPYLENEDIAMINE) 14.3 Transport hazard class(es) ADR Class Label B (C7) Corrosive substances. 8 (C7) Corrosive substances. 9 (C	ADR	
14.3 Transport hazard class(es) ADR Class Label IMDG, IATA Class Label 8 Corrosive substances. 8 Corrosive substances. 8 Experimental factor of the substances of the substances. 8 Experimental hazards: 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Stowage Category Kemper Segregation groups Stowage Category Kemper Segregation groups Segregati	IMDG, IATA	
Class 8 (C7) Corrosive substances. IMDG, IATA Class 8 Corrosive substances. 8 Corrosive substances. 8 Corrosive substances. 8 III 14.4 Packing group ADR, IMDG, IATA III 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Segregation groups Stowage Category A R (C7) Corrosive substances. 8 Corrosive substances. 9 Corrosive substances.		(POLYOXYPROPYLENEDIAMINE)
Class Label IMDG, IATA Class Label Class Label 8 Corrosive substances. 8 4.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Segregation groups Stowage Category R (C7) Corrosive substances. 8 Warring: Corrosive substances. Hazard identification number (Kemler code): 80 F-A,S-B Segregation groups (SGG18) Alkalis A	14.3 Transport hazard class(es)	
Label 8 IMDG, IATA Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	ADR	
Label 8 IMDG, IATA Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Stowage Category A		
Label 8 IMDG, IATA Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Stowage Category A	<u></u>	
Label 8 IMDG, IATA Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	8	
IMDG, IATA Class Label 8 Corrosive substances. Label 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): Hazard identification number (Kemler code): Segregation groups Segregation groups Stowage Category A Corrosive substances. Warning: Corrosive substances. F-A,S-B Segregation groups Siggraphical Sigg		0 (07) 0
Class 8 Corrosive substances. Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A		_ ` ` `
Class Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups Segregation groups Stowage Category 8 Corrosive substances. Warning: Corrosive substances. F-A,S-B (SGG18) Alkalis		
Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	IMDG, IATA	
Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	5-30	
Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A		
Label 8 14.4 Packing group ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	*	
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: Segregation groups Segregation groups Stowage Category II Not applicable. Warning: Corrosive substances. F-A,S-B (SGG18) Alkalis		8 Corrosive substances.
ADR, IMDG, IATA II 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	Label	8
14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	14.4 Packing group	
14.6 Special precautions for user Warning: Corrosive substances. Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	ADR, IMDG, IATA	II
Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A	14.5 Environmental hazards:	Not applicable.
Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B Segregation groups (SGG18) Alkalis Stowage Category A		
Segregation groups (SGG18) Alkalis Stowage Category A		
Stowage Category A		·
		· ·
Segregation some COOCOLOW Sociation HOLL OCICITATIONS		SG35 Stow "separated from" SGG1-acids

(Contd. on page 12)





according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 11) **Transport/Additional information:** Limited quantities (LQ) 1L Code: E2 Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml Transport category **Tunnel restriction code** Ε **IMDG** Limited quantities (LQ) 1L **Excepted quantities (EQ)** Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYOXYPROPYLENEDIAMINE), 8, II

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

UN "Model Regulation":

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 13)



Page 13/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2023 Version number 1 Revision: 02.11.2022

Trade name webercol epo plus Part B

(Contd. of page 12)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation
Serious eye damage/irritation
Specific target organ toxicity (single exposure)
Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 14)



Page 14/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Revision: 02.11.2022 Printing date 11.05.2023 Version number 1

Trade name webercol epo plus Part B

(Contd. of page 13)

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.