

Page 1/10

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/ undertaking
1.1 Product identifier Trade name <u>weberrep epo 420 SC Part C</u>
Safety data sheet no.: XXP014705-c 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals
1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SODAMCO S.A.L Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon T +961 9 790 920/1/2/3 F +961 9 790 924
ATTADAMUNIA for Construction Industries JSC Tha'labah Al – Ameli StrP.O. Box 710844 Amman 11171 Jordan T +962 6 420 0417 F +962 6 420 0418
SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi - T +971 2 550 9994 F +971 2 550 9449
SODAMCO S.A.L Dubai Branch Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E. T +971 4 347 2640 F +971 4 340 3420
SODAMCO Qatar W.L.L. Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar T +974 4442 3816 / +974 4442 7651 F +974 4442 5149
SODAMCO Kuwait W.L.L. Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait T +965 2 571 6404 /+965 2 571 0397 F +965 2 571 2721
SODAMCO Muscat L.L.C. Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133, T +968 24 21 83 61 F +968 24 21 83 62
SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah) SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia T +966 12 668 3295 +966 12 261 2722 (Contd. on page 2)



Page 2/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

(Contd. of page 1)

Trade name weberrep epo 420 SC Part C

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office) Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

BHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:cement greyHazard statementsH318 Causes serious eye damage.H317 May cause an allergic skin reaction.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P103P201Obtain special instructions before use.

(Contd. on page 3)



Page 3/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

(Control of mome 2)

Trade name weberrep epo 420 SC Part C

	(Contd. of page 2)
P202	Do not handle until all safety precautions have been read and understood.
	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P401	Store in accordance with local/regional/national/international regulations.
	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazards	

2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances without any hazardous components

Dangerous components: Void

SVHC Void

Additional information

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. The respirable fraction has an occupational exposure limit value (cf. section 8). For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information No special measures required.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact

Generally the product does not irritate the skin.

Immediately rinse with water.

After eye contact

Rinse opened eye for several minutes under running water. Rinse liquid should be tempered (20-30°C). After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 4)

FUG



Page 4/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

(Contd. of page 3)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents The product is not combustible.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

No special measures required.

Prevent seepage into sewage system, workpits and cellars.

6.3 Methods and material for containment and cleaning up: Pick up mechanically.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles: Store only in the original receptacle. **Information about storage in one common storage facility:** Store away from foodstuffs. **Further information about storage conditions:** Protect from humidity and water.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 471-34-1 calcium carbonate

Inhalative	Derived No Effect Level	6.36 mg/m³ (worker local long term value)	
		1.06 mg/m³ (consumer local long term value)	

(Contd. on page 5)



Page 5/10

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

	(Contd. of page 4)
CAS No. / Designation of material	/ % / Type / Value / Unit
Quartz respirable dust (< 5 µm) : 0,15 m Additional information:	mit Values for possible hazards during processing: ng/m³ ras used as the basis for the preparation and/or revision of this
8.2 Exposure controls	
Appropriate engineering controls No	further data: see section 7
Individual protection measures, such	
General protective and hygienic measures	
	to be adhered to when handling chemicals.
Keep away from foodstuffs, beverages a	
Immediately remove all soiled and conta	
Wash hands before breaks and at the el	nd of work.
Do not inhale dust / smoke / mist.	
Avoid contact with the eyes and skin. Respiratory protection: Not necessary	, if room is well ventilated
	uld be used if there is a risk of a constant direct contact.
Eye/face protection Safety glasses.	
Body protection: Protective work clothi	ina.
SECTION 9: Physical and chem	hical properties
9.1 Information on basic physical and	l chemical properties
General Information	
Colour:	Grey
Odour:	Odourless
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined

Lower and upper explosion limit Lower: Upper: Flash point: Auto-ignition temperature:	Not determined. Not determined. Not applicable Not determined.	
Lower and upper explosion limit Lower: Upper: Flash point:	Not determined. Not determined.	
Lower and upper explosion limit Lower:	Not determined.	
Lower and upper explosion limit		
-	Floddet is not naminable.	
Flammability	Product is not flammable.	
	Indetermined	
	Undetermined.	
	Not determined.	
r E	Melting point/freezing point: Boiling point or initial boiling point and boiling ange	Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling Undetermined. range Undetermined.

(Contd. on page 6)

[–] EUG



Page 6/10

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

Colubility.	(Contd. of pag
Solubility Water	Incolubio
Water: Partition coefficient n-octanol/water (log va	
Vapour pressure:	Not applicable.
Vapour pressure:	
Density and/or relative density	
Density at 20 °C:	1.78 g/cm ³
Relative density	Not determined.
Vapour density	Not applicable.
Particle characteristics	See section 3.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not applicable.
Information with regard to physical has	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
	Void
Self-heating substances and mixtures Substances and mixtures, which emit	volu
	Void
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

(Contd. on page 7)



Page 7/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1		Туре	1	Value	1	Species
CAS: 47	71-34-1	calciu	ım car	bonate				
Oral	LD50	6,450	mg/kg	(Rat)				
Dermal	LD50	6,450	mg/kg	(Rat)				
Serious Causes Respira May cau Germ c Carcino Reprod STOT-s STOT-r	s eye da serious atory or use an a ell mut ogenici luctive single e epeate ion haz	amage s eye d r skin s allergic agenic ty Bas toxicit exposu d expo zard Ba	e/irritat lamage sensiti c skin re city Base ded on a ty Base ure Base osure B ased or	ion sation eaction. sed on a available ed on av sed on a Based on n availab	availa data ailabl vailab n avai ble da	ble data, , the clas e data, tl ole data, ilable da	the sification the cla the c	e classification criteria are not met. classification criteria are not met. cation criteria are not met. lassification criteria are not met. classification criteria are not met. ne classification criteria are not met. fication criteria are not met.
Endocr	ine dis	ruptin	g prop	erties				

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

(Contd. on page 8)

- EUG -



Page 8/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

(Contd. of page 7)

Type of test / Effective concentration / Method / Assessment

CAS: 471-34-1 calcium carbonate

EC50/72h 14 mg/l (Algae)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations. **European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

Uncleaned packaging:

Recommendation:

Disposal must be made according to official regulations.

Non contaminated packagings may be recycled.

Recommended cleaning agent: Thoroughly shake out sacks.

SECTION 14: Transport information	ation	
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
		(Contd. on page 9



Page 9/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Void

Revision: 22.08.2019

(Contd. of page 8)

Trade name weberrep epo 420 SC Part C

14.6 Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

UN "Model Regulation":

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1272/2008 (CLP) Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation The classification of the mixture is generally based on the calculation Skin sensitisation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East **Contact:** Product Safety T+97125509449 e-mail: DL-weber.productSafety-ME@Saint-gobain.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent (Contd. on page 10)



Page 10/10

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023

Version number 1

Revision: 22.08.2019

Trade name weberrep epo 420 SC Part C

(Contd. of page 9)

EUG

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern (REACH regulation) vPvB: very Persistent and very Bioaccumulative Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 * Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.