



Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weberfloor Eposil Plus Part A

Safety data sheet no.: XXP014726-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133.

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

(Contd. on page 2)



Page 2/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 1)

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)
Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-epoxypropane

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx	2, 2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5 % Skin Irrit. 2; H315: C ≥ 5 %	75-100%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38-xxxx	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332	0.1-1%
	cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-epoxypropane STOT RE 2, H373; Skin Sens. 1B, H317	≥0.1-<1%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

EUG

Page 3/14

(Contd. of page 2)



Page 4/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.


Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

(Contd. on page 5)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 4)

Page 5/14

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

Oral	Derived No Effect Level	0.5 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	0.75 mg/kgxday (worker systemic long term value)
		0.0893 mg/kgxday (consumer systemic long term value)
nhalative	Derived No Effect Level	4.93 mg/m³ (worker systemic long term value)
		0.87 mg/m³ (consumer systemic long term value)
CAS: 100-51-6 Benzyl alcohol		
Oral	Derived No Effect Level	4 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	8 mg/kgxday (worker systemic long term value)
		4 mg/kgxday (consumer systemic long term value)
nhalative	Derived No Effect Level	22 mg/m³ (worker systemic long term value)
		5.4 mg/m³ (consumer systemic long term value)
PNECs		
CAS: 167	5-54-3 2,2'-[(1-methyleth	nylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane
		0.0006 mg/l (sea water rating factor)
		0.006 mg/l (fresh water rating factor)

(Contd. on page 6)



Page 6/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 5)

CAS No. / Designation of material / % / Type / Value / Unit			
CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane			
MAK (Germany)	MAK (Germany) vgl. Abschn. IIb		
CAS: 100-51-6 Benzyl alcohol			
AGW (Germany)	AGW (Germany) Long-term value: 22 mg/m³, 5 ppm		
	2(I);DFG, H, Y, 11		
HTP (Finland)	Long-term value: 45 mg/m³, 10 ppm		

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not required. **Hand protection** Protective gloves.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour:Uncharacteristic.Odour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range >204.4 °C (DIN)
Flammability Not applicable.

Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: 159 °C (DIN ISO 2592)

(Contd. on page 7)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 6)

Auto-ignition temperature:184 °C (DIN 51794)Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity Not determined.

Kinematic viscosity

dynamic: Not determined.

Solubility

Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: <0.1 hPa (DIN 51640)

Vapour pressure:

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

EU-VOC (g/L)

Solids content:

Not determined

1.0000 %

1.0000 g/l

0.0 %

Change in condition

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void

(Contd. on page 8)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 7) **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void Organic peroxides Void **Corrosive to metals** Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	ents	/ Type / Value / Species	
CAS: 167	CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane		
Oral	LD50	>15,000 mg/kg (Rat)	
Dermal	LD50	>23,000 mg/kg (Rat)	
CAS: 100	-51-6 Benz	zyl alcohol	
Oral	LD50	1,620 mg/kg (Rat)	
Dermal	LD50	>2,000 mg/kg (Rabbit)	
Inhalative	LC50/4 h	>4.178 mg/l (Rat)	
CAS: 684	CAS: 68413-24-1 cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-		
	ep	poxypropane	
Oral	LD50	>2,000 mg/kg (Rat)	
Dermal	LD50	>2,000 mg/kg (Rat)	

Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 9)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 8)

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Toxic to aquatic life with long lasting effects (H411)

Toxic to aquatic life with long lasting effects.

Type of test	Type of test / Effective concentration / Method / Assessment	
CAS: 1675-5	4-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	
IC50/72h	1.7-1.8 mg/l (Fish)	
LC50/48h	2.7 mg/l (Daphnia magna)	
	1.85-2.7 mg/l (Fish)	
LC50/96h	1.2-3.6 mg/l (Fish)	
EC50/24h	4.6 mg/l (Daphnia magna)	
EC50/48h	1.1-2.8 mg/l (Daphnia magna)	
	9.1 mg/l (Algae)	
EC50/72h	9.4-11 mg/l (Algae)	
NOEC (72h)	2.4-4.2 mg/l (Algae)	
NOEC (21d)	0.3 mg/l (Daphnia magna)	
CAS: 100-51	-6 Benzyl alcohol	
LC50/48h	260 mg/l (Daphnia magna)	
	645 mg/l (Leuciscus idus (Orfe))	
LC50/96h	10 mg/l (Lepomis macrochirus (Sunfish))	
	460 mg/l (Pimephales promelas (Minnow))	
EC50/24h	400 mg/l (Daphnia magna)	
EC50/48h	230 mg/l (Daphnia magna)	
EC50/96h	400 mg/l (Daphnia magna)	
	(Contd. on page 10)	

(Contd. on page 10)



Page 10/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

	(Contd. of page 9)
	640 mg/l (Scenedesmus subspicatus (Algae))
EC50/72h	770 mg/l (Algae)
NOEC (72h)	310 mg/l (Algae)
NOEC (21d)	51-66 mg/l (Daphnia magna)
EC 10	400 mg/l (Pseudomonas putida (Bacteria))
CAS: 68413-	24-1 cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-
	epoxypropane
EC50/48h	100 mg/l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

EBAB 3.242 log Pow

CAS: 100-51-6 Benzyl alcohol

EBAB 1.05 log Pow (Bioaccumulation)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which are toxic to fishes and bacteria.

Toxic for fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment	
CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	
EC 50 (3h) 100 mg/l (Activated sludge)	
CAS: 100-51-6 Benzyl alcohol	
EC 50 (3h) 79 mg/l (Scenedesmus quadricauda (Algae))	

Additional ecological information:

General notes:

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

EUG





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 10)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Europ	European waste catalogue	
HP4	Irritant - skin irritation and eye damage	
HP13	Sensitising	
HP14	Ecotoxic	

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport informa	tion
14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S. (Epoxy resin)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANC LIQUID, N.O.S. (Epoxy resin), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANC
14.3 Transport hazard class(es)	LIQUID, N.O.S. (Epoxy resin)
ADR	
Class	9 (M6) Miscellaneous dangerous substances ar articles.
Label IMDG, IATA	9
Class	9 Miscellaneous dangerous substances and articles.
Label	9

(Contd. on page 12)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

	(Contd. of page 1
14.4 Packing group	
ADR, IMDG, IATA	III
14.5 Environmental hazards:	
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR):	Symbol (fish and tree)
Special marking (ADR):	
Special marking (IATA):	Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and
	articles.
Hazard identification number (Kemler	code): 90
EMS Number:	F-A,S-F
Stowage Category	A
14.7 Maritime transport in bulk accord	ing to
IMO instruments	Not applicable.
	пот аррисаріе.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	(-)
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS
	SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN), 9, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

(Contd. on page 13)



Page 13/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 12)

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 14)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part A

(Contd. of page 13)

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG