



Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name weberfloor Eposil Plus Part B

Safety data sheet no.: XXP014726-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

(Contd. on page 2)



Page 2/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 1)

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-2,2'-iminodi(ethylamine)

2-aminoethanol

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 3)



Page 3/14

(Contd. of page 2)

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12-xxxx	Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)- Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	50-75%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol Skin Corr. 1B, H314;	≥2-<5%
CAS: 111-40-0 EINECS: 203-865-4 Index number: 612-058-00-X Reg.nr.: 01-2119473793-27-xxxx	2,2'-iminodi(ethylamine) Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317	1-2%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

EUG

(Contd. on page 4)



Page 4/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eve contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray

or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

(Contd. on page 5)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 4)

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs			
CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2 aminomethylethoxy)-			
Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)	
Inhalative	Derived No Effect Level	5.29 mg/m³ (worker systemic long term value)	
CAS: 141-43-5 2-aminoethanol			
Dermal	Derived No Effect Level	1.5 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No Effect Level	1 mg/m³ (worker systemic long term value)	
CAS: 111-40-0 2,2'-iminodi(ethylamine)			
Dermal	Derived No Effect Level	11.4 mg/kgxday (worker systemic long term value)	
		4.88 mg/kgxday (consumer systemic long term value)	
Inhalative	Derived No Effect Level	15.4 mg/m³ (worker systemic long term value)	
		4.6 mg/m³ (consumer systemic long term value)	
CAS N	o. / Designation of mat	erial / % / Type / Value / Unit	
CAS: 141-	43-5 2-aminoethanol		
IOELV (Eu		m value: 7.6 mg/m³, 3 ppm m value: 2.5 mg/m³, 1 ppm	

(Contd. on page 6)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

		(Contd. of page
AGW (Germany)	Long-term value: 0.5 mg/m³, 0.2 ppm 1(I);DFG, EU, H, Y, Sh, 11	
GV (Denmark)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm EH	
LEP (Spain)	Short-term value: 7.5 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm vía dérmica, VLI	
TWA (Italy)	Short-term value: 15 mg/m³, 6 ppm Long-term value: 7.5 mg/m³, 3 ppm	
VL (Italy)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm Cute	
VLE (Portugal)	Short-term value: 6 ppm Long-term value: 3 ppm Irritação ocular e cutânea	
OEL (Sweden)	Short-term value: 7.5 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm H	
HTP (Finland)	Short-term value: 7.6 mg/m³, 3 ppm Long-term value: 2.5 mg/m³, 1 ppm iho	
CAS: 111-40-0 2,2'-ii	ninodi(ethylamine)	
MAK (Germany)	vgl.Abschn.IV	
GV (Denmark)	Short-term value: 8 mg/m³, 2 ppm Long-term value: 4 mg/m³, 1 ppm H	
LEP (Spain)	Long-term value: 4.3 mg/m³, 1 ppm vía dérmica, Sen	
TWA (Italy)	Long-term value: 4.2 mg/m³, 1 ppm Cute	
VLE (Portugal)	Long-term value: 1 ppm P; Irritação ocular e do TRS	
OEL (Sweden)	Short-term value: 10 mg/m³, 2 ppm Long-term value: 4.5 mg/m³, 1 ppm H, S, V	
HTP (Finland)	Short-term value: 13 mg/m³, 3 ppm Long-term value: 4.3 mg/m³, 1 ppm iho	

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

(Contd. on page 7)



Page 7/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 6)

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection: Not required. **Hand protection** Protective gloves.

Eye/face protection Tightly sealed goggles **Body protection**: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour:CharacteristicOdour threshold:Not determined.Melting point/freezing point:Undetermined.

Boiling point or initial boiling point and boiling

range 232 °C (DIN) Flammability Not applicable.

Lower and upper explosion limit

Lower: 1.3 Vol % (DIN 51649)
Upper: 13 Vol % (DIN 51649)
Flash point: 101 °C (DIN ISO 2592)
Auto-ignition temperature: 380 °C (DIN 51794)
Decomposition temperature: Not determined.
pH Not applicable.

Viscosity:

Kinematic viscosity Not determined.

Kinematic viscosity

dynamic: Not determined.

Solubility

Water: Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C:

0.1 hPa (DIN 51640)

(Contd. on page 8)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 7)

Vapour pressure:

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Void

Minimum ignition energy

Solvent separation test: Not determined

Solvent content:

 Organic solvents:
 4.4 %

 EU-VOC (%)
 3.0000 %

 EU-VOC (g/L)
 30.0000 g/l

 Solids content:
 0.0 %

Change in condition

Softening point/range

Organic peroxides

Corrosive to metals

Oxidising propertiesNot determined.Evaporation rateNot determined.

Information with regard to physical hazard

classes Explosives

Flammable gases Void **Aerosols** Void **Oxidising gases** Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void Oxidising solids Void

(Contd. on page 9)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 8)

Desensitised explosives Void

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compone	nts	/ Type / Value / Species	
CAS: 904	CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha(2-aminomethylethyl)omega(2-aminomethylethoxy)-		
Oral	LD50	>2,885 mg/kg (Rat)	
Dermal	LD50	>2,980 mg/kg (Rabbit)	
CAS: 141-43-5 2-aminoethanol			
Oral	LD50	2,050 mg/kg (Rat)	
Dermal	LD50	2,504 mg/kg (rbt)	
Inhalative	LC50/4 h	1,487 mg/l (Rat)	
CAS: 111-40-0 2,2'-iminodi(ethylamine)			
Oral	LD50	1,080 mg/kg (Rat)	
Dermal	LD50	1,090 mg/kg (Rabbit)	

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 10)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 9)

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

LC50/96h	772.14 mg/l	(Fish) (OECD) 203, static)
----------	-------------	--------------	----------------

EC50/48h | 80-418.34 mg/l (Daphnia magna)

EC50/96h | 15 mg/l (Fish)

EC50/72h 2.1-15 mg/l (Algae)

CAS: 141-43-5 2-aminoethanol

EC50/48h 27-65 mg/l (Daphnia magna)

CAS: 111-40-0 2,2'-iminodi(ethylamine)

LC50/96h | 430 mg/l (Fish)

EC50/48h | 5.6 mg/l (Daphnia magna)

EC50/72h | 1,164 mg/l (Scenedesmus subspicatus (Algae))

12.2 Persistence and degradability No further relevant information available.

Method

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

Biod. (28 days) 0 % (Biodegradation)

Behaviour in environmental systems:

Components:

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

DT50-value (Degradation Half Time) 365 day

12.3 Bioaccumulative potential

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

EBAB 1.34 log Pow (Bioaccumulation)

12.4 Mobility in soil No further relevant information available.

(Contd. on page 11)



Page 11/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 10)

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances. **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

EC 50 (3h) 750 mg/l (Activated sludge)

CAS: 111-40-0 2,2'-iminodi(ethylamine)

EC 50 (3h) 32.7 mg/l (Activated sludge)

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the

ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue		
HP8	Corrosive	
HP14	Ecotoxic	

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN2735

(Contd. on page 12)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 11)

14.2 UN proper shipping name

ADR 2735 AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYOXYPROPYLENEDIAMINE)

IMDG, IATA AMINES, LIQUID, CORROSIVE, N.O.S.

(POLYOXYPROPYLENEDIAMINE)

14.3 Transport hazard class(es)

ADR



Class 8 (C7) Corrosive substances.

Label 8

IMDG, IATA



Class 8 Corrosive substances.

Label 8

14.4 Packing group

ADR, IMDG, IATA

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for userWarning: Corrosive substances.

Hazard identification number (Kemler code): 80 EMS Number: F-A,S-B

Segregation groups (SGG18) Alkalis

Stowage Category

Segregation Code SG35 Stow "separated from" SGG1-acids

14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category 2
Tunnel restriction code E

(Contd. on page 13)



Page 13/14

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 12)

IMDG
Limited quantities (LQ)
Excepted quantities (EQ)

UN "Model Regulation":

Li
L
Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.
(POLYOXYPROPYLENEDIAMINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 14)





Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name weberfloor Eposil Plus Part B

(Contd. of page 13)

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term

(chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.