according to 1907/2006/EC, Article 31



Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking **1.1 Product identifier** Trade name weberpremix SGP-3 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. Application of the substance / the mixture Construction chemicals 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SODAMCO S.A.L Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon T +961 9 790 920/1/2/3 F +961 9 790 924 ATTADAMUNIA for Construction Industries JSC Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan T +962 6 420 0417 F +962 6 420 0418 SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3. Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -T +971 2 550 9994 F +971 2 550 9449 SODAMCO S.A.L. - Dubai Branch Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E. T +971 4 347 2640 F +971 4 340 3420 SODAMCO Qatar W.L.L. Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha -Qatar T +974 4442 3816 / +974 4442 7651 F +974 4442 5149 SODAMCO Kuwait W.L.L. Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait T +965 2 571 6404 /+965 2 571 0397 F +965 2 571 2721 SODAMCO Muscat L.L.C. Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133. T +968 24 21 83 61 F +968 24 21 83 62 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah) SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia T +966 12 668 3295 +966 12 261 2722 F +966 12 668 1498 SODAMCO Industrial Co. for Construction Chemicals W.L.L (Rivadh Office) Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia (Contd. on page 2)

- EUG

according to 1907/2006/EC, Article 31



Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

(Contd. of page 1)

T +966 11 473 8751 F +966 11 472 5339 1.4 Emergency telephone number: UAE:+971 2 550 9994 Lebanon:+9619790920 Jeddah:+966126683295 Riyadh:+966114738751 Qatar:+9744423816 Jordan: +96264200417 Kuwait:+96525716404 Muscat:+96824218361

Hours of operation: From 8 am to 6 pm Monday to Friday in Lebanon Sunday to Thursday in other countries

## **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

calcium dihydroxide

**Hazard statements** 

H318 Causes serious eye damage.

**Precautionary statements** 

- If medical advice is needed, have product container or label at hand. P101
- Keep out of reach of children. P102
- P103 Read carefully and follow all instructions.
- Wear eye protection / face protection. P280

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

according to 1907/2006/EC, Article 31

Version number 1

Revision: 26.07.2023

### Trade name weberpremix SGP-3

(Contd. of page 2)

2.3 Other hazards Results of PBT and vPvB assessment PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances. **Determination of endocrine-disrupting properties** Does not contain substances with endocrine-disrupting properties.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:		
CAS: 13397-24-5 EC number: 603-783-2	Gypsum substance with a Community workplace exposure limit	50-75%
CAS: 1317-65-3 EINECS: 215-279-6	calcium carbonate substance with a Community workplace exposure limit	25-50%
CAS: 1305-62-0 EINECS: 215-137-3 Reg.nr.: 01-2119475151-45-xxxx	calcium dihydroxide	≥3-<5%

## SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

**General information** 

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 4) - EUG -



Printing date 26.07.2023

according to 1907/2006/EC, Article 31

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

Printing date 26.07.2023

5.3 Advice for firefighters

Protective equipment: No special measures required.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions: Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Keep receptacles tightly sealed. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELS

CAS: 1305-62-0 calcium dihydroxide

Inhalative	Derived No Effect Level	4 mg/m <sup>3</sup> (worker local short term value)
		1 mg/m <sup>3</sup> (worker local long term value)
		1 mg/m³ (consumer local long term value)
		4 mg/m³ (consumer local short term value)

**PNECs** 

### CAS: 1305-62-0 calcium dihydroxide

Predicted No-Effect Concentration 0.32 mg/l (sea water rating factor)

0.49 mg/l (fresh water rating factor)

(Contd. on page 5)



....

(Contd. of page 3)

Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

		(Contd. of pag
	esignation of material / % / Type / Value / Unit	
CAS: 13397-24-	<b>,</b>	
MAK (Germany)	Long-term value: 1.5A* 4E** mg/m <sup>3</sup> *alveolengäng **einatembar;vgl.Abschn.V f) und g)	
LEP (Spain)	Long-term value: 10 mg/m³ e	
TWA (Italy)	Long-term value: 10 mg/m³ (i)	
VLE (Portugal)	Long-term value: 10 mg/m³ Fração inalável; Sintomas nasais	
CAS: 1317-65-3	calcium carbonate	
TWA (Italy)	Long-term value: 10 mg/m³ (e)	
Keep away from Immediately rem Wash hands be Avoid contact wi Avoid contact wi Use a moisturisi Respiratory pro Hand protectio Eye/face protectio		
SECTION 9:	Physical and chemical properties	
9.1 Information General Inform	on basic physical and chemical properties	

General Information	lennear properties	
Physical state	Fluid	
Colour:	White	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and	boiling	
range	Undetermined.	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	

(Contd. on page 6)



Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

### Trade name weberpremix SGP-3

	(Contd. of page
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
рН	Not applicable
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Hardens when in contact with water.
Partition coefficient n-octanol/water (log va	
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
Water:	0.0 %
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.
Information with regard to physical has	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
	Void
Self-reactive substances and mixtures	
	Void
Pyrophoric liquids	Void Void
Pyrophoric liquids Pyrophoric solids	Void Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	Void Void
Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void



EUG

according to 1907/2006/EC, Article 31



Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

		(Contd. of page 6)
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with light alloys in the presence of moisture to form hydrogen

**10.4 Conditions to avoid** No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Acute toxicity Based on available data, the classification criteria are not met.
LD/LC50 values relevant for classification:

Compo	nents	1	Туре	1	Value	1	Species
CAS: 13	317-65-	-3 calcium c	arbonate				
Oral	LD50	>5,000 mg/l	<g (rat)<="" th=""><th></th><th></th><th></th><th></th></g>				
CAS: 13	305-62-	-0 calcium d	lihydroxid	e			
Oral	LD50	>2,000 mg/l	<g (rat)<="" th=""><th></th><th></th><th></th><th></th></g>				
Dermal	LD50	>2,500 mg/l	kg (Rabbit)				
							e classification criteria are not met.
	-	amage/irrita					0
							e data, the classification criteria are not met.
		-					classification criteria are not met.
							ation criteria are not met.
							assification criteria are not met.
STOT-s	ingle e	exposure Ba	ased on ava	ailab	le data, tl	ne c	classification criteria are not met.
STOT-r	epeate	d exposure	Based on	avail	lable data	i, th	ne classification criteria are not met.
Aspiration hazard Based on available data, the classification criteria are not met.							
11.2 Inf	ormati	on on other	<sup>,</sup> hazards				
Endocr	ine dis	rupting pro	perties				
None of	the ing	gredients is li	sted.				

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

(Contd. on page 8)

Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

CAS: 1317-6	t / Effective concentration / Method / Assessment 65-3 calcium carbonate
LC50/96h	>10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))
EC50/48h	>1,000 mg/l (Daphnia magna)
EC50/72h	>200 mg/l (Algae)
CAS: 1305-6	52-0 calcium dihydroxide
LC50/48h	1,830 mg/l (Daphnia magna)
LC50/96h	158 mg/l (Daphnia magna)
	50.6-457 mg/l (Fish)
EC50/48h	49.1 mg/l (Daphnia magna)
EC50/72h	184.57 mg/l (Algae)
NOEC (72h)	48 mg/l (Algae)
NOEC (14d)	32 mg/l (Daphnia magna)
Remark:	adverse effects contains substances which cause a local pH change and thus have a detrimental effect
The product fish and bac	teria.
fish and bac Behaviour i	n sewage processing plants:
fish and bac Behaviour i Type of test	n sewage processing plants: t / Effective concentration / Method / Assessment
fish and bac Behaviour i Type of test CAS: 1305-6	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide
fish and bac Behaviour i Type of test CAS: 1305-6 EC 50 (3h)	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide 300.4 mg/l (Activated sludge)
fish and bac Behaviour i Type of test CAS: 1305-6 EC 50 (3h)	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide 300.4 mg/l (Activated sludge) ecological information:
fish and bac Behaviour i Type of test CAS: 1305-6 EC 50 (3h) Additional e General not	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide 300.4 mg/l (Activated sludge) ecological information: res:
fish and bac Behaviour i Type of test CAS: 1305-6 EC 50 (3h) Additional e General not Do not allow	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide 300.4 mg/l (Activated sludge) ecological information:
fish and bac Behaviour i Type of test CAS: 1305-6 EC 50 (3h) Additional e General not Do not allow	n sewage processing plants: t / Effective concentration / Method / Assessment 62-0 calcium dihydroxide 300.4 mg/l (Activated sludge) ecological information: res: product to reach ground water, water course or sewage system.

## Uncleaned packaging: **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 9)

— EUG -



according to 1907/2006/EC, Article 31

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

(Contd. of page 8)

Recommended cleaning agent: Water, if necessary together with cleansing agents.

## **SECTION 14: Transport information**

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi IMO instruments	i <b>ng to</b> Not applicable.	
UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII) Regulation (EC) No 1272/2008 (CLP) Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets) Labelling according to Regulation (EC) No 1272/2008 cf. section 2 Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. **REGULATION (EU) 2019/1148** Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10) FUG

Printing date 26.07.2023

according to 1907/2006/EC, Article 31

Printing date 26.07.2023

Version number 1

Revision: 26.07.2023

Trade name weberpremix SGP-3

(Contd. of page 9)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

### Classification according to Regulation (EC) No 1272/2008

Serious eye damage/irritation	The classification of the mixture is generally based on the calculation
	method using substance data according to Regulation (EC) No
	1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East	
Contact:	
Product Safety	
T+97125509449	
e-mail: DL-weber.productSafety-ME@Saint-gobain.com	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agree International Carriage of Dangerous Goods by Road)	ment Concerning the
IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association	
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)	
ICAO: International Civil Aviation Organisation	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern (REACH regulation)	
vPvB: very Persistent and very Bioaccumulative	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
	(Contd. on page 11)



Version number 1

Revision: 26.07.2023

### Trade name weberpremix SGP-3

Printing date 26.07.2023

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



(Contd. of page 10)

EUG