



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name webertec epo 430 GRT Plus Part A

Safety data sheet no.: XXP014708-a

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

(Contd. on page 2)



Page 2/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 1)

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)
Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751 F +966 11 472 5339

1.4 Emergency telephone number: 00971 4 347 2640 / 00971 2 550 9994

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS07 GHS09

Signal word Warning

Hazard-determining components of labelling:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-epoxypropane

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 3)



P101

Page 3/13

(Contd. of page 2)

Safety Data Sheet according to 1907/2006/EC, Article 31

Revision: 22.08.2019 Printing date 05.05.2023 Version number 1

Trade name webertec epo 430 GRT Plus Part A

Precautionary statements

If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

Avoid release to the environment. P273

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P362 Take off contaminated clothing.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

Additional information:

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:		
CAS: 1675-54-3 EINECS: 216-823-5 Index number: 603-073-00-2 Reg.nr.: 01-2119456619-26-xxxx	2, 2'-[(1-methylethylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Eye Irrit. 2; H319: C ≥ 5% Skin Irrit. 2; H315: C ≥ 5%	75-100%
CAS: 68413-24-1 NLP: 500-210-7 Reg.nr.: 01-2119982994-15-xxxx	cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-epoxypropane STOT RE 2, H373; Skin Sens. 1B, H317	≥5-<10%

SVHC Void

Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 4)



Page 4/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air and to be sure call for a doctor.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated gloves, clothing, footwear or other items and wash thoroughly before re-use. If skin irritation continues, consult a doctor.

After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Seek immediate medical advice.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

Foam

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Particular danger of slipping on leaked/spilled product.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 5)



Page 5/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 4)

Dispose of contaminated material as waste according to section 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Store in cool, dry place in tightly closed receptacles.

Keep away from heat and direct sunlight.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Wear shoes with conductive soles.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Prevent any seepage into the ground.

Store only in the original receptacle.

Store in a cool location.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from water.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs				
CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane				
Oral	Derived No Effect Level	0.5 mg/kgxday (consumer systemic long term value)		
Dermal	Derived No Effect Level	0.75 mg/kgxday (worker systemic long term value)		
		0.0893 mg/kgxday (consumer systemic long term value)		
Inhalative	Derived No Effect Level	4.93 mg/m³ (worker systemic long term value)		
		0.87 mg/m³ (consumer systemic long term value)		
		(Contd. on page		

(Contd. on page 6)



Page 6/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 5)

PNECs

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

Predicted No-Effect Concentration | 0.0006 mg/l (sea water rating factor) | 0.006 mg/l (fresh water rating factor)

0.000 mg/r (iresir water rating ractor

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

MAK (Germany) vgl. Abschn. IIb

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR Nitrile rubber, NBR

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Colour: According to product specification

Odour: Characteristic
Odour threshold: Not determined.
Melting point/freezing point: Undetermined.

Boiling point or initial boiling point and boiling

range Undetermined.

Flammability Product is not flammable.

(Contd. on page 7)





Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 6)

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.Decomposition temperature:Not determined.pHNot applicable.

Viscosity:

Kinematic viscosity Not applicable.

Kinematic viscosity

dynamic: Not applicable.

Solubility

Water: Insoluble

Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Not applicable.

Vapour pressure:

Density and/or relative density

Density at 20 °C:1.16 g/cm³Relative densityNot determined.Vapour densityNot applicable.Particle characteristicsSee section 3.

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not applicable.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Pyrophoric solids Void

(Contd. on page 8)





Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

		(Contd. of page 7
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

- 10.1 Reactivity Not reactive under normal conditions of use
- 10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	1	Type	1	Value	1	Species	
CAS: 10	CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane					methylene)]bisoxirane		
Oral	LD50	>15,000 mg	/kg (Rat)					
Dermal	LD50	>23,000 mg	/kg (Rat)					
CAS: 68	CAS: 68413-24-1 cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-					n products with 1-chloro-2,3-		
	epoxypropane							
Oral	LD50	>2,000 mg/k	(Rat)					
Dermal	LD50	>2,000 mg/k	(Rat)					

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)



Page 9/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Revision: 22.08.2019 Printing date 05.05.2023 Version number 1

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 8)

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

CAS: 128-37-0 2.6-di-tert-butyl-p-cresol

List II

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Toxic to aquatic life with long lasting effects.

Type of test	Type of test / Effective concentration / Method / Assessment					
CAS: 1675-5	CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane					
IC50/72h	1.7-1.8 mg/l (Fish)					
LC50/48h	2.7 mg/l (Daphnia magna)					
	1.85-2.7 mg/l (Fish)					
LC50/96h	1.2-3.6 mg/l (Fish)					
EC50/24h	4.6 mg/l (Daphnia magna)					
EC50/48h	1.1-2.8 mg/l (Daphnia magna)					
	9.1 mg/l (Algae)					
EC50/72h	9.4-11 mg/l (Algae)					
NOEC (72h)	2.4-4.2 mg/l (Algae)					
NOEC (21d)	0.3 mg/l (Daphnia magna)					
CAS: 68413-	24-1 cashew, nutshell liq., oligomeric reaction products with 1-chloro-2,3-					
	epoxypropane					
EC50/48h	100 mg/l (Daphnia magna)					

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

EBAB 3.242 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

Remark: The product contains substances which are toxic to fishes and bacteria.

(Contd. on page 10)



Page 10/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 9)

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 1675-54-3 2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

EC 50 (3h) 100 mg/l (Activated sludge)

Additional ecological information:

General notes:

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European	European waste catalogue			
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances			
HP4	Irritant - skin irritation and eye damage			
HP13	Sensitising			
HP14	Ecotoxic			

Uncleaned packaging:

Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	

(Contd. on page 11)





Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

		(Contd. of page 1
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accordi	ng to	
IMO instruments	Not applicable.	
Transport/Additional information:		
ADR		
Remarks:	> 5 kg: 9	
IATA		
Remarks:	> 5 kg: Class 9	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 12)



Page 12/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 11)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation

Serious eye damage/irritation

Skin sensitisation

Hazardous to the aquatic environment - long-term (chronic) aquatic hazard

The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 13)



Page 13/13

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 05.05.2023 Version number 1 Revision: 22.08.2019

Trade name webertec epo 430 GRT Plus Part A

(Contd. of page 12)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (RÈACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG