

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

**1.1 Product identifier**

**Trade name: webertile easy part B**

**Safety data sheet no.:** XXP017690-B

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320 Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

(Contd. on page 2)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 1)

DRYMIX Weber Egypt  
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt  
Tel : (+20) 2 3827 4646  
Hot line: (+2) 15802

SAINT-GOBAIN CONSTRUCTION PRODUCTS LLC OPC Al Ghail Industrial Zone-NFZ RAK  
P.O. Box 54529 Ras Al Khaimah - United Arab Emirates  
T +971 2 550 9994  
F +971 2 550 9449

**1.4 Emergency telephone number:**

UAE:+971 2 550 9994  
Lebanon:+9619790920  
Jeddah:+966126683295  
Riyadh:+966114738751  
Qatar:+97444423816  
Jordan: +96264200417  
Kuwait:+96525716404  
Muscat:+96824218361  
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm  
Monday to Friday in Lebanon and UAE  
Sunday to Thursday in other countries

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B      H314 Causes severe skin burns and eye damage.

Eye Dam. 1      H318 Causes serious eye damage.



GHS07

STOT SE 3      H335 May cause respiratory irritation.

Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

#### Hazard pictograms



GHS05      GHS07

**Signal word** Danger

(Contd. on page 3)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 2)

**Hazard-determining components of labelling:**

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-2-aminoethanol

**Hazard statements**

- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**Determination of endocrine-disrupting properties**

Does not contain substances with endocrine-disrupting properties.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture consisting of the following components.

**Dangerous components:**

CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12-xxxx	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	50-75%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38-xxxx	benzyl alcohol ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317 ATE: LD50 oral: 1,200 mg/kg substance with a Community workplace exposure limit	10-20%
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 % substance with a Community workplace exposure limit	5%

**SVHC** Void

**Additional information** For the wording of the listed hazard statements refer to section 16.

EUG

(Contd. on page 4)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

Trade name: webertile easy part B

(Contd. of page 3)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

#### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** Drink plenty of water and provide fresh air. Call for a doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### 5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

### 5.3 Advice for firefighters

**Protective equipment:** Mouth respiratory protective device.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Mouth respiratory protective device.

### 6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Do not drain into drains or public water systems. Alert the relevant authorities if the liquid enters a sewer or open water.

Suppress gases/fumes/haze with water spray.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

EUG

(Contd. on page 5)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 4)

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.  
 Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.

**Information about fire - and explosion protection:** Keep respiratory protective device available.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**DNELs**

**CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	5.29 mg/m <sup>3</sup> (worker systemic long term value)

**CAS: 100-51-6 benzyl alcohol**

Oral	Derived No Effect Level	4 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	8 mg/kgxday (worker systemic long term value) 4 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	22 mg/m <sup>3</sup> (worker systemic long term value) 5.4 mg/m <sup>3</sup> (consumer systemic long term value)

**CAS: 141-43-5 2-aminoethanol**

Oral	Derived No Effect Level	1.5 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	3 mg/kgxday (worker systemic long term value) 1.5 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	1 mg/m <sup>3</sup> (worker systemic long term value) 0.18 mg/m <sup>3</sup> (consumer systemic long term value)

**PNECs**

**CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

Predicted No-Effect Concentration	0.018 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.014 mg/l (sea water rating factor) 0.015 mg/l (fresh water rating factor)

**CAS: 100-51-6 benzyl alcohol**

Predicted No-Effect Concentration	0.456 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.1 mg/l (sea water rating factor) 1 mg/l (fresh water rating factor)

(Contd. on page 6)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 5)

**CAS: 141-43-5 2-aminoethanol**

Predicted No-Effect Concentration	1.29 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.007 mg/l (sea water rating factor)
	0.07 mg/l (fresh water rating factor)

**CAS No. / Designation of material / % / Type / Value / Unit**

**CAS: 100-51-6 benzyl alcohol**

AGW (Germany)	Long-term value: 22 mg/m <sup>3</sup> , 5 ppm 2(I);DFG, H, Y, 11
HTP (Finland)	Long-term value: 45 mg/m <sup>3</sup> , 10 ppm

**CAS: 141-43-5 2-aminoethanol**

TWA (Italy)	Short-term value: 15 mg/m <sup>3</sup> , 6 ppm Long-term value: 7.5 mg/m <sup>3</sup> , 3 ppm
-------------	--

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection** Protective gloves.

**Eye/face protection** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Liquid
<b>Colour:</b>	Transparent
<b>Odour:</b>	Characteristic
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not applicable.
<b>pH</b>	Alkaline

(Contd. on page 7)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

Trade name: webertile easy part B

(Contd. of page 6)

<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>Water:</b>	Fully miscible
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not determined.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined.
<b>Bulk density:</b>	Not applicable.
<b>Vapour density</b>	Not determined.

### 9.2 Other information

#### Appearance:

**Form:** Liquid

#### Important information on protection of health and environment, and on safety.

**Ignition temperature:** Product is not self-igniting.

**Explosive properties:** Product does not present an explosion hazard.

**Minimum ignition energy**

**Solvent separation test:** Not applicable.

**Change in condition**

**Softening point/range**

**Oxidising properties** Not determined.

**Evaporation rate** Not determined.

#### Information with regard to physical hazard

classes

**Explosives** Void

**Flammable gases** Void

**Aerosols** Void

**Oxidising gases** Void

**Gases under pressure** Void

**Flammable liquids** Void

**Flammable solids** Void

**Self-reactive substances and mixtures** Void

**Pyrophoric liquids** Void

**Pyrophoric solids** Void

**Self-heating substances and mixtures** Void

**Substances and mixtures, which emit flammable gases in contact with water** Void

**Oxidising liquids** Void

**Oxidising solids** Void

**Organic peroxides** Void

**Corrosive to metals** Void

**Desensitised explosives** Void

## SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 7)

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components		Type	Value	Species
<b>CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-</b>				
Oral	LD50	>2,885 mg/kg	(Rat)	
Dermal	LD50	>2,980 mg/kg	(Rabbit)	
<b>CAS: 100-51-6 benzyl alcohol</b>				
Oral	LD50	1,200 mg/kg	(ATE)	
<b>CAS: 141-43-5 2-aminoethanol</b>				
Oral	LD50	1,089 mg/kg	(Rat)	
Dermal	LD50	2,504 mg/kg	(rabbit)	

**Primary irritant effect:**

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:**

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

**Type of test / Effective concentration / Method / Assessment**

<b>CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-</b>	
IC50/72h	141.72 mg/l (aquatic algae and cyanobacteria)
LC50/96h	772.14 mg/l (Fish) (OECD 203, static)

(Contd. on page 9)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

Trade name: webertile easy part B

(Contd. of page 8)

EC50/48h	80-418.34 mg/l (aquatic invertebrates)
EC50/96h	15 mg/l (Fish)
EC50/72h	2.1-15 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	100 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	18-200 mg/l (aquatic invertebrates)
<b>CAS: 100-51-6 benzyl alcohol</b>	
LC50/96h	>100 mg/l (Fish)
EC50/24h	400 mg/l (aquatic invertebrates)
EC50/48h	230 mg/l (aquatic invertebrates)
EC50/72h	759 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	556 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	171 mg/l (aquatic invertebrates)
NOEC (21d)	51 mg/l (aquatic invertebrates)
EC 10/16h	658 mg/l (microorganisms)
<b>CAS: 141-43-5 2-aminoethanol</b>	
LC50/96h	349 mg/l (Fish)
LC0/96h	150 mg/l (Fish)
EC50/48h	27.04 mg/l (aquatic invertebrates)
EC50/72h	2.1-2.8 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	1 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.85 mg/l (aquatic invertebrates)

**12.2 Persistence and degradability** No further relevant information available.**Method****CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

Biod. (28 days) | 0 % (Biodegradation)

**CAS: 141-43-5 2-aminoethanol**

Biod. (28 days) | &gt;70 % (Biodegradation)

**Behaviour in environmental systems:****Components:****CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

DT50-value (Degradation Half time) | 365 day

**12.3 Bioaccumulative potential****CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

EBAB | 1.34 log Pow (Bioaccumulation)

**CAS: 100-51-6 benzyl alcohol**

EBAB | 1.05 log Pow (Bioaccumulation)

**CAS: 141-43-5 2-aminoethanol**

EBAB | &lt;2 log Pow

**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Does not contain PBT substances.**vPvB:** Does not contain vPvB substances.

(Contd. on page 10)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 9)

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Remark:**

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

**Behaviour in sewage processing plants:**

**Type of test / Effective concentration / Method / Assessment**

**CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-**

EC 50 (3h) | 750 mg/l (microorganisms)

**Additional ecological information:**

**General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**European waste catalogue**

HP6	Acute Toxicity
HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

**ADR, IMDG, IATA** UN2735

**14.2 UN proper shipping name**

**ADR** 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)

**IMDG, IATA** AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 10)

**14.3 Transport hazard class(es)**

**ADR**



**Class** 8 (C7) Corrosive substances.  
**Label** 8

**IMDG, IATA**



**Class** 8 Corrosive substances.  
**Label** 8

**14.4 Packing group**  
**ADR, IMDG, IATA** II

**14.5 Environmental hazards:** Not applicable.

**14.6 Special precautions for user** Warning: Corrosive substances.  
**Hazard identification number (Kemler code):** 80  
**EMS Number:** F-A,S-B  
**Segregation groups** (SGG18) Alkalis  
**Stowage Category** A  
**Segregation Code** SG35 Stow "separated from" SGG1-acids

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

**Transport/Additional information:**

**ADR**

**Limited quantities (LQ)** 1L  
**Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml  
**Transport category** 2  
**Tunnel restriction code** E

**IMDG**

**Limited quantities (LQ)** 1L  
**Excepted quantities (EQ)** Code: E2  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 500 ml

**UN "Model Regulation":** UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE), 8, II

EUG

(Contd. on page 12)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 11)

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)  
 Regulation (EC) No 1272/2008 (CLP)  
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)  
**Labelling according to Regulation (EC) No 1272/2008 cf. section 2**

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EU) 2017/852 on mercury (Annex I)**

None of the ingredients is listed.

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**Regulation (EU) No 649/2012**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

(Contd. on page 13)

**Safety Data Sheet**  
**according to Regulation (EC) No 1907/2006, Article 31, as**  
**amended by Regulation (EU) 2020/878.**

Printing date 13.11.2025

Version number 1

Revision: 16.09.2023

**Trade name: webertile easy part B**

(Contd. of page 12)

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Specific target organ toxicity (single exposure) Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

**Department issuing SDS:** R&D Department of Weber-Middle East

**Contact:**

Product Safety  
 T+97125509449  
 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern (REACH regulation)
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1B: Skin sensitisation – Category 1B
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.