

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

Trade name weberseal primer PS2-Hardener

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

#### 1.3 Details of the supplier of the safety data sheet

##### Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

(Contd. on page 2)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 1)

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)  
Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box  
1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

**1.4 Emergency telephone number:**

00965 2 571 6404

00971 4 347 2640 / 00971 2 550 9994

00966 12 668 3295

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008**

GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02



GHS05



GHS07

**Signal word** Danger

(Contd. on page 3)

EUG

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 2)

**Hazard-determining components of labelling:**

cyclohexanone

3-aminomethyl-3,5,5-trimethylcyclohexylamine

**Hazard statements**

H226 Flammable liquid and vapour.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P410 Protect from sunlight.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**
**Results of PBT and vPvB assessment**
**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures**
**Description:** Mixture consisting of the following components.

**Dangerous components:**

CAS: 108-94-1 EINECS: 203-631-1 Index number: 606-010-00-7 Reg.nr.: 01-2119453616-35-xxxx	cyclohexanone ⚠ Flam. Liq. 3, H226; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; STOT SE 3, H335	25-50%
CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9 Reg.nr.: 01-2119514687-32-xxxx	3-aminomethyl-3,5,5-trimethylcyclohexylamine ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Skin Sens. 1A, H317 ATE: LD50 oral: 1,030 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.001 %	10-20%

**SVHC** Void

(Contd. on page 4)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener****Additional information** For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 3)

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

##### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

##### After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

##### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** Drink plenty of water and provide fresh air. Call for a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing agents** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.

**For safety reasons unsuitable extinguishing agents** Water.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

#### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

**Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

#### 6.2 Environmental precautions:

The product must not get into watercourses

or into the soil.

(Contd. on page 5)

-EUG

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 4)

Prevent seepage into sewage system, workpits and cellars.

Dilute with plenty of water.

Suppress gases/fumes/haze with water spray.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

DNELs		
CAS: 108-94-1 cyclohexanone		
Oral	Derived No Effect Level	1.5 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	4 mg/kgxday (worker systemic long term value)
		1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	10 mg/m <sup>3</sup> (worker systemic long term value)

(Contd. on page 6)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 5)

		20 mg/m <sup>3</sup> (worker systemic short term value)
<b>CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine</b>		
Oral	Derived No Effect Level	0.3 mg/kgxday (consumer systemic long term value) 0.3 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	0.073 mg/m <sup>3</sup> (worker local short term value) 0.073 mg/m <sup>3</sup> (worker local long term value)

**PNECs****CAS: 108-94-1 cyclohexanone**

Predicted No-Effect Concentration | 0.000356 mg/l (Daphnia magna)

**CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine**

Predicted No-Effect Concentration | 0.06 mg/l (fresh water rating factor)

**Ingredients with biological limit values:****CAS: 108-94-1 cyclohexanone**

IBE (Italy)	80 mg/l Campioni: urine Momento del prelievo: a fine turno a fine settimana lavorativa Indicatore biologico: 1.2-Cicloesandiolo
	8 mg/l Campioni: urine Momento del prelievo: a fine turno Indicatore biologico: Cicloesandiolo

**CAS No. / Designation of material / % / Type / Value / Unit****CAS: 108-94-1 cyclohexanone**

TWA (Italy)	Short-term value: 201 mg/m <sup>3</sup> , 50 ppm Long-term value: 80 mg/m <sup>3</sup> , 20 ppm Cute, A3
-------------	--

**CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine**

MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb
---------------	--------------------------------------

**8.2 Exposure controls****Appropriate engineering controls** No further data; see item 7.**Individual protection measures, such as personal protective equipment****General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

Use a moisturising skin cream after processing the product.

(Contd. on page 7)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 6)

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection** Protective gloves.

**Eye/face protection**

Safety glasses.

Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Fluid

**Colour:**

Clear

**Odour:**

Solvent-like

**Odour threshold:**

Not determined.

**Melting point/freezing point:**

Undetermined.

**Boiling point or initial boiling point and boiling range**

154.3 °C (DIN, CAS: 108-94-1 cyclohexanone)

**Flammability**

Flammable.

**Lower and upper explosion limit**

**Lower:**

1.3 Vol % (DIN 51649, CAS: 108-94-1 cyclohexanone)

Not determined.

**Upper:**

9.4 Vol % (DIN 51649, CAS: 108-94-1 cyclohexanone)

**Flash point:**

>30 °C (DIN ISO 2592)

**Ignition temperature:**

380 °C (DIN 51794, CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine)

**Decomposition temperature:**

Not determined.

**pH**

Mixture reacts violently with water.

**Viscosity:**

**Kinematic viscosity**

Not determined.

**dynamic:**

Not determined.

**Solubility**

**Water:**

Fully miscible

**Partition coefficient n-octanol/water (log value)** Not determined.

**Vapour pressure at 20 °C:**

4.5 hPa (DIN 51640, CAS: 108-94-1 cyclohexanone)

**Density and/or relative density**

**Density:**

Not determined

**Relative density**

Not determined.

**Bulk density:**

Not applicable.

(Contd. on page 8)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 7)

<b>Vapour density</b>	Not determined.
<b>9.2 Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	Liquid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Auto-ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<b>Minimum ignition energy</b>	
<b>Solvent separation test:</b>	Not applicable.
<b>Solvent content:</b>	
<b>Organic solvents:</b>	70.0 %
<b>EU-VOC (%)</b>	50.0000 %
<b>EU-VOC (g/L)</b>	500.0000 g/l
<b>Solids content:</b>	0.0 %
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Information with regard to physical hazard classes</b>	
<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Flammable liquid and vapour.
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

EUG

(Contd. on page 9)



**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 8)

**SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Harmful in contact with skin.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 108-94-1 cyclohexanone</b>			
Oral	LD50	1,890-2,650 mg/kg	(Rat)
Dermal	LD50	948 mg/kg	(Rabbit)
Inhalative	LC50/4 h	8,000 mg/l	(Rat)
<b>CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine</b>			
Oral	LD50	1,030 mg/kg	(ATE)
		1,030 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)

**Skin corrosion/irritation** Causes severe skin burns and eye damage.

**Serious eye damage/irritation** Causes serious eye damage.

**Respiratory or skin sensitisation** May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** May cause respiratory irritation.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 9)

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

**Type of test / Effective concentration / Method / Assessment**

**CAS: 108-94-1 cyclohexanone**

LC50/96h	527-732 mg/l (Fish)
EC50/24h	820 mg/l (Activated sludge)
EC50/72h	32.9 mg/l (Algae)
NOEC (21d)	26.6 mg/l (Activated sludge)

**CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine**

LC50/48h	388 mg/l (Daphnia magna)
LC50/96h	110 mg/l (Brachydanio rerio (zebra danio))
EC50/24h	27 mg/l (Daphnia magna)
EC50/48h	23 mg/l (Daphnia magna)
EC50/72h	50 mg/l (Scenedesmus subspicatus (Algae))
NOEC (21d)	3 mg/l (Daphnia magna)
EC 10/18h	11.2 mg/l (Algae)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential**

**CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine**

EBAB	0.99 log Pow
------	--------------

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Remark:**

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

**Additional ecological information:**

**General notes:**

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 10)

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**European waste catalogue**

HP3	Flammable
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP8	Corrosive
HP13	Sensitising

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**14.1 UN number or ID number  
ADR, IMDG, IATA**

UN2733

**14.2 UN proper shipping name  
ADR**

2733 AMINES, FLAMMABLE, CORROSIVE, N.O.S.  
(CYCLOHEXANONE, ISOPHORONEDIAMINE)

**IMDG, IATA**

AMINES, FLAMMABLE, CORROSIVE, N.O.S.  
(CYCLOHEXANONE, ISOPHORONEDIAMINE)

**14.3 Transport hazard class(es)**

**ADR**



**Class  
Label**

3 (FC) Flammable liquids.  
3+8

**IMDG**



**Class**

3 Flammable liquids.

(Contd. on page 12)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31



Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 11)

<b>Label</b>	3/8
<b>IATA</b>	
 	
<b>Class</b>	3 Flammable liquids.
<b>Label</b>	3 (8)
<b>14.4 Packing group ADR, IMDG, IATA</b>	III
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
<b>Hazard identification number (Kemler code):</b>	38
<b>EMS Number:</b>	F-E,S-C
<b>Segregation groups</b>	(SGG18) Alkalis
<b>Stowage Category</b>	A
<b>Stowage Code</b>	SW2 Clear of living quarters.
<b>Segregation Code</b>	SG35 Stow "separated from" SGG1-acids
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>Transport/Additional information:</b>	
<b>ADR</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>Transport category</b>	3
<b>Tunnel restriction code</b>	D/E
<b>IMDG</b>	
<b>Limited quantities (LQ)</b>	5L
<b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
<b>UN "Model Regulation":</b>	UN 2733 AMINES, FLAMMABLE, CORROSIVE, N . O . S . ( C Y C L O H E X A N O N E , ISOPHORONEDIAMINE), 3 (8), III

EUG

(Contd. on page 13)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 12)

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

**Labelling according to Regulation (EC) No 1272/2008** cf. section 2**Directive 2012/18/EU****Named dangerous substances - ANNEX I** None of the ingredients is listed.**Seveso category** P5c FLAMMABLE LIQUIDS**Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t**Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

(Contd. on page 14)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2023

Version number 1

Revision: 15.03.2023

**Trade name weberseal primer PS2-Hardener**

(Contd. of page 13)

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

**Classification according to Regulation (EC) No 1272/2008**

Flammable liquids	Bridging principles
Acute toxicity - dermal Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Specific target organ toxicity (single exposure)	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** R&D Department of Weber-Middle East

**Contact:**

Product Safety  
T+97125509449  
e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3