

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name **weberanc 405 BFX Comp A**

Safety data sheet no.: XXP015409-a

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Sector of Use** SU19 Building and construction work

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65

NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1-

P.O. Bo 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**Trade name weberanc 405 BFX Comp A**

(Contd. of page 1)

DRYMIX Weber Egypt  
5th Industrial Zone, Plot 95B/6 6th Of October  
Egypt Tel: +20 2 3827 4646  
Hot line: +2 15802

**1.4 Emergency telephone number:**

UAE: +971 2 550 9994  
Lebanon: +961 9790920  
Jeddah: +966 126683295  
Riyadh: +966 114738751  
Qatar: +974 44423816  
Jordan: +962 64200417  
Kuwait: +965 25716404  
Muscat: +968 24218361  
Egypt: +202 38274646  
Hours of operation: From 8 am to 6 pm  
Monday to Friday in UAE & Lebanon  
Sunday to Thursday in other countries

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS07 GHS09

**Signal word** Warning

**Hazard-determining components of labelling:**

Reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight  $\leq$  700)

Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

(Contd. on page 3)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**Trade name weberanc 405 BFX Comp A**

(Contd. of page 2)

1,6-bis(2,3-epoxypropoxy)hexane

**Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362 Take off contaminated clothing.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

EUH205 Contains epoxy constituents. May produce an allergic reaction.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

- PBT:** Does not contain PBT substances.
- vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Chemical characterisation: Mixtures**

**Description:** Mixture of substances listed below with non hazardous additions.

**Dangerous components:**

CAS: 25068-38-6 NLP: 500-033-5 Index number: 603-074-00-8 Reg.nr.: 01-2119456619-26-xxxx	Reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight $\leq$ 700) ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 Specific concentration limits: Skin Irrit. 2; H315: C $\geq$ 5 % Eye Irrit. 2; H319: C $\geq$ 5 %	25-50%
CAS: 9003-36-5 NLP: 500-006-8 Reg.nr.: 01-21119454392-40-xxxx	Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	25-50%
CAS: 16096-31-4 EINECS: 240-260-4 Reg.nr.: 2119463471-41-xxxx	1,6-bis(2,3-epoxypropoxy)hexane ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	10-20%

**SVHC** Void

**Additional information** For the wording of the listed hazard phrases refer to section 16.

EUG

(Contd. on page 4)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 3)

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

**After inhalation** Supply fresh air and to be sure call for a doctor.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

#### After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

**After swallowing** Do not induce vomiting; call for medical help immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Dry throat / sore throat

Breathing difficulty

Coughing

Irritation of the skin

Irritation of the eye tissue, watery eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

### 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

### 5.3 Advice for firefighters

#### Protective equipment:

Wear fully protective suit.

Wear self-contained respiratory protective device.

#### Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay on the windward side.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

Avoid formation of dust.

### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

(Contd. on page 5)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**Trade name weberanc 405 BFX Comp A**

(Contd. of page 4)

**6.3 Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.  
Dispose of contaminated material as waste according to item 13.  
Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Keep receptacles tightly sealed.  
Keep away from heat and direct sunlight.  
Ensure good ventilation/exhaustion at the workplace.  
Use only in well ventilated areas.  
Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.  
Store in a cool location.  
Insure sufficient ventilation for storage and work areas.  
Prevent any seepage into the ground.

The floor of the storage room must be impermeable to prevent the escape of liquids.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Additional information about design of technical facilities:** No further data; see item 7.

**Ingredients with limit values that require monitoring at the workplace:**

**DNELs**

**CAS: 25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin), epoxy resin (number average molecular weight ≤ 700)**

Oral	Derived No Effect Level	0.75 mg/kgxday (consumer systemic long term value) 0.75 mg/kgxday (consumer systemic short term value)
Dermal	Derived No Effect Level	8.33 mg/kgxday (worker systemic long term value) 8.33 mg/kgxday (worker systemic short term value) 3.571 mg/kgxday (consumer systemic long term value) 3.571 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	12.3 mg/m <sup>3</sup> (worker systemic long term value)

(Contd. on page 6)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**Trade name weberanc 405 BFX Comp A**

(Contd. of page 5)

		12.3 mg/m <sup>3</sup> (worker systemic short term value)
<b>CAS: 9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol</b>		
Oral	Derived No Effect Level	6.25 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	104.15 mg/kgxday (worker systemic long term value) 62.5 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	23.39 mg/m <sup>3</sup> (worker systemic long term value) 8.7 mg/m <sup>3</sup> (consumer systemic long term value)

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Personal protective equipment:**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat or drink while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Protection of hands:** Protective gloves.

**Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.3 mm

**Eye protection:** Tightly sealed goggles

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance:**

<b>Form:</b>	Pasty
<b>Colour:</b>	Beige
<b>Odour:</b>	Light
<b>Odour threshold:</b>	Not determined.

**pH-value:** Not determined.

**Change in condition**

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	>200 °C

(Contd. on page 7)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 6)

<b>Flash point:</b>	>100 °C
<b>Flammability (solid, gas):</b>	Not applicable.
<b>Ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Oxidising properties</b>	Not applicable.
<b>Vapour pressure:</b>	Not determined.
<b>Density at 20 °C:</b>	1.2 g/cm <sup>3</sup>
<b>Bulk density:</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with Water:</b>	Unsoluble
<b>Segregation coefficient (n-octanol/water) log Pow:</b>	Not determined.
<b>Viscosity:</b>	
<b>dynamic:</b>	Not determined.
<b>kinematic:</b>	Not determined.
<b>Solvent separation test:</b>	Not determined
<b>9.2 Other information</b>	None.

## SECTION 10: Stability and reactivity

**10.1 Reactivity** Not reactive under normal conditions of use

**10.2 Chemical stability** Stable at recommended storage conditions

**Thermal decomposition / Conditions to be avoided:**

No decomposition if used and stored according to specifications.

To avoid thermal decomposition do not overheat.

**10.3 Possibility of hazardous reactions**

Reacts with strong oxidizing agents

Reacts with strong acids

**10.4 Conditions to avoid** Avoid heat, sparkles, naked flame or other sources of ignition.

**10.5 Incompatible materials:** No further relevant information available.

**10.6 Hazardous decomposition products:** Danger of forming toxic pyrolysis products.

EUG

(Contd. on page 8)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 7)

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin),epoxy resin (number average molecular weight ≤ 700)</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
<b>CAS: 16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane</b>			
Oral	LD50	2,190 mg/kg	(Rat)
Dermal	LD50	<4,900 mg/kg	(Rabbit)
Inhalative	LC50/4 h	>100 mg/l	(Mouse)

**Primary irritant effect:**

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Additional toxicological information:**

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

**STOT-single exposure** Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Toxic to aquatic life with long lasting effects.

Type of test	Effective concentration	Method	Assessment
<b>CAS: 25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin),epoxy resin (number average molecular weight ≤ 700)</b>			
LC50/96h	2 mg/l	(Leuciscus idus (Orfe))	
	1.3 mg/l	(Fish)	
EC50/24h	4.6 mg/l	(Daphnia magna)	
EC50/48h	1.8 mg/l	(Daphnia magna)	

(Contd. on page 9)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**Trade name weberanc 405 BFX Comp A**

(Contd. of page 8)

EC50/96h	220 mg/l (Selenastrum capricornutum (Green algae))
NOEC (21d)	0.3 mg/l (Daphnia magna)
<b>CAS: 9003-36-5 Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol</b>	
LC50/48h	2.55 mg/l (Daphnia magna)
LC50/96h	2.54 mg/l (Leuciscus idus (Orfe))
EC50/48h	2.55 mg/l (Daphnia magna)
EC50/96h	2.54 mg/l (Leuciscus idus (Orfe))
<b>CAS: 16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane</b>	
LC50/96h	30 mg/l (Leuciscus idus (Orfe))
EC50/48h	47 mg/l (Daphnia magna)

**12.2 Persistence and degradability** The product is not biodegradable.

**12.3 Bioaccumulative potential** May be accumulated in organism

**12.4 Mobility in soil** No further relevant information available.

**Ecotoxicological effects:**

**Remark:** The product contains substances which are toxic to fishes and bacteria.

**Additional ecological information:**

**General notes:**

Danger to drinking water if even small quantities leak into the ground.

Toxic for aquatic organisms

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation**

Dispose of the product in accordance with national and local regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

Possible waste code. The concrete waste code depends on the source of the waste.

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP4	Irritant - skin irritation and eye damage
HP13	Sensitising
HP14	Ecotoxic

**Uncleaned packaging:**

**Recommendation:** Disposal must be made according to official regulations.

EUG

(Contd. on page 10)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 9)

**SECTION 14: Transport information**

**14.1 UN-Number  
ADR, IMDG, IATA**

UN3082

**14.2 UN proper shipping name  
ADR**

3082 ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin,  
Epoxy resin)

**IMDG**

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin,  
Epoxy resin), MARINE POLLUTANT

**IATA**

ENVIRONMENTALLY HAZARDOUS  
SUBSTANCE, LIQUID, N.O.S. (Epoxy Resin,  
Epoxy resin)

**14.3 Transport hazard class(es)**

**ADR**



**Class**

9 (M6) Miscellaneous dangerous substances and  
articles.

**Label**

9

**IMDG, IATA**



**Class**

9 Miscellaneous dangerous substances and  
articles.

**Label**

9

**14.4 Packing group  
ADR, IMDG, IATA**

III

**14.5 Environmental hazards:**

Product contains environmentally hazardous  
substances: Epoxy Resin

**Marine pollutant:**

Yes

**Special marking (ADR):**

Symbol (fish and tree)

**Special marking (IATA):**

Symbol (fish and tree)

Symbol (fish and tree)

**14.6 Special precautions for user**

Warning: Miscellaneous dangerous substances  
and articles.

**Hazard identification number (Kemler code):** 90

**EMS Number:**

F-A,S-F

**Stowage Category**

A

(Contd. on page 11)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 10)

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**Transport/Additional information:**

Not dangerous according to the above specifications.

**ADR**

Limited quantities (LQ)  
Excepted quantities (EQ)

5L  
Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

Transport category  
Tunnel restriction code

3  
-

**IMDG**

Limited quantities (LQ)  
Excepted quantities (EQ)

5L  
Code: E1  
Maximum net quantity per inner packaging: 30 ml  
Maximum net quantity per outer packaging: 1000 ml

**UN "Model Regulation":**

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN, EPOXY RESIN), 9, III

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1272/2008 (CLP)  
Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)  
Labelling according to Regulation (EC) No 1272/2008 cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category E2** Hazardous to the Aquatic Environment

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 12)

**Safety Data Sheet**  
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp A

(Contd. of page 11)

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Department issuing SDS:** R&D Department of Weber-Middle East

### Contact:

Product Safety  
T+97125509449  
e-mail: DL-weber.productSafety-ME@Saint-gobain.com

### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
ICAO: International Civil Aviation Organisation  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
Skin Sens. 1: Skin sensitisation – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

### \* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.