

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name **weberanc 405 BFX Comp B**

Safety data sheet no.: XXP015409-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Sector of Use SU19 Building and construction work

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi ICAD 3, Plot No. 65

NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1

P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

(Contd. on page 2)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 1)

DRYMIX Weber Egypt
5th Industrial Zone, Plot 95B/6 6th Of October
Egypt Tel: +20 2 3827 4646
Hot line: +2 15802

1.4 Emergency telephone number:

UAE: +971 2 550 9994
Lebanon: +961 9790920
Jeddah: +966 126683295
Riyadh: +966 114738751
Qatar: +974 44423816
Jordan: +962 64200417
Kuwait: +965 25716404
Muscat: +968 24218361
Egypt: +202 38274646
Hours of operation: From 8 am to 6 pm
Monday to Friday in UAE & Lebanon
Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

3-aminomethyl-3,5,5-trimethylcyclohexylamine
phenol, styrenated
m-phenylenebis(methylamine)

(Contd. on page 3)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 2)

salicylic acid

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 61788-44-1 EINECS: 262-975-0 Reg.nr.: 01-2119979575-18-xxxx	phenol, styrenated ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317	10-20%
CAS: 1477-55-0 EINECS: 216-032-5 Reg.nr.: 01-2119480150-50-xxxx	m-phenylenebis(methylamine) ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332; Skin Sens. 1, H317; Aquatic Chronic 3, H412	5-10%
CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9 Reg.nr.: 01-2119514687-32-xxxx	3-aminomethyl-3,5,5-trimethylcyclohexylamine ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	5-10%
CAS: 69-72-7 EINECS: 200-712-3 Index number: 607-732-00-5 Reg.nr.: 01-2119486984-17-xxxx	salicylic acid ⚠ Repr. 2, H361d; ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	1-2%

SVHC Void

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

Additional information For the wording of the listed hazard phrases refer to section 16. (Contd. of page 3)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Call a doctor immediately.

Immediately wash with water and soap and rinse thoroughly.

Do not pull solidified product off the skin.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing

Rinse out mouth with water. Do not induce vomiting. Seek medical attention and present this data sheet.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulty

Coughing

Dry throat / sore throat

Blistering, ulceration

Gastric or intestinal disorders

Hazards

Danger of gastric perforation.

Danger of impaired breathing.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 5)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. (Contd. of page 4)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep people at a distance and stay on the windward side.

Mouth respiratory protective device.

Mark out the contaminated area with signs and prevent access to unauthorised personnel.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Send for recovery or disposal in suitable receptacles.

Dispose of contaminated material as waste according to item 13.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Use only in well ventilated areas.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Store in a cool location.

Insure sufficient ventilation for storage and work areas.

Prevent any seepage into the ground.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 6)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 5)

Ingredients with limit values that require monitoring at the workplace:**DNELs****CAS: 61788-44-1 phenol, styrenated**

Oral	Derived No Effect Level	0.75 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	2.1 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	0.75 mg/kgxday (consumer systemic long term value)
		7.4 mg/m ³ (worker systemic long term value)
Inhalative	Derived No Effect Level	1.31 mg/m ³ (consumer systemic long term value)

CAS: 1477-55-0 m-phenylenebis(methylamine)

Dermal	Derived No Effect Level	0.33 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	1.2 mg/m ³ (worker systemic long term value)
		0.2 mg/m ³ (worker local long term value)

CAS: 2855-13-23-aminomethyl-3,5,5-trimethylcyclohexylamine

Oral	Derived No Effect Level	0.526 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.073 mg/m ³ (worker local short term value)
		0.073 mg/m ³ (worker local long term value)

CAS: 69-72-7 salicylic acid

Oral	Derived No Effect Level	1 mg/kgxday (consumer systemic long term value)
		4 mg/kgxday (consumer systemic short term value)
Dermal	Derived No Effect Level	2.3 mg/kgxday (worker systemic long term value)
		1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	5 mg/m ³ (worker systemic long term value)
		4 mg/m ³ (consumer systemic long term value)
		5 mg/m ³ (worker local long term value)

PNECs**CAS: 1477-55-0 m-phenylenebis(methylamine)**

Predicted No Effect Concentration	0.0094 mg/l (sea water rating factor)
	0.094 mg/l (fresh water rating factor)

CAS: 69-72-7 salicylic acid

Predicted No Effect Concentration	0.02 mg/l (sea water rating factor)
	0.2 mg/l (fresh water rating factor)

CAS No. Designation of material % Type Value Unit**CAS: 1477-55-0 m-phenylenebis(methylamine)**

MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IV
GV (Denmark)	Ceiling limit: 0.1 mg/m ³ , 0.02 ppm LH
TWA (Italy)	Ceiling limit: 0.1 mg/m ³ Cute
VLE (Portugal)	Ceiling limit: 0.1 mg/m ³ P; Irritação ocular, cutânea e GI
HTP (Finland)	Ceiling limit: 0.1 mg/m ³ iho

(Contd. on page 7)

EUG

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 6)

CAS: 2855-13-23-aminomethyl-3,5,5-trimethylcyclohexylamine

MAK (Germany) als Dampf und Aerosol;vgl.Abschn.IIb

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Material of gloves

Nitrile rubber, NBR

Butyl rubber, BR

Recommended thickness of the material: ≥ 0.3 mm

Eye protection: Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form:	Pasty
Colour:	Red
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value: Alkaline

Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	>200 °C

Flash point: >100 °C

Flammability (solid, gas): Not applicable.

Ignition temperature: Not determined.

Decomposition temperature: Not determined.

Auto-ignition temperature: Product is not selfigniting.

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 7)

Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
Vapour pressure:	Not determined.
Density:	1.5 g/cm ³
Bulk density:	Not applicable.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Unsoluble
Segregation coefficient (n-octanol/ water) log Pow:	Not determined.
Viscosity:	
dynamic:	Not determined.
kinematic:	Not determined.
Solvent separation test:	Not determined
9.2 Other information	None.

SECTION 10: Stability and reactivity

10.1 Reactivity Not reactive under normal conditions of use

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

To avoid thermal decomposition do not overheat.

10.3 Possibility of hazardous reactions

Reacts with strong oxidizing agents

Reacts with strong acids

10.4 Conditions to avoid Avoid heat, sparkles, naked flame or other sources of ignition.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: Danger of forming toxic pyrolysis products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 8)

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 61788-44-1 phenol, styrenated			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 1477-55-0 m-phenylenebis(methylamine)			
Oral	LD50	930 mg/kg	(Rat)
Dermal	LD50	>3,100 mg/kg	(Rabbit)
CAS: 2855-13-23-aminomethyl-3,5,5-trimethylcyclohexylamine			
Oral	LD50	1,030 mg/kg	(Rat)
Dermal	LD50	2,000 mg/kg	(Rat)
CAS: 69-72-7 salicylic acid			
Oral	LD50	891 mg/kg	(Rat)
Dermal	LD50	>10,000 mg/kg	(Rabbit)
		>2,000 mg/kg	(Rat)

Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects.

Type of test	Effective concentration	Method	Assessment
CAS: 61788-44-1 phenol, styrenated			
LC50/96h	24 mg/l	(Fish)	
EC50/72h	20.421 mg/l	(Algae)	
CAS: 1477-55-0 m-phenylenebis(methylamine)			
LC50/96h	87.6 mg/l	(Oryzias latipes (Japanese medaka))	
EC50/48h	15.2 mg/l	(Daphnia magna)	
EC50/72h	20.3 mg/l	(Scenedesmus subspicatus (Algae))	

(Contd. on page 10)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 9)

CAS: 2855-13-23-aminomethyl-3,5,5-trimethylcyclohexylamine

LC50/48h	185 mg/l (Leuciscus idus (Orfe))
LC50/96h	110 mg/l (Brachydanio rerio (zebra danio))
EC50/24h	42 mg/l (Daphnia magna)
EC50/48h	23 mg/l (Daphnia magna)
EC50/72h	37 mg/l (Scenedesmus subspicatus (Algae))
EC 10/18h	1,120 mg/l (Pseudomonas putida (Bacteria))

CAS: 69-72-7 salicylic acid

LC50/96h	1,380 mg/l (Fish)
EC50/48h	870 mg/l (Daphnia magna) >500 mg/l (Lepomis macrochirus (Sunfish))
EC50/72h	>100 mg/l (Algae)
NOEC (21d)	10 mg/l (Daphnia magna)

12.2 Persistence and degradability biodegradable

12.3 Bioaccumulative potential

CAS: 2855-13-23-aminomethyl-3,5,5-trimethylcyclohexylamine

EBAB | 0.79 log Pow

CAS: 69-72-7 salicylic acid

EBAB | 2.64 log Pow

12.4 Mobility in soil No further relevant information available.

Ecotoxicological effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

Do not allow product to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dispose of the product in accordance with national and local regulations.

European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
-----------	--

(Contd. on page 11)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 10)

HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN-Number
ADR, IMDG, IATA

UN2735

14.2 UN proper shipping name
ADR

2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine), ISOPHORONEDIAMINE)

IMDG, IATA

AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis(methylamine), ISOPHORONEDIAMINE)

14.3 Transport hazard class(es)

ADR



Class
Label

8 (C7) Corrosive substances.
8

IMDG, IATA



Class
Label

8 Corrosive substances.
8

14.4 Packing group
ADR, IMDG, IATA

II

14.5 Environmental hazards:
Marine pollutant:

No

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code): 80

EMS Number:

F-A,S-B

Segregation groups

Alkalis

Stowage Category

A

Segregation Code

SG35 Stow "separated from" SGG1-acids

(Contd. on page 12)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 11)

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.

Transport/Additional information:

ADR
Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml
Transport category 2
Tunnel restriction code E

IMDG
Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation": UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (M-PHENYLENEBIS(METHYLAMINE), ISOPHORONEDIAMINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

National regulations

Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 13)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 22.01.2024

Version number 1

Revision: 23.08.2019

Trade name weberanc 405 BFX Comp B

(Contd. of page 12)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H332 Harmful if inhaled.
H361d Suspected of damaging the unborn child.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety

T+97125509449

e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern (REACH regulation)
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Repr. 2: Reproductive toxicity – Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.