

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weberfloor 220 PU part A

Safety data sheet no.: XXP018234

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box

(Contd. on page 2)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 1)

1042 Riyadh 11431-Kingdom of Saudi Arabia
T +966 11 473 8751
F +966 11 472 5339

DRYMIX Weber Egypt
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt
Tel : (+20) 2 3827 4646
Hot line: (+2) 15802

1.4 Emergency telephone number:

UAE:+971 2 550 9994
Lebanon:+9619790920
Jeddah:+966126683295
Riyadh:+966114738751
Qatar:+97444423816
Jordan: +96264200417
Kuwait:+96525716404
Muscat:+96824218361
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm
Monday to Friday in Lebanon and UAE
Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS08 health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H332 Harmful if inhaled.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 3)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 2)

Hazard pictograms



GHS02 GHS07 GHS08

Signal word Warning

Hazard-determining components of labelling:

heptan-2-one
2-ethoxyethyl acetate
xylene

Hazard statements

H226 Flammable liquid and vapour.
H332 Harmful if inhaled.
H351 Suspected of causing cancer.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional information:

Restricted to professional users.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

(Contd. on page 4)

EUG

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 3)

Dangerous components:		
CAS: 110-43-0 EINECS: 203-767-1 Index number: 606-024-00-3	heptan-2-one ⚠ Flam. Liq. 3, H226; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332 substance with a Community workplace exposure limit	25-50%
CAS: 1330-20-7 EINECS: 215-535-7 Index number: 601-022-00-9 Reg.nr.: 01-2119488216-32-xxxx	xylene ⚠ Flam. Liq. 3, H226; ⚠ STOT RE 2, H373; Asp. Tox. 1, H304; ⚠ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335; Aquatic Chronic 3, H412 substance with a Community workplace exposure limit	10-20%
CAS: 111-15-9 EINECS: 203-839-2 Index number: 607-037-00-7	2-ethoxyethyl acetate ⚠ Flam. Liq. 3, H226; ⚠ Repr. 1B, H360FD; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 substance with a Community workplace exposure limit	10-20%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-xxxx	titanium dioxide Note: V, W, 10 substance with a Community workplace exposure limit	10-20%

SVHC

CAS: 111-15-9 | 2-ethoxyethyl acetate

Additional information

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately rinse with water.

After eye contact

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists. Remove contact lenses, if possible. Continue rinsing

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 5)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 4)

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents Water with full jet

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Prevent seepage into sewage system, workpits and cellars.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

(Contd. on page 6)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 5)

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidising agents.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 1330-20-7 xylene

Oral	Derived No Effect Level	5 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	212 mg/kgxday (worker systemic long term value) 125 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	221 mg/m ³ (worker systemic long term value) 65.3 mg/m ³ (consumer systemic long term value)

CAS: 13463-67-7 titanium dioxide

Inhalative	Derived No Effect Level	1.25 mg/m ³ (worker local long term value) 0.21 mg/m ³ (consumer local long term value)
------------	-------------------------	--

PNECs

CAS: 1330-20-7 xylene

Predicted No-Effect Concentration	0.852 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.004 mg/l (sea water rating factor) 0.044 mg/l (fresh water rating factor)

Ingredients with biological limit values:

CAS: 1330-20-7 xylene

BGW (Germany)	2000 mg/L Untersuchungsmaterial: Urin Probennahmezeitpunkt: Expositionsende bzw. Schichtende Parameter: Methylhippur-(Tolur-)Säure (alle Isomere)
VLB (Spain)	1 g/g creatinina Muestra: orina Momento de Muestero: Final de la jornada laboral Indicador Biológico: Ácidos metilhipúricos
IBE (Italy)	1.5 g/g creatinina Campioni: urine Momento del prelievo: a fine turno Indicatore biologico: acido metilippurico

(Contd. on page 7)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 6)

IBE (Portugal)	1.5 g/g creatinina Amostra: urina Momento da amostragem: Fim do turno Indicador biológico: Ácidos (o, m, p)-metilhipúricos
BNO (Finland)	5.0 mmol/l Altiste: virtsan Näytteenottoajankohta: Työvuoron päätyttyä Parametri: metyylhippuurihappo

CAS: 111-15-9 2-ethoxyethyl acetate

BGW (Germany)	50 mg/l Untersuchungsmaterial: Urin Probennahmezeitpunkt: bei Langzeitexposition: am Schichtende nach mehreren vorangegangenen Schichten Parameter: Ethoxyessigsäure
VLB (Spain)	50 mg/g creatinina Muestra: orina Momento de Muestero: Final de la semana laboral Indicador Biológico: Ácido 2-etoxiacético
IBE (Italy)	100 mg/g creatinina Campioni: urine Momento del prelievo: f.t.f.s.l Indicatore biologico: Acido 2-Etossi acetico
IBE (Portugal)	100 mg/g creatinina Amostra: urina Momento da amostragem: Fim do turno no fim da semana de trabalho Indicador biológico: Ácido 2-etoxiacético

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 110-43-0 heptan-2-one

IOELV (European Union)	Short-term value: 475 mg/m ³ , 100 ppm Long-term value: 238 mg/m ³ , 50 ppm Skin
AGW (Germany)	Long-term value: 238 mg/m ³ 2(l);EU, H
GV (Denmark)	Short-term value: 475 mg/m ³ , 100 ppm Long-term value: 238 mg/m ³ , 50 ppm EH
LEP (Spain)	Short-term value: 474 mg/m ³ , 100 ppm Long-term value: 237 mg/m ³ , 50 ppm vía dérmica, VLI
TWA (Italy)	Long-term value: 233 mg/m ³ , 50 ppm
VL (Italy)	Short-term value: 475 mg/m ³ , 100 ppm Long-term value: 238 mg/m ³ , 50 ppm Cute
VLE (Portugal)	Long-term value: 50 ppm irritação ocular e cutânea

(Contd. on page 8)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 7)

OEL (Sweden)	Short-term value: 475 mg/m ³ , 100 ppm Long-term value: 120 mg/m ³ , 25 ppm
HTP (Finland)	Short-term value: 360 mg/m ³ , 75 ppm Long-term value: 240 mg/m ³ , 50 ppm iho

CAS: 1330-20-7 xylene

IOELV (European Union)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 221 mg/m ³ , 50 ppm Skin
AGW (Germany)	Long-term value: 220 mg/m ³ , 50 ppm 2(II);DFG, EU, H
GV (Denmark)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 109 mg/m ³ , 25 ppm EH
LEP (Spain)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 221 mg/m ³ , 50 ppm vía dérmica, VLB, VLI
TWA (Italy)	Short-term value: 651 mg/m ³ , 150 ppm Long-term value: 434 mg/m ³ , 100 ppm A4, IBE
VL (Italy)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 221 mg/m ³ , 50 ppm Cute
VLE (Portugal)	Short-term value: 150 ppm Long-term value: 100 ppm A4;IBE; Irritação ocular, do TRS; afeção do SNC
OEL (Sweden)	Short-term value: 442 mg/m ³ , 100 ppm Long-term value: 221 mg/m ³ , 50 ppm H
HTP (Finland)	Short-term value: 440 mg/m ³ , 100 ppm Long-term value: 220 mg/m ³ , 50 ppm iho

CAS: 111-15-9 2-ethoxyethyl acetate

BOELV (European Union)	Long-term value: 11 mg/m ³ , 2 ppm Skin
IOELV (European Union)	Long-term value: 11 mg/m ³ , 2 ppm Skin
AGW (Germany)	Long-term value: 10.8 mg/m ³ , 2 ppm 8(II);EU, DFG, H, Z
GV (Denmark)	Short-term value: 22 mg/m ³ , 4 ppm Long-term value: 11 mg/m ³ , 2 ppm EH
LEP (Spain)	Long-term value: 11 mg/m ³ , 2 ppm VLI, vía dérmica TR1B, VLB, r
TWA (Italy)	Long-term value: 27.0 mg/m ³ , 5 ppm Cute, IBE

(Contd. on page 9)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 8)

VL (Italy)	Long-term value: 11 mg/m ³ , 2 ppm Cute
VLE (Portugal)	Long-term value: 5 ppm P; IBE; Lesão no sistema reprodutor masculino
OEL (Sweden)	Long-term value: 11 mg/m ³ , 2 ppm H, R
HTP (Finland)	Long-term value: 11 mg/m ³ , 2 ppm iho
CAS: 13463-67-7 titanium dioxide	
AGW (Germany)	Long-term value: 1.25* 10** mg/m ³ 2(II);*alveolengängig**einatembare; AGS, DFG, Y
GV (Denmark)	Short-term value: 12 mg/m ³ Long-term value: 6 mg/m ³ K, som Ti
LEP (Spain)	Long-term value: 10 mg/m ³
TWA (Italy)	Long-term value: 10 mg/m ³ A4
VLE (Portugal)	Long-term value: 10 mg/m ³ A4; Irritação do TRI
OEL (Sweden)	Long-term value: 5 mg/m ³ totaldamm

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Do not eat, drink, smoke or sniff while working.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Safety glasses.

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

According to product specification

Odour:

Characteristic

(Contd. on page 10)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 9)

Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Flammable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	34 °C (DIN ISO 2592)
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
pH	Not determined.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Bulk density:	Not applicable.
Vapour density	Not determined.

9.2 Other information

Appearance:	
Form:	Liquid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Minimum ignition energy	
Solvent separation test:	Not determined
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Flammable liquid and vapour.
Flammable solids	Void
Self-reactive substances and mixtures	Void

(Contd. on page 11)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 10)

Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if inhaled.

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 1330-20-7 xylene			
Oral	LD50	>3,523 mg/kg	(Rat)
Dermal	LD50	>12,126 mg/kg	(Rabbit)
Inhalative	LC50/4 h	>27 mg/l	(Rat)
CAS: 13463-67-7 titanium dioxide			
Oral	LD50	>5,000 mg/kg	(Rat)

Primary irritant effect:

- Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- Carcinogenicity** Suspected of causing cancer.
- Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 11)

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment

CAS: 1330-20-7 xylene

LC50/48h	>10 mg/l (aquatic invertebrates)
LC50/96h	>2.6 mg/l (Fish)
EC50/24h	>1 mg/l (aquatic invertebrates) 96 mg/l (microorganisms)
EC50/48h	>3.82 mg/l (aquatic invertebrates)
EC50/72h	4.6-4.9 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	1.57 mg/l (aquatic invertebrates)
NOEC (28d)	16.2 mg/l (microorganisms)

CAS: 13463-67-7 titanium dioxide

IC50/72h	1 mg/l (Fish)
LC50/48h	>100 mg/l (aquatic invertebrates)
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>100 mg/l (Algae)
NOEC (72h)	≥10 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	≥1 mg/l (aquatic plants other than algae)
NOEC (21d)	≥100 mg/l (aquatic invertebrates)
NOEC (28d)	≥100 mg/l (aquatic invertebrates) ≥0.07 mg/l (Fish)

12.2 Persistence and degradability No further relevant information available.

Method

CAS: 1330-20-7 xylene

Biod. (28 days) | 90-98 % (Biodegradation)

Behaviour in environmental systems:

Components:

CAS: 1330-20-7 xylene

DT50-value (Degradation Half time) | 1-2 day (Biodegradation)

12.3 Bioaccumulative potential

CAS: 1330-20-7 xylene

EBAB	3.16 log Pow (Bioaccumulation)
Bioaccumulation Factor (BCF)	3.16

(Contd. on page 13)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 12)

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment	
CAS: 13463-67-7 titanium dioxide	
EC 50 (3h)	1,000 mg/l (microorganisms)
Other information:	
CAS: 1330-20-7 xylene	
Chemical Oxygen Demand (COD)	2.56-2.91 mg O2/g (Biodegradation)

Additional ecological information:

General notes: Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

European waste catalogue	
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity
HP10	Toxic for reproduction

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN1133
14.2 UN proper shipping name ADR IMDG, IATA	1133 ADHESIVES ADHESIVES

(Contd. on page 14)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 13)

14.3 Transport hazard class(es)

ADR



Class 3 (F1) Flammable liquids.
Label 3

IMDG, IATA



Class 3 Flammable liquids.
Label 3

14.4 Packing group
ADR, IMDG, IATA III

14.5 Environmental hazards: Not applicable.

14.6 Special precautions for user Warning: Flammable liquids.
Hazard identification number (Kemler code): 30
EMS Number: F-E,S-D
Stowage Category A

14.7 Maritime transport in bulk according to IMO instruments Not applicable.

Transport/Additional information:

ADR

Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
Transport category 3
Tunnel restriction code D/E

IMDG

Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 1133 ADHESIVES, 3, III

EUG

(Contd. on page 15)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 14)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

National regulations

Other regulations, limitations and prohibitive regulations

Substances of Very High Concern (SVHC) according to REACH, Article 57:

CAS: 111-15-9 | 2-ethoxyethyl acetate

Substances of Very High Concern on the REACH Candidate List for Authorisation.

(Contd. on page 16)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 15)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H226 Flammable liquid and vapour.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Flammable liquids	On basis of test data
Acute toxicity - inhalation Carcinogenicity	Expert judgement

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety
T+97125509449
e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern (REACH regulation)
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 3: Flammable liquids – Category 3

(Contd. on page 17)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.05.2025

Version number 1

Revision: 03.05.2025

Trade name: weberfloor 220 PU part A

(Contd. of page 16)

Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Carc. 2: Carcinogenicity – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

EUG