

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weberfloor epo terrazzo part B

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi -

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

DRYMIX Weber Egypt

5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt

(Contd. on page 2)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 1)

Tel : (+20) 2 3827 4646

Hot line: (+2) 15802

1.4 Emergency telephone number:

UAE:+971 2 550 9994

Lebanon:+9619790920

Jeddah:+966126683295

Riyadh:+966114738751

Qatar:+97444423816

Jordan: +96264200417

Kuwait:+96525716404

Muscat:+96824218361

Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm

Monday to Friday in Lebanon and UAE

Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-3-aminomethyl-3,5,5-trimethylcyclohexylamine

Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled benzyl alcohol

2,4,6-tris(dimethylaminomethyl)phenol

Hazard statements

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

(Contd. on page 3)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 2)

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

Dangerous components:

CAS: 9046-10-0 EC number: 618-561-0 Reg.nr.: 01-2119557899-12-xxxx	Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)- ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	50-75%
CAS: 8007-24-7 EC number: 700-991-6 Reg.nr.: 01-2119502450-57-xxxx 01-2120038044-68-xxxx 01-2120074481-58-xxxx	Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Skin Sens. 1A, H317	10-20%
CAS: 100-51-6 EINECS: 202-859-9 Index number: 603-057-00-5 Reg.nr.: 01-2119492630-38-xxxx	benzyl alcohol ⚠ Acute Tox. 4, H302; Eye Irrit. 2, H319; Skin Sens. 1B, H317 ATE: LD50 oral: 1,200 mg/kg	≥5-<10%

(Contd. on page 4)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 3)

CAS: 2855-13-2 EINECS: 220-666-8 Index number: 612-067-00-9 Reg.nr.: 01-2119514687-32-XXXX	3-aminomethyl-3,5,5-trimethylcyclohexylamine ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1A, H317; Aquatic Chronic 3, H412 ATE: LD50 oral: 1,030 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥0.001 %	5-10%
CAS: 90-72-2 EINECS: 202-013-9 Index number: 603-069-00-0 Reg.nr.: 01-2119560597-27-XXXX	2,4,6-tris(dimethylaminomethyl)phenol ⚠ Skin Corr. 1C, H314; Eye Dam. 1, H318; ⚠ Skin Sens. 1, H317	1-2%

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Immediately remove any clothing soiled by the product.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

 CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Mouth respiratory protective device.

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

(Contd. on page 5)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 4)

Do not drain into drains or public waters. Alert the relevant authorities if the liquid enters a sewer or open water enters.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	5.29 mg/m ³ (worker systemic long term value)

CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled

Oral	Derived No Effect Level	0.75 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	2.1 mg/kgxday (worker systemic long term value)
		0.75 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	7.4 mg/m ³ (worker systemic long term value)
		1.31 mg/m ³ (consumer systemic long term value)

CAS: 100-51-6 benzyl alcohol

Oral	Derived No Effect Level	4 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	8 mg/kgxday (worker systemic long term value)
		4 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	22 mg/m ³ (worker systemic long term value)

(Contd. on page 6)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 5)

		5.4 mg/m ³ (consumer systemic long term value)
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
Oral	Derived No Effect Level	0.3 mg/kgxday (consumer systemic long term value)
		0.3 mg/kgxday (consumer systemic short term value)
Inhalative	Derived No Effect Level	0.073 mg/m ³ (worker local short term value)
		0.073 mg/m ³ (worker local long term value)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Oral	Derived No Effect Level	0.075 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	0.15 mg/kgxday (worker systemic long term value)
		0.075 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	0.53 mg/m ³ (worker systemic long term value)
		0.13 mg/m ³ (consumer systemic long term value)
PNECs		
CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-		
Predicted No-Effect Concentration		0.018 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.014 mg/l (sea water rating factor)
		0.015 mg/l (fresh water rating factor)
CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled		
Predicted No-Effect Concentration		171.41 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.00114 mg/l (sea water rating factor)
		0.0114 mg/l (fresh water rating factor)
CAS: 100-51-6 benzyl alcohol		
Predicted No-Effect Concentration		0.456 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.1 mg/l (sea water rating factor)
		1 mg/l (fresh water rating factor)
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
Predicted No-Effect Concentration		1.121 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.006 mg/l (sea water rating factor)
		0.06 mg/l (fresh water rating factor)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Predicted No-Effect Concentration		0.025 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration		0.005 mg/l (sea water rating factor)
		0.046 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 100-51-6 benzyl alcohol		
AGW (Germany)	Long-term value: 22 mg/m ³ , 5 ppm 2(l);DFG, H, Y, 11	
HTP (Finland)	Long-term value: 45 mg/m ³ , 10 ppm	
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine		
MAK (Germany)	als Dampf und Aerosol;vgl.Abschn.IIb	

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 6)

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Tightly sealed goggles

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Liquid

Colour:

Yellowish

Odour:

Amine-like

Odour threshold:

Not determined.

Melting point/freezing point:

Undetermined.

Boiling point or initial boiling point and boiling range

Undetermined.

Flammability

Not applicable.

Lower and upper explosion limit

Lower:

Not determined.

Upper:

Not determined.

Flash point:

Not applicable

Auto-ignition temperature:

Not determined.

Decomposition temperature:

Not determined.

pH

Not determined.

Viscosity:

Kinematic viscosity

Not determined.

dynamic:

Not determined.

Solubility

Water:

Not miscible or difficult to mix

Partition coefficient n-octanol/water (log value)

Not determined.

Vapour pressure:

Not determined.

Density and/or relative density

Density:

Not determined

Relative density

Not determined.

Bulk density:

Not applicable.

Vapour density

Not determined.

9.2 Other information

Appearance:

Form:

Liquid

(Contd. on page 8)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 7)

Important information on protection of health and environment, and on safety.

Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.
Minimum ignition energy	
Solvent separation test:	Not applicable.
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined.

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 8)

LD/LC50 values relevant for classification:

Components	Type	Value	Species
CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-			
Oral	LD50	>2,885 mg/kg	(Rat)
Dermal	LD50	>2,980 mg/kg	(Rabbit)
CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled			
Oral	LD50	2,000 mg/kg	(Rat)
Dermal	LD50	2,000 mg/kg	(Rat)
CAS: 100-51-6 benzyl alcohol			
Oral	LD50	1,200 mg/kg	(ATE)
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine			
Oral	LD50	1,030 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol			
Oral	LD50	2,169 mg/kg	(Rat)

Primary irritant effect:

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-	
IC50/72h	141.72 mg/l (aquatic algae and cyanobacteria)
LC50/96h	772.14 mg/l (Fish) (OECD 203, static)
EC50/48h	80-418.34 mg/l (aquatic invertebrates)
EC50/96h	15 mg/l (Fish)
EC50/72h	2.1-15 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	100 mg/l (aquatic algae and cyanobacteria)

(Contd. on page 10)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 9)

NOEC (48h)	18-200 mg/l (aquatic invertebrates)
CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled	
LC50/48h	0.3 mg/l (aquatic invertebrates)
LC50/96h	0.3 mg/l (Fish)
EC50/72h	0.3 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	10 mg/l (aquatic invertebrates)
CAS: 100-51-6 benzyl alcohol	
LC50/96h	>100 mg/l (Fish)
EC50/24h	400 mg/l (aquatic invertebrates)
EC50/48h	230 mg/l (aquatic invertebrates)
EC50/72h	759 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	556 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	171 mg/l (aquatic invertebrates)
NOEC (21d)	51 mg/l (aquatic invertebrates)
EC 10/16h	658 mg/l (microorganisms)
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine	
LC50/48h	388 mg/l (aquatic invertebrates)
LC50/24h	572 mg/l (aquatic invertebrates)
LC50/96h	324 mg/l (aquatic invertebrates) 110 mg/l (Fish)
EC50/24h	27 mg/l (aquatic invertebrates)
EC50/48h	23 mg/l (aquatic invertebrates)
EC50/72h	50 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	1.5 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	100 mg/l (aquatic invertebrates)
NOEC (48h)	8.3 mg/l (aquatic invertebrates)
NOEC (21d)	3 mg/l (aquatic invertebrates)
EC 10/18h	1,120 mg/l (microorganisms)
CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol	
LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	46.7 mg/l (aquatic algae and cyanobacteria)
NOEC (28d)	2 mg/l (microorganisms)

12.2 Persistence and degradability No further relevant information available.

Method	
CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-	
Biod. (28 days)	0 % (Biodegradation)
CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled	
Biod. (28 days)	96 %
CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine	
Biod. (28 days)	8 %

(Contd. on page 11)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 10)

CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Biod. (28 days) | 4 %

Behaviour in environmental systems:

Components:

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

DT50-value (Degradation Half time) | 365 day

12.3 Bioaccumulative potential

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

EBAB | 1.34 log Pow (Bioaccumulation)

CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled

EBAB | 6.2 log Pow

CAS: 100-51-6 benzyl alcohol

EBAB | 1.05 log Pow (Bioaccumulation)

CAS: 2855-13-2 3-aminomethyl-3,5,5-trimethylcyclohexylamine

EBAB | 0.99 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Poly[oxy(methyl-1,2-ethanediyl)], .alpha.-(2-aminomethylethyl)-.omega.-(2-aminomethylethoxy)-

EC 50 (3h) | 750 mg/l (microorganisms)

CAS: 8007-24-7 Cashew (Anacardium occidentale) Nutshell Extract, Decarboxylated, Distilled

EC 50 (3h) | 1,000 mg/l (microorganisms)

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Dispose of the product in accordance with national and local regulations.

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 11)

European waste catalogue	
HP6	Acute Toxicity
HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic



Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Recommended cleaning agent: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN number or ID number ADR, IMDG, IATA	UN2735
14.2 UN proper shipping name ADR IMDG, IATA	2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE) AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE)
14.3 Transport hazard class(es) ADR  Class Label	8 (C7) Corrosive substances. 8
IMDG, IATA  Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code	Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.

(Contd. on page 13)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 12)

Transport/Additional information:

ADR

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

E

IMDG

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (POLYOXYPROPYLENEDIAMINE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 14)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

(Contd. of page 13)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety
 T+97125509449
 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern (REACH regulation)
- vPvB: very Persistent and very Bioaccumulative
- ATE: Acute toxicity estimate values
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Skin Irrit. 2: Skin corrosion/irritation – Category 2
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- Skin Sens. 1: Skin sensitisation – Category 1

(Contd. on page 15)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 03.01.2025

Version number 1

Revision: 03.01.2025

Trade name: weberfloor epo terrazzo part B

Skin Sens. 1A: Skin sensitisation – Category 1A

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. of page 14)

EUG