

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

**1.1 Product identifier**

**Trade name: webertec epo 430 GRT Plus Part C**

**Safety data sheet no.:** XXP014708-c

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320 Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

(Contd. on page 2)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

Trade name: webertec epo 430 GRT Plus Part C

(Contd. of page 1)

DRYMIX Weber Egypt  
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt  
Tel : (+20) 2 3827 4646  
Hot line: (+2) 15802

SAINT-GOBAIN CONSTRUCTION PRODUCTS LLC OPC Al Ghail Industrial Zone-NFZ RAK  
P.O. Box 54529 Ras Al Khaimah - United Arab Emirates  
T +971 2 550 9994  
F +971 2 550 9449

### 1.4 Emergency telephone number:

UAE:+971 2 550 9994  
Lebanon:+9619790920  
Jeddah:+966126683295  
Riyadh:+966114738751  
Qatar:+97444423816  
Jordan: +96264200417  
Kuwait:+96525716404  
Muscat:+96824218361  
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm  
Monday to Friday in Lebanon and UAE  
Sunday to Thursday in other countries

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

### Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

cement grey

(Contd. on page 3)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 2)

**Hazard statements**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H317 May cause an allergic skin reaction.

**Precautionary statements**

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

**Results of PBT and vPvB assessment**

- PBT:** Does not contain PBT substances.
- vPvB:** Does not contain vPvB substances.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture of substances without any hazardous components

**Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx	calcium carbonate substance with a Community workplace exposure limit	50-75%
CAS: 14808-60-7 EINECS: 238-878-4	Silicon dioxide (Quartz sand) substance with a Community workplace exposure limit	10-20%
CAS: 65997-15-1 EINECS: 266-043-4	cement grey ⚠ Eye Dam. 1, H318; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335, EUH203 substance with a Community workplace exposure limit	10%

**SVHC** Void

**Additional information** For the wording of the listed hazard statements refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information** No special measures required.

**After inhalation** Supply fresh air; consult doctor in case of complaints.

**After skin contact** Generally the product does not irritate the skin.

**After eye contact**

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists. Remove contact lenses, if possible. Continue rinsing

(Contd. on page 4)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 3)

**After swallowing** Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** No special measures required.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Not required.

**6.2 Environmental precautions:** No special measures required.

**6.3 Methods and material for containment and cleaning up:** Pick up mechanically.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** No special measures required.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

**DNELs**

**CAS: 1317-65-3 calcium carbonate**

Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value)
		1.06 mg/m <sup>3</sup> (consumer local long term value)

(Contd. on page 5)

## Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

Trade name: webertec epo 430 GRT Plus Part C

(Contd. of page 4)

CAS No. / Designation of material / % / Type / Value / Unit	
<b>CAS: 1317-65-3 calcium carbonate</b>	
TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (e)
<b>CAS: 14808-60-7 Silicon dioxide (Quartz sand)</b>	
BOELV (European Union)	Long-term value: 0.1* mg/m <sup>3</sup> *respirable fraction
MAK (Germany)	Short-term value: 0.4 mg/m <sup>3</sup> Long-term value: 0.05 mg/m <sup>3</sup> alveolengängige Fraktion
GV (Denmark)	Short-term value: 0.6* 0.2** mg/m <sup>3</sup> Long-term value: 0.3* 0.1** mg/m <sup>3</sup> *total; **total, respirabel: EK
LEP (Spain)	Long-term value: 0.05 mg/m <sup>3</sup> *Fracción resp:n,d,y
TWA (Italy)	Long-term value: 0.025 mg/m <sup>3</sup> A2, (j)
VLE (Portugal)	Long-term value: 0.025 mg/m <sup>3</sup> Resp.;A2; fibrose pulmonar; cancro do pulmão
OEL (Sweden)	Long-term value: 0.1 mg/m <sup>3</sup> C, M, respirabel fraktion
HTP (Finland)	Long-term value: 0.05 0.1* mg/m <sup>3</sup> alveolijae;*sitova arvo 113/24, pöly
<b>CAS: 65997-15-1 cement grey</b>	
AGW (Germany)	Long-term value: 5 E mg/m <sup>3</sup> DFG
LEP (Spain)	Long-term value: 4 mg/m <sup>3</sup> fracción respirable: e, d
TWA (Italy)	Long-term value: 1 mg/m <sup>3</sup> (e, j), A4
VLE (Portugal)	Long-term value: 1 mg/m <sup>3</sup> Fração resp.;A4,função pulm.,sintomas resp.,asma
HTP (Finland)	Long-term value: 5* 1** mg/m <sup>3</sup> *hengittyvä pöly, **alveolijae

**Additional Occupational Exposure Limit Values for possible hazards during processing:**

Quartz respirable dust:

European Union: 0,1mg/m<sup>3</sup>

UK: 0,1 mg/m<sup>3</sup>

Ireland: 0,1 mg/m<sup>3</sup>

**Additional information:**

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

**Respiratory protection:** Suitable respiratory protective device recommended.

**Hand protection** Rubber gloves

(Contd. on page 6)

EUG

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 5)

**Eye/face protection** Safety glasses.  
**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

<b>Physical state</b>	Solid.
<b>Colour:</b>	Grey
<b>Odour:</b>	Odourless
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	Undetermined.
<b>Flammability</b>	Product is not flammable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined.
<b>pH</b>	Not applicable.
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not applicable.
<b>dynamic:</b>	Not applicable.
<b>Solubility</b>	
<b>Water:</b>	Insoluble
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure:</b>	Not applicable.
<b>Density and/or relative density</b>	
<b>Density:</b>	Not applicable.
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not applicable.
<b>Particle characteristics</b>	See section 3.

**9.2 Other information**

<b>Appearance:</b>	
<b>Form:</b>	Powder
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not applicable.

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void

(Contd. on page 7)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 6)

<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**  
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	/	Type	/	Value	/	Species
<b>CAS: 1317-65-3 calcium carbonate</b>						
Oral	LD50	>2,000 mg/kg	(Rat)			
Dermal	LD50	>2,000 mg/kg	(Rat)			
<b>CAS: 65997-15-1 cement grey</b>						
Dermal	LD50	>2,000 mg/kg	(Rabbit)			

**Primary irritant effect:**

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 7)

**STOT-single exposure** Based on available data, the classification criteria are not met.  
**STOT-repeated exposure** Based on available data, the classification criteria are not met.  
**Aspiration hazard** Based on available data, the classification criteria are not met.  
**11.2 Information on other hazards**

**Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 calcium carbonate**

LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>14 mg/l (aquatic algae and cyanobacteria)

**12.2 Persistence and degradability** No further relevant information available.

**Method**

**CAS: 1317-65-3 calcium carbonate**

Biod. (28 days)	>90 %
-----------------	-------

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Does not contain PBT substances.

**vPvB:** Does not contain vPvB substances.

**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects**

**Behaviour in sewage processing plants:**

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 calcium carbonate**

EC 50 (3h)	>1,000 mg/l (microorganisms)
------------	------------------------------

**Additional ecological information:**

**General notes:** Do not allow product to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**Recommendation** Smaller quantities can be disposed of with household waste.

**European waste catalogue**

HP4	Irritant - skin irritation and eye damage
HP13	Sensitising

**Uncleaned packaging:**

**Recommendation:** Non contaminated packagings may be recycled.

(Contd. on page 9)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

**Recommended cleaning agent:** Thoroughly shake out sacks.

(Contd. of page 8)

**SECTION 14: Transport information**

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Void
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Void
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Void
<b>14.4 Packing group</b> ADR, IMDG, IATA	Void
<b>14.5 Environmental hazards:</b>	Not applicable.
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)  
 Regulation (EC) No 1272/2008 (CLP)  
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)  
**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**REGULATION (EU) 2017/852 on mercury (Annex I)**

None of the ingredients is listed.

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII Entry no. 47 Chromium VI compounds)  
 Conditions of restriction: 47

**Regulation (EU) No 649/2012**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

(Contd. on page 10)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 9)

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- EUH203 Contains chromium (VI). May produce an allergic reaction.

**Classification according to Regulation (EC) No 1272/2008**

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--	--

**Department issuing SDS:** R&D Department of Weber-Middle East

**Contact:**

Product Safety  
T+97125509449  
e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 11)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 13.08.2025

Version number 1

Revision: 22.08.2019

**Trade name: webertec epo 430 GRT Plus Part C**

(Contd. of page 10)

DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern (REACH regulation)  
vPvB: very Persistent and very Bioaccumulative  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG