

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Trade name: weberfloor eposil plus Part B

Safety data sheet no.: XXP014726-b

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320 Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

(Contd. on page 2)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 1)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box
1042 Riyadh 11431-Kingdom of Saudi Arabia
T +966 11 473 8751
F +966 11 472 5339

DRYMIX Weber Egypt
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt
Tel : (+20) 2 3827 4646
Hot line: (+2) 15802

SAINT-GOBAIN CONSTRUCTION PRODUCTS LLC OPC Al Ghail Industrial Zone-NFZ RAK
P.O. Box 54529 Ras Al Khaimah - United Arab Emirates
T +971 2 550 9994
F +971 2 550 9449

1.4 Emergency telephone number:

UAE:+971 2 550 9994
Lebanon:+9619790920
Jeddah:+966126683295
Riyadh:+966114738751
Qatar:+97444423816
Jordan: +96264200417
Kuwait:+96525716404
Muscat:+96824218361
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm
Monday to Friday in Lebanon and UAE
Sunday to Thursday in other countries

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1C H314 Causes severe skin burns and eye damage.
Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.
Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 3)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 2)

Hazard pictograms



GHS05 GHS07

Signal word Danger

Hazard-determining components of labelling:

Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia
2,2'-iminodi(ethylamine)
2-aminoethanol

Hazard statements

H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.
P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P362 Take off contaminated clothing.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment


PBT: Does not contain PBT substances.
vPvB: Does not contain vPvB substances.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

Dangerous components:

CAS: 9046-10-0	Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	50-75%
EC number: 618-561-0		
Reg.nr.: 01-2119557899-12-xxxx		
 Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412		

(Contd. on page 4)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 3)		
CAS: 141-43-5 EINECS: 205-483-3 Index number: 603-030-00-8 Reg.nr.: 01-2119486455-28-xxxx	2-aminoethanol ⚠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; STOT SE 3, H335; Aquatic Chronic 3, H412 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥3-<5%
CAS: 111-40-0 EINECS: 203-865-4 Index number: 612-058-00-X Reg.nr.: 01-2119473793-27-xxxx	2,2'-iminodi(ethylamine) ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 substance with a Community workplace exposure limit	1-2%
SVHC Void Additional information For the wording of the listed hazard statements refer to section 16.		

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.
 Never administer anything by mouth to an unconscious person.
 If unconscious, place the patient in a stable side position and consult a doctor

After inhalation

Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required

(Contd. on page 5)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 4)

6.2 Environmental precautions:

The product must not get into watercourses or into the soil.
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow product to reach sewage system or any water course.
 Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Use neutralising agent.
 Dispose of contaminated material as waste according to section 13.
 Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities
Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia		
Dermal	Derived No Effect Level	2.5 mg/kgxday (worker systemic long term value)
Inhalative	Derived No Effect Level	5.29 mg/m ³ (worker systemic long term value)
CAS: 141-43-5 2-aminoethanol		
Oral	Derived No Effect Level	1.5 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	3 mg/kgxday (worker systemic long term value) 1.5 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	1 mg/m ³ (worker systemic long term value) 0.18 mg/m ³ (consumer systemic long term value)
CAS: 111-40-0 2,2'-iminodi(ethylamine)		
Dermal	Derived No Effect Level	11.4 mg/kgxday (worker systemic long term value)

(Contd. on page 6)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 5)

Inhalative	Derived No Effect Level	4.88 mg/kgxday (consumer systemic long term value) 15.4 mg/m ³ (worker systemic long term value) 4.6 mg/m ³ (consumer systemic long term value)
------------	-------------------------	---

PNECs

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

Predicted No-Effect Concentration	0.018 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.014 mg/l (sea water rating factor)
	0.015 mg/l (fresh water rating factor)

CAS: 141-43-5 2-aminoethanol

Predicted No-Effect Concentration	1.29 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.007 mg/l (sea water rating factor)
	0.07 mg/l (fresh water rating factor)

CAS: 111-40-0 2,2'-iminodi(ethylamine)

Predicted No-Effect Concentration	7.97 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.056 mg/l (sea water rating factor)
	0.56 mg/l (fresh water rating factor)

CAS No. / Designation of material / % / Type / Value / Unit

CAS: 111-40-0 2,2'-iminodi(ethylamine)

MAK (Germany)	vgl.Abschn.IV
GV (Denmark)	Short-term value: 8 mg/m ³ , 2 ppm Long-term value: 4 mg/m ³ , 1 ppm H
LEP (Spain)	Long-term value: 4.3 mg/m ³ , 1 ppm vía dérmica, Sen
TWA (Italy)	Long-term value: 4.2 mg/m ³ , 1 ppm Cute
VLE (Portugal)	Long-term value: 1 ppm P; Irritação ocular e do TRS
OEL (Sweden)	Short-term value: 10 mg/m ³ , 2 ppm Long-term value: 4.5 mg/m ³ , 1 ppm H, SH, V
HTP (Finland)	Short-term value: 13 mg/m ³ , 3 ppm Long-term value: 4.3 mg/m ³ , 1 ppm iho

Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.
 Keep away from foodstuffs, beverages and feed.

(Contd. on page 7)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 6)

Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
 Use a moisturising skin cream after processing the product.
Respiratory protection: Suitable respiratory protective device recommended.
Hand protection Protective gloves.
Eye/face protection Tightly sealed goggles
Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state	Liquid
Colour:	According to product specification
Odour:	Characteristic
Odour threshold:	Not determined
Melting point/freezing point:	Undetermined
Boiling point or initial boiling point and boiling range	Undetermined
Flammability	Not applicable
Lower and upper explosion limit	
Lower:	Not determined
Upper:	Not determined
Flash point:	Not applicable
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined
Vapour pressure:	Not determined
Density and/or relative density	
Density:	0,86-1,16g/cm ³
Relative density	Not determined
Bulk density:	Not applicable.
Vapour density	Not determined

9.2 Other information

Appearance:	
Form:	Fluid
Important information on protection of health and environment, and on safety.	
Ignition temperature:	Product is not self-igniting.
Explosive properties:	Product does not present an explosion hazard.

(Contd. on page 8)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 7)

Minimum ignition energy	
Solvent separation test:	Not determined
Change in condition	
Softening point/range	
Oxidising properties	Not determined.
Evaporation rate	Not determined

Information with regard to physical hazard classes

Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 8)

LD/LC50 values relevant for classification:

Components		Type	Value	Species
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia				
Oral	LD50		>2,885 mg/kg	(Rat)
Dermal	LD50		>2,980 mg/kg	(Rabbit)
CAS: 141-43-5 2-aminoethanol				
Oral	LD50		1,089 mg/kg	(Rat)
Dermal	LD50		2,504 mg/kg	(rabbit)
CAS: 111-40-0 2,2'-iminodi(ethylamine)				
Oral	LD50		>1,553 mg/kg	(Rat)
Dermal	LD50		>1,045 mg/kg	(Rabbit)

Primary irritant effect:

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
IC50/72h	141.72 mg/l (aquatic algae and cyanobacteria)
LC50/96h	772.14 mg/l (Fish) (OECD 203, static)
EC50/48h	80-418.34 mg/l (aquatic invertebrates)
EC50/96h	15 mg/l (Fish)
EC50/72h	2.1-15 mg/l (aquatic algae and cyanobacteria)

(Contd. on page 10)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 9)

NOEC (72h)	100 mg/l (aquatic algae and cyanobacteria)
NOEC (48h)	18-200 mg/l (aquatic invertebrates)
CAS: 141-43-5 2-aminoethanol	
LC50/96h	349 mg/l (Fish)
LC0/96h	150 mg/l (Fish)
EC50/48h	27.04 mg/l (aquatic invertebrates)
EC50/72h	2.1-2.8 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	1 mg/l (aquatic algae and cyanobacteria)
NOEC (21d)	0.85 mg/l (aquatic invertebrates)
CAS: 111-40-0 2,2'-iminodi(ethylamine)	
LC50/96h	430 mg/l (Fish)
EC50/48h	32 mg/l (Daphnia magna)
EC50/72h	1,164 mg/l (Algae)
NOEC (72h)	10 mg/l (Algae)
NOEC (21d)	5.6 mg/l (Daphnia magna)
NOEC (28d)	10 mg/l (Fish)
EC 0/48h	2 mg /l (Daphnia magna)

12.2 Persistence and degradability No further relevant information available.

Method	
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
Biod. (28 days)	0 % (Biodegradation)
CAS: 141-43-5 2-aminoethanol	
Biod. (28 days)	>70 % (Biodegradation)

Behaviour in environmental systems:

Components:	
CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
DT50-value (Degradation Half time)	365 day

12.3 Bioaccumulative potential

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	
EBAB	1.34 log Pow (Bioaccumulation)
CAS: 141-43-5 2-aminoethanol	
EBAB	<2 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 11)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 10)

12.7 Other adverse effects

Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

Harmful to fish

Behaviour in sewage processing plants:

Type of test / Effective concentration / Method / Assessment

CAS: 9046-10-0 Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia

EC 50 (3h)	750 mg/l (microorganisms)
------------	---------------------------

CAS: 111-40-0 2,2'-iminodi(ethylamine)

EC 50 (3h)	32.7 mg/l (microorganisms)
------------	----------------------------

Additional ecological information:

General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

HP8	Corrosive
-----	-----------

HP14	Ecotoxic
------	----------

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN2735

14.2 UN proper shipping name

ADR

2735 AMINES, LIQUID, CORROSIVE, N.O.S.
(POLYOXYPROPYLENEDIAMINE, para-nonylphenol)

IMDG, IATA

AMINES, LIQUID, CORROSIVE, N.O.S.
(POLYOXYPROPYLENEDIAMINE, para-nonylphenol)

(Contd. on page 12)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 11)

14.3 Transport hazard class(es)

ADR



Class 8 (C7) Corrosive substances.
Label 8

IMDG, IATA



Class 8 Corrosive substances.
Label 8

14.4 Packing group
ADR, IMDG, IATA

II

14.5 Environmental hazards:

Product contains environmentally hazardous substances: para-nonylphenol

14.6 Special precautions for user

Warning: Corrosive substances.

Hazard identification number (Kemler code): 80

EMS Number: F-A,S-B

Segregation groups (SGG18) Alkalis

Stowage Category A

Segregation Code SG35 Stow "separated from" SGG1-acids

14.7 Maritime transport in bulk according to IMO instruments

Not applicable

Transport/Additional information:

ADR

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

Transport category 2

Tunnel restriction code E

IMDG

Limited quantities (LQ) 1L
Excepted quantities (EQ) Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml

(Contd. on page 13)

Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 12)

UN "Model Regulation":

UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.
(POLYOXYPROPYLENEDIAMINE, PARANONYLPHENOL), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

EUG

(Contd. on page 14)

Safety Data Sheet
 according to Regulation (EC) No 1907/2006, Article 31, as amended
 by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 13)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.

Classification according to Regulation (EC) No 1272/2008

Skin corrosion/irritation Serious eye damage/irritation Skin sensitisation Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
---	--

Department issuing SDS: R&D Department of Weber-Middle East

Contact:

Product Safety
 T+97125509449
 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

Abbreviations and acronyms:

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- SVHC: Substances of Very High Concern (REACH regulation)
- vPvB: very Persistent and very Bioaccumulative
- Acute Tox. 4: Acute toxicity – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Skin Corr. 1C: Skin corrosion/irritation – Category 1C
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1

(Contd. on page 15)

Safety Data Sheet
according to Regulation (EC) No 1907/2006, Article 31, as amended
by Regulation (EU) 2020/878.

Printing date 26.03.2026

Version number 1

Revision: 22.08.2019

Trade name: weberfloor eposil plus Part B

(Contd. of page 14)

Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG