

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**SECTION 1: Identification of the substance/mixture and of the company/  
undertaking**

**1.1 Product identifier**

**Trade name: weber seal PS 1000 PG-Part A**

**Safety data sheet no.:** XXP018037

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**Application of the substance / the mixture** Construction chemicals

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer/Supplier:**

SODAMCO S.A.L

Main Road, Hosrayel (Jbeil), P.O. Box 65, Jbeil - Lebanon

T +961 9 790 920/1/2/3

F +961 9 790 924

ATTADAMUNIA for Construction Industries JSC

Tha'labah Al – Ameli Str.-P.O. Box 710844 Amman 11171 Jordan

T +962 6 420 0417

F +962 6 420 0418

SODAMCO Emirates Factory for Building Materials W.L.L.Industrial City of Abu Dhabi

ICAD 3, Plot No. 65 NR29-P.O. Box 96082-Abu-Dhabi

T +971 2 550 9994

F +971 2 550 9449

SODAMCO S.A.L. - Dubai Branch

Al Quoz Industrial AreaP.O. Box 31320 Dubai - U.A.E.

T +971 4 347 2640

F +971 4 340 3420

SODAMCO Qatar W.L.L.

Al Rayan Complex, Bloc B 5th Floor, Flat 17, Rayan Road, Al Musheireb, P.O. Box 22520, Doha – Qatar

T +974 4442 3816 / +974 4442 7651

F +974 4442 5149

SODAMCO Kuwait W.L.L.

Raja Abdulla Al Habbaj Office No. 3F/6, Bloc 7 P.O. Box 496 Salmiya 20005 Kuwait

T +965 2 571 6404 /+965 2 571 0397

F +965 2 571 2721

SODAMCO Muscat L.L.C.

Al Khuwair - Muscat - Sultanate of Oman-P.O. Box 1094 PC 133,

T +968 24 21 83 61

F +968 24 21 83 62

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Office Jeddah)

SODAMCO villa, Prince Mohammad Bin Abdul Aziz Street. P.O. Box 9927, Jeddah 21423 Kingdom of Saudi Arabia

T +966 12 668 3295 +966 12 261 2722

F +966 12 668 1498

SODAMCO Industrial Co. for Construction Chemicals W.L.L (Riyadh Office)

Salahuddin Al Ayoubi Street, Facing Military Airbase Al Bayt 52 Complex, Building 5 Office 1- P.O. Box 1042 Riyadh 11431-Kingdom of Saudi Arabia

T +966 11 473 8751

F +966 11 472 5339

(Contd. on page 2)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 1)

DRYMIX Weber Egypt  
5th Industrial Zone, Plot 95B/6, 6th Of October, Egypt  
Tel : (+20) 2 3827 4646  
Hot line: (+2) 15802

SAINT-GOBAIN CONSTRUCTION PRODUCTS LLC OPC Al Ghail Industrial Zone-NFZ RAK  
P.O. Box 54529 Ras Al Khaimah - United Arab Emirates  
T +971 2 550 9994  
F +971 2 550 9449

**1.4 Emergency telephone number:**

UAE:+971 2 550 9994  
Lebanon:+9619790920  
Jeddah:+966126683295  
Riyadh:+966114738751  
Qatar:+97444423816  
Jordan: +96264200417  
Kuwait:+96525716404  
Muscat:+96824218361  
Egypt: (+20) 2 3827 4646

Hours of operation: From 8 am to 6 pm  
Monday to Friday in Lebanon and UAE  
Sunday to Thursday in other countries

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008**



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Lact. H362 May cause harm to breast-fed children.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**



GHS07 GHS09

**Signal word** Warning

(Contd. on page 3)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 2)

**Hazard-determining components of labelling:**

alkanes, C14-17, chloro  
 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**Hazard statements**

H317 May cause an allergic skin reaction.  
 H362 May cause harm to breast-fed children.  
 H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P103 Read carefully and follow all instructions.  
 P260 Do not breathe dusts or mists.  
 P263 Avoid contact during pregnancy and while nursing.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards**

**Results of PBT and vPvB assessment**

**PBT:**

CAS: 85535-85-9 alkanes, C14-17, chloro

Substances Persistent Bioaccumulative and Toxic according to Annex XIII of REACH regulation.

**vPvB:**

CAS: 85535-85-9 alkanes, C14-17, chloro

CAS: 68512-30-1 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

Substances very Persistent and very Bioaccumulative according to Annex XIII of REACH regulation.

**Determination of endocrine-disrupting properties**

CAS: 68512-30-1	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	List II; III
-----------------	--------------------------------------------------------------------------------	--------------

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

**Description:** Mixture consisting of the following components.

**Dangerous components:**

CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx	limestone substance with a Community workplace exposure limit	50-75%
CAS: 85535-85-9 EINECS: 287-477-0 Index number: 602-095-00-X Reg.nr.: 01-2119519269-33-xxxx	alkanes, C14-17, chloro ⚠ Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Lact., H362, EUH066 substance with a Community workplace exposure limit PBT; vPvB	≥10-<25%

(Contd. on page 4)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 3)

CAS: 68611-50-7 EC number: 614-671-8	Aliphatic polysulphide polymer Aquatic Chronic 3, H412	10-20%
CAS: 68512-30-1 EC number: 700-960-7 Reg.nr.: 01-2119555274-38-xxxx	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412 Substance identified as having endocrine disrupting properties (II; III) vPvB	1%

**SVHC**

CAS: 85535-85-9	alkanes, C14-17, chloro
CAS: 68512-30-1	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

**Additional information**

(CAS:13463-67-7) Titanium dioxide

Note 10 of CLP classification: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

For the wording of the listed hazard statements refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information**

Immediately remove any clothing soiled by the product.

Never administer anything by mouth to an unconscious person.

If unconscious, place the patient in a stable side position and consult a doctor

**After inhalation**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

**After skin contact** Immediately wash with water and soap and rinse thoroughly.

**After eye contact**

Rinse immediately and abundantly with water. Seek medical attention, if pain or redness persists.

Remove contact lenses, if possible. Continue rinsing

**After swallowing** Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

**Suitable extinguishing agents**

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No further relevant information available.

**5.3 Advice for firefighters**

**Protective equipment:** No special measures required.

EUG

(Contd. on page 5)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 4)

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Not required

**6.2 Environmental precautions:**

The product must not get into watercourses or into the soil.

Do not drain into drains or public water systems. Alert the relevant authorities if the liquid enters a sewer or open water.

Suppress gases/fumes/haze with water spray.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about fire - and explosion protection:** No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage**

**Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** None.

**7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with limit values that require monitoring at the workplace:**

DNELs		
<b>CAS: 1317-65-3 limestone</b>		
Oral	Derived No Effect Level	6.1 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.36 mg/m <sup>3</sup> (worker local long term value)
		1.06 mg/m <sup>3</sup> (consumer local long term value)
<b>CAS: 85535-85-9 alkanes, C14-17, chloro</b>		
Oral	Derived No Effect Level	0.58 mg/kgxday (consumer systemic long term value)
Dermal	Derived No Effect Level	47.9 mg/kgxday (worker systemic long term value)
		28.75 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.7 mg/m <sup>3</sup> (worker systemic long term value)
		2 mg/m <sup>3</sup> (consumer systemic long term value)

(Contd. on page 6)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 5)

**CAS: 68512-30-1 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol**

Oral	Derived No Effect Level	0.2 mg/kgxday (consumer systemic long term value)
------	-------------------------	---------------------------------------------------

**PNECs**

**CAS: 85535-85-9 alkanes, C14-17, chloro**

Predicted No-Effect Concentration	11.9 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.0002 mg/l (sea water rating factor)
	0.001 mg/l (fresh water rating factor)

**CAS: 68512-30-1 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol**

Predicted No-Effect Concentration	212.2-9,091.866 mg/kgxdwt (earth rating factor)
Predicted No-Effect Concentration	0.0014-0.06 mg/l (sea water rating factor)
	0.014-0.6 mg/l (fresh water rating factor)

**CAS No. / Designation of material / % / Type / Value / Unit**

**CAS: 1317-65-3 limestone**

TWA (Italy)	Long-term value: 10 mg/m <sup>3</sup> (e)
-------------	----------------------------------------------

**CAS: 85535-85-9 alkanes, C14-17, chloro**

AGW (Germany)	Long-term value: 6 E mg/m <sup>3</sup> , 0.3 E ppm 8(II);H, Y, 11, AGS
---------------	---------------------------------------------------------------------------

**8.2 Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Individual protection measures, such as personal protective equipment**

**General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

**Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

**Hand protection** Protective gloves.

**Eye/face protection** Goggles recommended during refilling

**Body protection:** Protective work clothing.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

**General Information**

**Physical state**

Liquid

**Colour:**

Whitish

**Odour:**

Characteristic

**Odour threshold:**

Not determined

**Melting point/freezing point:**

Undetermined

**Boiling point or initial boiling point and boiling range**

413-508 °C (DIN, CAS: 63449-39-8 Paraffin waxes and Hydrocarbon waxes, chloro)

(Contd. on page 7)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 6)

<b>Flammability</b>	Not applicable
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined
<b>Upper:</b>	Not determined
<b>Flash point:</b>	>200 °C (DIN ISO 2592)
<b>Auto-ignition temperature:</b>	Not determined.
<b>Decomposition temperature:</b>	Not determined
<b>pH</b>	Not applicable
<b>Viscosity:</b>	
<b>Kinematic viscosity</b>	Not determined.
<b>dynamic:</b>	Not determined.
<b>Solubility</b>	
<b>Water:</b>	Not miscible or difficult to mix
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined
<b>Vapour pressure at 20 °C:</b>	12.6 hPa (DIN 51640, CAS: 68611-50-7 Aliphatic polysulphide polymer)
<b>Density and/or relative density</b>	
<b>Density:</b>	Not determined
<b>Relative density</b>	Not determined
<b>Bulk density:</b>	Not applicable.
<b>Vapour density</b>	Not determined

**9.2 Other information**

<b>Appearance:</b>	
<b>Form:</b>	Pasty
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not self-igniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Minimum ignition energy</b>	
<b>Solvent separation test:</b>	Not applicable.
<b>Change in condition</b>	
<b>Softening point/range</b>	
<b>Oxidising properties</b>	Not determined.
<b>Evaporation rate</b>	Not determined

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void

(Contd. on page 8)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 7)

<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- 10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability** Stable at recommended storage conditions
- Thermal decomposition / Conditions to be avoided:**  
No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions** No dangerous reactions known
- 10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

Components	Type	Value	Species
<b>CAS: 1317-65-3 limestone</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)
<b>CAS: 85535-85-9 alkanes, C14-17, chloro</b>			
Oral	LD50	>4,000 mg/kg	(Rat)
<b>CAS: 68611-50-7 Aliphatic polysulphide polymer</b>			
Oral	LD50	>5,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rabbit)
		>7,800 mg/kg	(Rat)
<b>CAS: 68512-30-1 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol</b>			
Oral	LD50	>2,000 mg/kg	(Rat)
Dermal	LD50	>2,000 mg/kg	(Rat)

**Primary irritant effect:**

- Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation** May cause an allergic skin reaction.
- Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- Carcinogenicity** Based on available data, the classification criteria are not met.
- Reproductive toxicity** May cause harm to breast-fed children.
- STOT-single exposure** Based on available data, the classification criteria are not met.
- STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 9)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 8)

**11.2 Information on other hazards**

**Endocrine disrupting properties**

CAS: 68512-30-1	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol	List II; III
-----------------	--------------------------------------------------------------------------------	--------------

EU Endocrine Disruptor Lists: List I of identified ED in EU, List II of substances under evaluation in EU, List III of ED in some EU countries.

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Aquatic toxicity:** Not classified as harmful to aquatic life

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 limestone**

LC50/96h	>100 mg/l (Fish)
EC50/48h	>100 mg/l (aquatic invertebrates)
EC50/72h	>14 mg/l (aquatic algae and cyanobacteria)

**CAS: 85535-85-9 alkanes, C14-17, chloro**

LC50/96h	>5,000 mg/l (Fish)
EC50/24h	0.095-0.1 mg/l (aquatic invertebrates)
EC50/48h	0.0059-0.0077 mg/l (aquatic invertebrates)
EC50/96h	3.2 mg/l (aquatic algae and cyanobacteria)
EC50/72h	3.2 mg/l (aquatic algae and cyanobacteria)
NOEC (72h)	0.1 mg/l (aquatic algae and cyanobacteria)
NOEC (96h)	0.1 mg/l (aquatic algae and cyanobacteria)
NOEC (14d)	0.125 mg/l (Fish)
NOEC (21d)	0.01 mg/l (aquatic invertebrates)

**CAS: 68611-50-7 Aliphatic polysulphide polymer**

LC50/96h	>1,000 mg/l (Leuciscus idus (Orfe))
EC50/16h	9,290 mg/l (Pseudomonas putida (Bacteria))
EC50/48h	20 mg/l
EC50/96h	>1,000 mg/l (Leuciscus idus (Orfe))
EC 10	1,870 mg/l (Pseudomonas putida (Bacteria))

**12.2 Persistence and degradability** No further relevant information available.

**Method**

**CAS: 1317-65-3 limestone**

Biod. (28 days)	>90 %
-----------------	-------

**12.3 Bioaccumulative potential**

**CAS: 85535-85-9 alkanes, C14-17, chloro**

EBAB	7 log Pow
------	-----------

**CAS: 68512-30-1 Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol**

EBAB	6.3 log Pow
------	-------------

**12.4 Mobility in soil** No further relevant information available.

(Contd. on page 10)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 9)

**12.5 Results of PBT and vPvB assessment**

**PBT:**

CAS: 85535-85-9	alkanes, C14-17, chloro
-----------------	-------------------------

**vPvB:**

CAS: 85535-85-9	alkanes, C14-17, chloro
-----------------	-------------------------

CAS: 68512-30-1	Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol
-----------------	--------------------------------------------------------------------------------

**12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

**12.7 Other adverse effects**

**Behaviour in sewage processing plants:**

**Type of test / Effective concentration / Method / Assessment**

**CAS: 1317-65-3 limestone**

EC 50 (3h)	>1,000 mg/l (microorganisms)
------------	------------------------------

**CAS: 68611-50-7 Aliphatic polysulphide polymer**

EC 50 (3h)	1,160 mg/l (Daphnia magna)
	>10 mg/l (Algae)

**Additional ecological information:**

**General notes:** Danger to drinking water if even small quantities leak into the ground.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

**European waste catalogue**

HP14	Ecotoxic
------	----------

**Uncleaned packaging:**

**Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

**Recommended cleaning agent:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

**14.1 UN number or ID number**

ADR, IMDG, IATA	Void
-----------------	------

**14.2 UN proper shipping name**

ADR, IMDG, IATA	Void
-----------------	------

**14.3 Transport hazard class(es)**

ADR, ADN, IMDG, IATA Class	Void
-------------------------------	------

**14.4 Packing group**

ADR, IMDG, IATA	Void
-----------------	------

**14.5 Environmental hazards:**

Not applicable

(Contd. on page 11)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 10)

<b>14.6 Special precautions for user</b>	Not applicable
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable
<b>Transport/Additional information:</b>	
<b>ADR Remarks:</b>	> 5 l: 9
<b>IATA Remarks:</b>	> 5 l: Class 9
<b>UN "Model Regulation":</b>	Void

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)  
 Regulation (EC) No 1272/2008 (CLP)  
 Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)  
**Labelling according to Regulation (EC) No 1272/2008** cf. section 2

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category E2** Hazardous to the Aquatic Environment

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 200 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t

**REGULATION (EU) 2017/852 on mercury (Annex I)**

None of the ingredients is listed.

**REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)**

None of the ingredients is listed.

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**Regulation (EU) No 649/2012**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148**

**Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

(Contd. on page 12)

**Safety Data Sheet**  
 according to Regulation (EC) No 1907/2006, Article 31, as  
 amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 11)

**REGULATION (EU) 2024/590 on substances that deplete the ozone layer**

None of the ingredients is listed.

**National regulations**

**Other regulations, limitations and prohibitive regulations**

**Substances of Very High Concern (SVHC) according to REACH, Article 57:**

CAS: 85535-85-9 | alkanes, C14-17, chloro

CAS: 68512-30-1 | Oligomerisation and alkylation reaction products of 2-phenylpropene and phenol

Substances of Very High Concern on the REACH Candidate List for Authorisation.

**15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**Relevant phrases**

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H362 May cause harm to breast-fed children.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

**Classification according to Regulation (EC) No 1272/2008**

Skin sensitisation Reproductive toxicity Hazardous to the aquatic environment - long-term (chronic) aquatic hazard	The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.
--------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

**Department issuing SDS:** R&D Department of Weber-Middle East

**Contact:**

Product Safety  
 T+97125509449  
 e-mail: DL-weber.productSafety-ME@Saint-gobain.com

**Abbreviations and acronyms:**

- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organisation
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent

(Contd. on page 13)

**Safety Data Sheet**  
according to Regulation (EC) No 1907/2006, Article 31, as  
amended by Regulation (EU) 2020/878.

Printing date 14.05.2026

Version number 1

Revision: 11.05.2023

**Trade name: weber seal PS 1000 PG-Part A**

(Contd. of page 12)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Lact.: Reproductive toxicity – effects on or via lactation

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

**\* Data compared to the previous version altered.**

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.

EUG